



Global Supply  
*Your Reliable Government Source*

U.S. General Services Administration



# 2006 Wildland Fire Equipment Catalog

[www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov)

GSA Proudly Supports Our Wildland Firefighters

# GSA – A Partner In Wildfire Protection



GSA maintains a firm commitment to supporting the Fire Suppression Program and is constantly striving to provide the highest-quality supplies and equipment to its wildland-firefighting customers. We have been partnered with these customers since the mid-1950s and supplied them with many of the tools needed to get the job done.

This publication acts as a supplement to the GSA Global Supply Catalog and is issued as a convenience to federal, state and municipal agencies, as well as to other non-federal organizations operating under written cooperative agreements with the U.S. Forest Service. With this current edition, a CD version of the catalog has been included as an additional way of making important information readily available to our customers. The CD can be found in the inside back cover of this publication along with load/application instructions.

As always, GSA's objectives remain firm, and they are to: (1) facilitate advanced procurement; (2) assist in the standardization of wildland fire-protection supplies and equipment; (3) offer tremendous savings via consolidated purchasing; and (4) provide fast and direct distribution of supplies and equipment.

As the 2006 fire season approaches, please keep in mind that GSA associates remain committed to serving you and your colleagues. We will continue to be Your Reliable Government Source.

*Bill Hicks,  
GSA Fire Program Coordinator*

## Photo Credits:

Cover photos are courtesy of the National Interagency Fire Center, Boise, Idaho.

Additional photos of fires and firefighters in this publication are a courtesy of the National Interagency Fire Center in Boise, Idaho and the Bureau of Land Management.

Kari Brown: cover; back cover, pages 2, 3, 4, 17, 21, 31, 52

Bryan Day: pages 1, 2

Tom Iraci: page 21

John McColgan: cover

Karen Wattenmaker: cover; inside cover, pages 2, 5, 16, 21, 30

# TABLE OF CONTENTS



## Introduction

About This Catalog .....	2
How to Submit Your Order .....	4
Reporting Discrepancies .....	7

## Wildland Fire Equipment

Hand Tools .....	9
Sheaths .....	10
Handles and Handle Wedges .....	11
Hoses and Gaskets .....	12
Water-Handling Accessories .....	14
Pumps and Accessories .....	19
Chainsaw Accessories .....	22
Batteries .....	24
Lanterns .....	25
First Aid .....	25
Personal Protection .....	27
Packs and Accessories .....	35
Canteens, Water Bags and Accessories .....	38
Food-Handling Equipment .....	40
Sleeping Bags and Accessories .....	42
Personal Grooming Aids .....	44
Liquid Storage .....	45
Pails .....	45
Rope and Cord .....	46
Wiping Cloth .....	46
Packaging Material .....	46
Weather Gear .....	49
Backfiring Fusee .....	50
Aviation Equipment .....	50
Marking Material .....	50
Fire Forms .....	51

## General Information

Customer Service Director Program .....	52
National Fire Cache System .....	54
Requisitioning from DLA.....	56
Defense Logistics Agency (DLA) Items .....	57

## Indexes

NFES Index (NSN Cross-Reference).....	60
Alphabetical Index .....	70
NSN Index .....	74

## Order Forms *(located at the end of this catalog)*

Standard Form (SF) 344
GSA Form 3222
Wildland Fire Equipment Catalog Response Card



# ABOUT THIS CATALOG

This Wildland Fire Equipment Catalog is the basic supply publication for use by the U.S. Forest Service (USFS), Bureau of Land Management (BLM), Bureau of Indian Affairs (BIA), U.S. Fish & Wildlife Service (USF&WS), National Park Service (NPS), and other Forest Service-sponsored participants in the governmentwide wildland firefighting effort.

This catalog, issued annually, contains descriptions and ordering data for wildland fire protection equipment and supplies managed by GSA. Each item is indexed alphabetically by name and numerically by National Stock Number (NSN) and National Fire Equipment System (NFES) number.

Your suggestions for improvements to this catalog are invited at all times. Items will be deleted or added as needed, provided they meet the criteria established by GSA, USFS and BLM. Questions or comments should be directed to GSA Fire Program Coordinator Bill Hicks by telephone at (817) 574-2533, cell phone at (817) 456-5161 or e-mail at [bill.hicks@gsa.gov](mailto:bill.hicks@gsa.gov).

Additional copies of this catalog may be obtained from the Centralized Mailing List Service (CMLS). To receive this publication on a continuing basis, call (817) 334-5215, fax (817) 334-5561, e-mail [cmls@gsa.gov](mailto:cmls@gsa.gov), or go to [www.gsa.gov/cmls](http://www.gsa.gov/cmls) and request to be placed on the automatic mailing list. (To correct your mailing address or update recipient information, please complete and return the reply card located at the back of this catalog.)

This catalog is updated and published annually and is distributed each spring.

## Clearances

GSA has complied with all regulations governing the purchase of items available from the Federal Prison Industries, Inc., Federal Supply Schedule contractors, NISH, National Industries for the Blind (NIB), and the Government Printing Office (GPO). Ordering offices are not required to obtain clearance on items available from these sources when ordering directly from GSA.

## Freight Charges

The cost of normal motor carrier transportation to consignees located in the United States (except certain areas of Alaska) is included in the prices shown in this catalog. Premium transportation (such as air freight, emergency trip, or exclusive use of vehicle service) must be paid by the requisitioner, and appropriate transportation funds must be cited when placing the order.

## Prices

Prices are on a freight on board (f.o.b.) destination basis for surface transportation to consignees in the United States. Special transportation payment policy is applied to Alaskan shipments, depending on ultimate destination. Any requirements for premium transportation must be paid for by the ordering activity.

***Note:** The prices in the publication are established each year as of April 1. In most cases they remain in effect through March 31 of the following year; however, from time to time, it is necessary to make changes **without notice**. This happens when new contract prices are significantly higher or lower, in which case the adjustments have to be made. To obtain the most current prices, we recommend that customers contact the Fort Worth Customer Assistance Branch at (800) 525-8027, **option 3**, or research the NSN through the **GSA Global Supply** Web site at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov) or **GSA Advantage®** at [www.gsaAdvantage.gov](http://www.gsaAdvantage.gov).*



**On enclosed CD –  
See the full  
GSA Global Supply  
offering  
(inside back cover)**

## Specification References

The specifications cited in catalog descriptions may undergo a series of revisions (indicated by successive suffix letters) to keep current with industry changes and agency needs. Because it is not feasible to show the latest revision on the catalog publication date, only the basic specification is referenced in this catalog. Although stock items are always procured under the latest edition of a specification in effect at the time of procurement, on-hand stock that was procured under a previous edition of a specification will be issued until the supply is depleted.

## The National Stock Number

The National Stock Number (NSN) is used for requisitioning, new procurements, existing contracts, shipments, shippers' invoices, payments, cataloging, stock records, et cetera. Accordingly, the items in this catalog are identified by 13-digit NSNs. For further information on NSNs, consult the FEDSTRIP Operating Guide (Mail List code 5-06-00135), which is available from GSA's Centralized Mailing List Service (CMLS). Please visit [www.gsa.gov/cmls](http://www.gsa.gov/cmls), call (817) 334-5215, fax (817) 334-5561 or e-mail [cmls@gsa.gov](mailto:cmls@gsa.gov).

## Units Of Issue Used In This Catalog

BE .....	Bale	LG .....	Length
BD .....	Bundle	OZ .....	Ounce
BK .....	Book	PD .....	Pad
BX .....	Box	PG .....	Package
CL .....	Coil	PR .....	Pair
DZ .....	Dozen	QT .....	Quart
EA .....	Each	RO .....	Roll
HD .....	Hundred	SL .....	Spool
KT .....	Kit	YD .....	Yard

*Note: The name or nomenclature used in this publication may not be the Approved Item Name recorded in the Federal Catalog System. In many cases, a name more oriented to our customers is provided.*

## ICON KEY

The following is a list of icons used in this publication and the information each icon represents:



Key information to help buying decisions



Includes information on recycled content



The product is part of a specific standard pack

**MSDS**

Material Safety Data Sheet (MSDS) is available



Comprehensive Procurement Guideline Compliant; the EPA designates these items with required recycled content

**PRIME**

Items with biodegradable packing materials as required by U.S. Navy's Plastics Removal in Marine Environments program



Contact us for more information



**For the latest information and news about the Wildland Fire Program, visit our Web site at [www.gsa.gov/fireprogram](http://www.gsa.gov/fireprogram).**

# How To Submit Your ORDER



## Emergency Requisitions

During extreme fire situations, it is imperative that we process your order in the most expeditious manner. The following emergency order procedures will assist both you the customer and GSA in the elimination of bottlenecks and ensure the smooth processing of your order.

Emergency fire orders should be submitted by telephone or fax (Standard Form 344 or GSA Form 3222) to the following offices:

Monday through Friday: 7:30 a.m. – 4:15 p.m. (Central)  
**GSA Customer Assistance Branch, Fort Worth, TX**  
Telephone: (800) 525-8027, option 3  
Fax: (817) 978-2605

All other times (after-hours, weekends, and holidays)  
**GSA Western Distribution Center, French Camp, CA**  
Telephone: (209) 547-8669 or Alternate: (209) 547-8693  
Fax: (209) 547-8746 or (209) 547-8745 or (209) 547-8744

**Note:** If there is no answer at French Camp after-hours or on weekends or holidays, call French Camp's answering service at (209) 929-6959 and advise the operator that you have an emergency fire order to submit and need to contact depot personnel. Give the operator your name and telephone number. The answering service will contact depot personnel and relay your message. Depot personnel will then return your call and take care of the situation. During fire season, depot personnel are on standby to handle any emergencies.

**Reminder!** When faxing an order to French Camp, please notify personnel that the order is on the way.

If trouble is experienced contacting the French Camp depot or its answering service, please call one of the following depot personnel, day or night.

Jim Gorman  
Home .....(209) 466-2451  
Cell .....(209) 401-3524

Edward Ashley  
Home .....(209) 477-3384  
Cell .....(209) 401-9462

Raul Jacques  
Home .....(209) 477-5505  
Cell .....(209) 401-7812

Virginia Gorman  
Home .....(209) 466-2451  
Cell .....(209) 401-8896

Pete Avalos  
Home .....(209) 469-0626  
Cell .....(209) 403-5473

Joyce Mayo  
Home .....(209) 473-7845  
Cell .....(209) 403-3227

Rudy Cabrera  
Home .....(209) 476-0662  
Cell .....(209) 401-6383

Mary Bagalayos  
Home .....(209) 951-2067  
Cell .....(209) 401-8036

If trouble is experienced in contacting any of the above after-hours numbers, please call (888) 282-7862 (monitored 24 hours a day) and leave a message containing a telephone number where you can be reached. The duty officer will contact a GSA/FSS employee who will return your call as soon as possible.

The above procedures should produce a prompt response to your emergency situation. If additional assistance is required, please contact Bill Hicks, GSA Fire Program Coordinator, at (817) 574-2533 (office) or (817) 456-5161 (cell).



# How To Submit Your Order

## Routine Requisitions

Routine fire orders should be sent to our Fort Worth office, which has management responsibility over the fire program. Mail or fax your order to:

### **GSA/FSS Southwest Supply Center, Customer Assistance Branch**

Attention: 7FLIS  
819 Taylor St.  
Fort Worth, TX 76102  
Telephone: (800) 525-8027, option 3  
Fax: (817) 978-2605

***Please remember:** Inquiries about the status of fire item requisitions should also be directed to the office listed above.*

## Requisition Priority Codes

The originator of a requisition is required to enter a priority designator code on each requisition. This entry indicates the relative importance of the requisition. **Standard Delivery Days (SDD)** indicate the elapsed time from the date GSA receives requisitions for stock items, which are not back-ordered, to the date of delivery to destinations in the 48 continental states.

### CODE 03

Will be used for disaster supplies or equipment required immediately for prolonging life in case of disaster, critical injury, fatal disease, or calamity.

**7 Standard Delivery Days**

### CODE 08

The item required is one without which the activity concerned is unable to perform assigned operational mission or tasks, or such condition is imminent.

**11 Standard Delivery Days**

### CODE 10

The item required is one for immediate use, the lack of which is impairing the operational capability of the activity.

**29 Standard Delivery Days**

### CODE 15

Routine stock replenishment.

**29 Standard Delivery Days**

**Note:** For more detailed information, please refer to the *FEDSTRIP Operating Guide, FPMR 101-26.2 (Mail List Code 5-06-00135)*, which is available from GSA's Centralized Mailing List Service by visiting [www.gsa.gov/cmls](http://www.gsa.gov/cmls), calling (817) 334-5215, faxing (817) 334-5561, or e-mailing [cmls@gsa.gov](mailto:cmls@gsa.gov).



# How To Submit Your ORDER

## GSA Global Supply or GSA Advantage!®?

Many GSA fire customers are familiar with the GSA Advantage!® site for online ordering. Another excellent GSA resource for pricing information and ordering is the GSA Global Supply Web site, which is available at [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov). The main difference between the two Web sites is that the GSA Global Supply site does not display any products from GSA Schedule vendors. Every item on this site is a GSA Global Supply item; therefore, search results are generally shorter, easier to review, and simpler to use. To compare the two sites, please check the table below for key attributes.

GSA Global Supply facilitates compliance with all federal regulations.

## FEDSTRIP Process:

Customers must have an AAC or DODAAC and log in using their respective User IDs and passwords. (First-time users can register and select a user ID and password.) Once registered, users click on the FEDSTRIP link to access the screen shown below.

Customers may enter NSNs or part numbers, quantities and any exception data. Links are provided to reference materials (including the FEDSTRIP Operating Guide) for detailed explanations of screens and fields.



## Comparison Table

Attributes	GSA Global Supply	GSA Advantage!®
URL	<a href="http://www.GSAglobalsupply.gsa.gov">www.GSAglobalsupply.gsa.gov</a>	<a href="http://www.gsaAdvantage.gov">www.gsaAdvantage.gov</a>
Availability	24 hours a day, 7 days a week	24 hours a day, 7 days a week
Displays GSA Fire items	Yes	Yes
Accepts GSA SmartPay®	Yes	Yes
AAC billing available	Yes	Yes – Only for GSA Global Supply items No – Schedule items*
Displays expanded GSA Global Supply inventory	Yes	Yes
Displays Schedule vendors' items	No	Yes
Allows phased deliveries	Yes	Yes
Accepts orders for non-GSA NSNs	Yes	Yes

\* "GSA Global Supply items" refers to products managed and billed by GSA Global Supply. "Schedule items" refers to products offered by commercial vendors holding a GSA Schedule contract. These vendors generally bill the customer's purchase card and cannot bill a customer via AAC.




# How To SUBMIT YOUR ORDER

## Reminder for USDA Customers:

Changes to the USDA accounting system now require USDA customers to provide a Document Reference Number (DRN) with Activity Address Code (AAC) orders. Orders called into GSA or placed online at either the GSA Global Supply Web site or GSA *Advantage!*® can accommodate a DRN; therefore, USDA customers wishing to arrange payment via their AAC have multiple ordering options available to them. Purchase-card orders do not require a DRN and can be submitted through any of the ordering mechanisms noted above. This change does not affect U.S. Forest Service cooperators or Department of Interior organizations. **Reminder: The requirement to provide a DRN with FEDSTRIP orders is mandated by USDA, not GSA.**

## Orders with DRNs:

USDA customers can use the GSA Global Supply Web site or GSA *Advantage!*® to compile an order. When your order is complete, click on “checkout.” At step one of the checkout process, select “Activity Address Code” and enter the relevant AAC. After verifying shipping information in step two, you can enter appropriation data in step three. At this point, you can enter the appropriate DRN data and then proceed to finish the checkout process.



## REPORTING DISCREPANCIES

GSA Global Supply is committed to providing quality products and resolving problems with professional service. There are several ways to report a discrepancy:

**Telephone** Call (800) 525-8027 and select Option 2 for customer service. Indicate that you are calling about a fire suppression item.

The call center is staffed 7 a.m. – 6 p.m. (CST). Callers outside those hours should leave a clear message with a name, a commercial phone number, and a brief description of the problem.

**eResolve** Report a problem by using eResolve, an online customer service solution. eResolve allows direct reporting of problems with a requisition or GSA Global Supply shipment, including damage, short/over, wrong item, quality, tracing shipments, and merchandise return issues.

To use eResolve, log on to [www.gsa.gov/ncsc](http://www.gsa.gov/ncsc) and select the links for eResolve.

**E-mail** Send a message to [NCSCcustomer.service@gsa.gov](mailto:NCSCcustomer.service@gsa.gov) indicating “Fire Suppression” in the subject line.

Customers seeking the product Quality Deficiency Report (QDR) form can download it online at [www.gsa.gov/forms](http://www.gsa.gov/forms) after searching for SF368. Although GSA prefers customers to utilize the telephone or electronic methods mentioned above, forms can still be sent via the following methods:

**Fax** (816) 926-5561

**Mail** U.S. General Services Administration  
Attn: Fire Suppression  
National Customer Service Center (6FR)  
1500 E. Bannister Road, Bldg. 4  
Kansas City, MO 64131-3088

Relax, there's an easier way to manage your GSA billing information.

## FSS Web Bill

**For all military and civilian customers who purchase supplies and lease vehicles from FSS.**

### Web Bill:

- Allows you to research and analyze billing information online.
- Simplifies your reconciliation process – you download just what you need into a spreadsheet.
- Generates customized reports on supply purchases and leased vehicles. You name the time period, and Web Bill does the research for you.
- Downloads your agency's financial data into a spreadsheet – Web Bill gives you your billings from GSA Form 2529 or GSA Form 952.
- Is easy to use and free!

To request information regarding FSS Web Bill, please contact us.

E-mail: [FSS.WebBill@gsa.gov](mailto:FSS.WebBill@gsa.gov)

Phone: (816) 926-7037

Fax: (816) 823-1048

Mail: General Services Administration  
Heartland Finance Center  
6BCDR, Room 2042  
1500 E. Bannister Road  
Kansas City, MO 64131

Register today at [finance-kc.gsa.gov/webbill](http://finance-kc.gsa.gov/webbill).

# Hand Tools

## Single-Bit Ax

**A.** This boy's-style ax includes a 24"-long hickory handle, which is secured with adhesive bonding and a plastic wedge. Features a 2-1/4-lb. head and a 4"-wide cutting edge. Forest Service Spec 5100-9. (NFES #0352)

Std. pack: 12

5110-00-293-2339

EA \$21.13



A

## Fire Line Combination Tool

**B.** Combination pick and shovel can be folded for easy transport. Similar to army entrenching tool and features a 40" handle and serrations on shovel edges for cutting light brush. Intended for use on wildland fire-lines and for general forest work and trail maintenance. For replacement handle, see Tool Handle NSN 5120-01-296-3592. Forest Service Spec 5100-325. (NFES #1180)

Std. pack: 10

5120-01-240-2120

EA \$43.92



B

## Pulaski Tool

**C.** This ax-and-hoe combination tool is designed for fire-line digging and chopping. Cutting edges: 3-3/8" (hoe); 4-1/2" (ax). For replacement handle, see Tool Handle NSN 5110-01-137-7507. Forest Service Spec 5100-355. (NFES #0146)

Std. pack: 10

5120-00-293-3467

EA \$52.84



C

## McLeod Tool

**D.** Fire-line digging tool is a rake-and-hoe combination. Forest Service Spec 5100-353. (NFES #0296)


Std. pack: 10

4210-00-203-3512

JWOD

Width: 11"

EA \$52.85



D

## Collapsible Firefighting Rake

**E.** Collapsible metal rake is designed for fire-line construction. Features stainless steel tines that extend to 16" in width. Features a foam-grip handle. Lengths: 59-1/2" (extended) and 49-2/5" (collapsed). Weight: 3.3 lbs. REC Drawing No. 90-5700C. (NFES #0659)

Std. pack: 10

4210-01-387-1392

EA \$43.68



E



## Forest Fire Rake and Cutting Tool



Council or Rich tool is designed for fire-line digging. Features triangular cutting heads on a 12"-wide hoe-type frame. Consists of four mowing-machine cutter blades riveted to a steel frame. Straight handle is 52" long. Forest Service Spec 5100-284. (NFES #1807)

■ Std. pack: 10

4210-00-540-4512	JWOD	EA	\$13.38
------------------	------	----	---------

## Forest Fire Shovel




Designed especially for fighting wildland fires. Features a solid shank and a straight handle. Forest Service Spec 5100-326. (NFES #0171)

■ Std. pack: 10

5120-00-965-0609	JWOD	EA	\$33.03
------------------	------	----	---------

## Sharpening Gauge



This highly portable gauge makes easy work of refurbishing and inspecting fire tools in the shop or the field. Contains guides for axes, shovels, Pulaski tools, combination tools and McLeod tools. Aluminum construction is 7.5 x 20.5 x 0.3 cm in size. Instructions clearly printed on both sides. MTDC Drawing 846. (NFES #0510)

■ Std. pack: 10 or 100

5210-01-324-2776		EA	\$19.38
------------------	--	----	---------

## Abrasive Disk



Abrasive disk with closed coating and aluminum oxide grit. Unslotted with a 7/8" arbor hole (without backing pads). ANSI B7.7, ANSI B74.18. (NFES #1828)

Grit size: 24.

■ Std. pack: 4 (25 EA/BX)

5345-00-558-5928	MSDS	Diameter: 7"	BX(contains 25 EA)	\$18.46
------------------	------	--------------	--------------------	---------

# Sheaths

## Leather Ax Sheath



Constructed of lightweight, high-grade harness leather and riveted throughout. Black or russet. Houses a single-bit ax with a 2-1/4-lb. head. Features belt loop and buckle flap fastener. For use with Ax NSN 5110-00-293-2339. Forest Service Spec 5100-314. (NFES #0359)

■ Std. pack: 36

8465-00-293-3369		EA	\$7.24
------------------	--	----	--------

## McLeod Tool Sheath



Molded polyurethane plastic sheath accommodates a McLeod tool. Helps keep edges sharp while protecting personnel. Riveted with washers on both sides. For use with McLeod Tool NSN 4210-00-203-3512. Forest Service Spec 5100-316. (NFES #1854)

■ Std. pack: 10 or 100

8465-01-136-4718	JWOD	Orange	EA	\$2.78
------------------	------	--------	----	--------

## Shovel Tool Sheath



Molded polyurethane plastic sheath accommodates a hand shovel and protects tool and user. Riveted with washers on both sides. For use with Forest Fire Shovel NSN 5120-00-965-0609. Forest Service Spec 5100-316. (NFES #1853)

■ Std. pack: 10 or 100

8465-01-136-4719	JWOD	Orange	EA	\$3.89
------------------	------	--------	----	--------

## Pulaski Tool Sheath



Molded polyurethane plastic sheath effectively covers the sharp edges of a Pulaski tool. Sheath consists of a buckle-and-strap section and rivet holes for fasteners. Sections are fastened together with oval-head rivets and washers. For use with Pulaski Tool NSN 5120-00-293-3467. Forest Service Spec 5100-316. (NFES #0257)

■ Std. pack: 10 or 100

8465-01-067-9999	JWOD	Orange	EA	\$3.72
------------------	------	--------	----	--------

# Handles and Handle Wedges

## Ax Handle



Straight-grain, solid hickory handle is comprised of high-grade, heavyweight stock. Forest Service Spec 5100-9. (NFES #1812)

Replacement handle for Single-Bit Ax  
NSN 5110-00-293-2339.

■ Std. pack: 12

5110-00-293-3380	Length: 26"	EA	\$6.29
------------------	-------------	----	--------

## Tool Handle Wedge



Tool handle wedge is made from carbon steel or similar material that is corrosion resistant. Thin end of the wedge is blunt to prevent splitting of the tool handle. Useful for keeping ax and Pulaski tool handles secure.

Metal: 3/16" thick; 9/16" wide; 1-3/16" long.  
(NFES #0432)

■ Std. pack: 6

5120-00-278-7590	DZ	\$9.27
------------------	----	--------

## Tool Handle



Solid hickory handle serves as replacement handle for Pulaski Tool NSN 5120-00-293-3467. Forest Service Drawing MEDC 632. Forest Service Spec 5100-355. (NFES #1857)

■ Std. pack: 12

5110-01-137-7507	Length: 36"	EA	\$11.22
------------------	-------------	----	---------



Tool handle wedge is made from dense hardwood. For use in keeping ax and Pulaski tool handles secure.

Wood: 5/16" thick; 2-3/8" wide; 2-1/2" long.  
(NFES #0433)

■ Std. pack: 1

5120-00-293-3451	DZ	\$9.27
------------------	----	--------



This hardwood handle serves as a replacement handle for the Fire Line Combination Tool NSN 5120-01-240-2120. Tapered working end fits metal ferrule with hinged tool and locking nut. Forest Service Drawing MEDC 736. Forest Service Spec 5100-355. (NFES #1168)

■ Std. pack: 12

5120-01-296-3592	Length: 41"	EA	\$8.67
------------------	-------------	----	--------

Please use the form at the back of this catalog for all mail and fax orders. Be sure to copy the blank order form for future use.

# Hoses and Gaskets

## Synthetic-Cotton Fire Hose



Elastomer-lined fire hose features an ozone-resistant lining. Single synthetic cotton jacket is mildew resistant. Working pressure is 450 psi, coupled with aluminum, rocker-lug coupling. Forest Service Spec 5100-186.

This 1"-diameter hose features 1", 11-1/2 NPSH threaded aluminum couplings. (NFES #0966)

Weight: 20.38 lbs.

■ Std. pack: 2

4210-00-777-1591	LG(contains 100 FT)	\$88.02
------------------	---------------------	---------

This 1-1/2"-diameter hose features 1-1/2", 9 NH threaded aluminum couplings. (NFES #0967)

Weight: 26.88 lbs.

■ Std. pack: 2

4210-00-777-1592	LG(contains 100 FT)	\$92.58
------------------	---------------------	---------

## Synthetic-Lined Fire Hose



Lined, synthetic, woven jacket hose is light-weight and 100 feet long with aluminum rocker lug couplings. Working pressure: 450 psi. Forest Service Spec 5100-187.

Type 1, standard synthetic hose.

This 1"-diameter hose features 1", 11-1/2 NPSH threaded couplings. Weight: 9.38 lbs. (NFES #1238)

■ Std. pack: 2

4210-01-166-8122	JWOD	White	LG(contains 100 FT)	\$58.65
------------------	------	-------	---------------------	---------

This 1-1/2"-diameter hose features 1-1/2", 9 NH threaded couplings. Weight: 15.88 lbs. (NFES #1239)

■ Std. pack: 2

4210-01-165-6597	JWOD	White	LG(contains 100 FT)	\$74.00
------------------	------	-------	---------------------	---------

NEW



Type II, abrasion- and heat-resistant synthetic hose with external elastomeric coating.

This 1-1/2"-diameter hose features 1-1/2", 9 NH threaded couplings. (NFES #0933)

■ Std. pack: 2

4210-01-526-2977	JWOD	Yellow	LG(contains 100 FT)	\$139.57
------------------	------	--------	---------------------	----------

This 1"-diameter hose features 1", 11-1/2 NPSH threaded couplings. (NFES #0932)

■ Std. pack: 2

4210-01-526-3000	JWOD		LG(contains 100 FT)	\$107.68
------------------	------	--	---------------------	----------

## Synthetic Garden Hose



Lightweight hose features a woven synthetic jacket and is lined. The 5/8"-diameter hose features 3/4", 11-1/2 NH threaded coupling (standard garden hose threads). Operating pressure is 200 psi. To be used for mop-up operations, pumper protection and miscellaneous applications. (NFES #1016)

■ Std. pack: 20

4210-01-167-1061	JWOD		LG(contains 50 FT)	\$16.71
------------------	------	--	--------------------	---------

**GSA – Exclusively serving  
the federal marketplace  
for more than 50 years!**



## High-Pressure Fire Hose



High-pressure fire hose features 1", 11-1/2 NPSH compression wedge couplings. Braided hose has a 3/4" inside diameter. Working pressure: 600 psi. Forest Service Spec 5100-185. (NFES #1220)

Std. pack: 2

4210-00-595-1838 LG(contains 50 FT) \$148.81

## Rubber Suction Fire Hose



Suction fire hose with rocker-lug couplings is made of rubber and fabric with wire reinforcement. Forest Service Spec 5100-184. Couplings per Forest Service Spec 5100-108.

This 1-1/2"-diameter hose features a 1-1/2", 9 NH threaded coupling. (NFES #1808)

Std. pack: 4

4210-00-889-1774 LG(contains 8 FT) \$87.87



This 1-1/2"-diameter hose features a 1-1/2", 9 NH threaded coupling. (NFES #0115)

Std. pack: 4

4210-00-889-1775 LG(contains 10 FT) \$95.24

## Fire Hose Retaining Band



Rubber band for securing coiled fire hose. (NFES #0727)

4210-01-529-8489 Length: 9-1/2"; Width: 1-3/8"; Thickness: 0.063" BX(contains 325 EA) \$202.37

## Fire Hose Gasket



Designed for fire hose connections, this gasket is made of synthetic rubber and is circular in shape. Forest Service Spec 5100-190.

For 1" nominal waterway diameter. Has a 1-1/16" inside diameter and a 1-7/16" outside diameter. Thickness: 1/8". (NFES #0743)

36-month maximum shelf life (extendable) Std. pack: 20

5330-00-720-2621 PG(contains 10 EA) \$1.21

For 1-1/2" nominal waterway diameter. Has a 1-9/16" inside diameter and a 2-1/16" outside diameter. Thickness: 1/8". (NFES #0254)

36-month maximum shelf life (extendable) Std. pack: 20

5330-00-239-1873 PG(contains 10 EA) \$1.00

For 2" nominal waterway diameter. Has a 2-1/16" inside diameter and a 2-3/8" outside diameter. Thickness: 1/8". (NFES #0742)

36-month maximum shelf life (extendable) Std. pack: 20

5330-00-239-1875 PG(contains 10 EA) \$1.91

For 2-1/2" nominal waterway diameter. Has a 2-9/16" inside diameter and a 3-3/16" outside diameter. Thickness: 3/16". (NFES #2326)

36-month maximum shelf life (extendable) Std. pack: 20

5330-00-239-1877 PG(contains 10 EA) \$2.50

Having trouble locating an item?  
Check the Alphabetical Index on page 70.

# Water-Handling Accessories

- Unless otherwise noted, the working pressure of all applicable items is 600 psi.
- All flow rates are at 100 psi flowing pressure.
- The 3/4" connections in this catalog use GHT (Garden Hose Thread) threads and 11-1/2 NH threads interchangeably; both designations are the same threads.
- This catalog includes some threads that are specific to the USDA Forest Service and do not follow the NFPA standard. The threads used on each item are indicated.

## Fire Hose Thread Adapter



Thread adapter features aluminum couplings with a 600-psi test pressure. Forest Service Spec 5100-107.

1-1/2" NH female and a 1-1/2" NPSH male. (NFES #0006)

■ Std. pack: 10 or 60

4210-01-079-9284	EA	\$5.95
------------------	----	--------

1-1/2" NPSH female and a 1-1/2" NH male. (NFES #0007)

■ Std. pack: 10 or 60

4210-01-079-9283	EA	\$5.43
------------------	----	--------

## Fire Hose Double Female Adapter



Double female connection has aluminum couplings with a 600-psi test pressure. Forest Service Spec 5100-107.

Both ends are 1" NPSH. Female, swivel couplings. (NFES #0710)

■ Std. pack: 10 or 60

4210-01-080-1457	EA	\$11.07
------------------	----	---------

Both ends are 1-1/2" NH. (NFES #0857)

■ Std. pack: 10 or 60

4210-01-081-8749	EA	\$11.88
------------------	----	---------

## Fire Hose Double Male Adapter



Double male connection with center wrenching. Has aluminum couplings with a 600-psi test pressure. Measures 2" long overall. Forest Service Spec 5100-107.

Both ends are 1" NPSH. (NFES #0916)

■ Std. pack: 10 or 60

4210-01-080-1458	EA	\$5.42
------------------	----	--------

Both ends are 1-1/2", 9 NH. (NFES #0856)

■ Std. pack: 10 or 60

4210-01-079-9285	EA	\$6.50
------------------	----	--------

## Fire Hose Cap with Chain



Aluminum fire hose threaded cap for use on fire equipment. Furnished with gasket and chain. 600-psi operating pressure. Forest Service Spec 5100-107.

1" NPSH. (NFES #0732)

■ Std. pack: 10 or 60

4210-01-082-0575	EA	\$5.00
------------------	----	--------

1-1/2" NH. (NFES #2210)

■ Std. pack: 10 or 60

4210-01-081-8751	EA	\$6.47
------------------	----	--------

## Fire Hose Increaser



Increaser features aluminum couplings with a 600-psi test pressure. Forest Service Spec 5100-107.

Includes a 1" NPSH female and a 1-1/2" NH male. (NFES #0416)

■ Std. pack: 10 or 60

4210-01-080-6532	EA	\$7.98
------------------	----	--------

Includes a 3/4" NH female and a 1" NPSH male. (NFES #2235)

■ Std. pack: 10 or 60

4210-01-080-6531	EA	\$5.42
------------------	----	--------

## Fire Hose Reducer



Reducers feature aluminum couplings with a 600-psi test pressure. Forest Service Spec 5100-107.

Includes a 1" NPSH female and a 3/4" NH male. (NFES #0733)

■ Std. pack: 10 or 60

4210-01-079-9286	EA	\$5.08
------------------	----	--------

Includes a 1-1/2" NPSH female and a 1" NPSH male. (NFES #0418)

■ Std. pack: 10 or 60

4210-00-294-2648	EA	\$7.49
------------------	----	--------

Includes a 1-1/2" NH female and a 1" NPSH male. (NFES #0010)

■ Std. pack: 10 or 60

4210-00-975-2969	EA	\$7.14
------------------	----	--------

Includes a 2" NPSH female and a 1-1/2" NH male. (NFES #0417)

■ Std. pack: 10 or 60

4210-01-521-1691	EA	\$7.89
------------------	----	--------

Includes a 2-1/2" NPSH female and a 1-1/2" NH male. (NFES #2229)

■ Std. pack: 10 or 60

4210-01-081-0419	EA	\$10.50
------------------	----	---------

Includes a 2-1/2" NH female and a 1-1/2" NH male. (NFES #2230)

■ Std. pack: 10 or 60

4210-01-508-8818	EA	\$10.40
------------------	----	---------

## Hoseline Tee with Capped Male Branch



Aluminum alloy tee issues 600-psi maximum operating water pressure. Forest Service Spec 5100-107.

Connects 1" NPSH female threaded inlet to 1" NPSH outlet and 3/4", 11-1/2" NH branch with male threads. Male threaded 3/4" branch is closed with removable aluminum alloy cap. (NFES #1809)

■ Std. pack: 10 or 60

4210-01-081-0418	EA	\$19.87
------------------	----	---------

Connects 1" NPSH female threaded inlet to two 1" NPSH male threaded outlets. One outlet is closed with removable aluminum alloy cap. (NFES #2240)

■ Std. pack: 10 or 60

4210-01-080-1459	EA	\$15.90
------------------	----	---------

Connects 1-1/2", 9 NH female threaded inlet to 1-1/2", 9 NH outlet and 1" NPSH branch with male threads. Branch is closed with removable aluminum alloy cap. (NFES #0731)

■ Std. pack: 10 or 60

4210-01-080-1460	EA	\$11.25
------------------	----	---------

## Hoseline Tee with Valved Male Branch



Aluminum alloy tee issues 600-psi maximum operating water pressure. Forest Service Spec 5100-107.

Connects 1-1/2", 9 NH female threaded inlet to 1-1/2", 9 NH discharge and 1" NPSH branch with male threads. Branch output regulated with screw-type valve. (NFES #0230)

■ Std. pack: 10 or 60

4210-01-081-0417	EA	\$17.99
------------------	----	---------

- The National Fire Protection Association (NFPA) standard calls for 3/4" connections and larger to be NH (national standard) threads. The wildland agencies have adopted this, except for 3/4" and 1" connections; the 3/4" connections shall be 3/4" 11-1/2 NH (rather than the NFPA standard of 3/4" 7-1/2 to 8 NH) and 1" shall be NPSH (straight pipe) thread.
- All female connections come with gaskets in place.
- All aluminum threaded items are hard-coated for durability.



## Fire Hose Nozzle



Barrel-type plastic polycarbonate nozzle adjusts from straight stream to fog to off. Rubber bumper and gasket included. Threads per Forest Service Spec 5100-190.

Female intake is 1" NPSH, with an output capacity of 17 to 20 gpm. (NFES #0138)

■ Std. pack: 10 or 100

4210-00-085-2291	Length: 5"	EA	\$6.50
------------------	------------	----	--------

Female intake is 1-1/2", 9 NH, with an output capacity of 60 gpm. (NFES #0137)

■ Std. pack: 10 or 100

4210-00-181-8872	Length: 5"	EA	\$6.20
------------------	------------	----	--------



Wildland fire hose nozzle with 3/4" GHT inlet threads NH (garden hose) threads, brass. Flow rate varies from 4-gpm spray pattern to 8-gpm straight-stream pattern. Working pressure of 250 psi. Forest Service Spec 5100-243. (NFES #0136)

■ Std. pack: 10 or 100

4730-00-595-1103	Length: 5"	EA	\$16.43
------------------	------------	----	---------



Barrel-type nozzle with shutoff is made of aluminum alloy. Outer barrel rotates from high flow spray, to high flow straight stream, to low flow spray, to low flow straight stream, and to off. Forest Service Spec 5100-239.

Female intake is a 1", 11-1/2 NPSH, 10 to 25 gpm. (NFES #1081)

■ Std. pack: 20

4210-01-165-6603	Length: 4"	EA	\$21.78
------------------	------------	----	---------



Female intake is 1-1/2", 9 NH, 20 to 75 gpm. (NFES #1082)

■ Std. pack: 20

4210-01-167-1123	Length: 5"	EA	\$43.46
------------------	------------	----	---------



This shut-off-type nozzle with two outlets is a combination fog and straight-stream nozzle. Both outlets feature 3/4" GHT threads. Comes with a 3/16" (10 gpm) straight-stream tip and a 3-gpm spray tip. Inlet is 1" NPSH female. Selector ranges from spray to straight to off. Aluminum nozzle; tips may be brass or aluminum. Forest Service Spec 5100-240. (NFES #0024)

■ Std. pack: 20

4210-00-640-1892	EA	\$126.94
------------------	----	----------

## Fire Hose Nozzle Tip



Tips for all nozzles have 3/4" GHT female threaded inlets. Fog-stream-type tip has 3/4", 11-1/2 NH female threaded inlet and is made of aluminum. Measures 2-1/2" in overall length. Forest Service Spec 5100-244.

Size 3 tip issues 2 to 4 gpm. (NFES #0635)

■ Std. pack: 24

4210-00-204-3358	EA	\$11.06
------------------	----	---------

Size 6 tip issues 5 to 7 gpm. (NFES #0636)

■ Std. pack: 24

4210-00-204-3386	EA	\$17.53
------------------	----	---------



Tips for all nozzles have 3/4" GHT female threaded inlets. Solid straight-stream-type tip has a 3/4", 11-1/2 NH female threaded inlet is made of aluminum. Measures 1-3/4" in overall length. Forest Service Spec 5100-244.

Discharge opening is 3/16", 9.4 gpm. (NFES #0637)

■ Std. pack: 24

4210-00-203-3855	EA	\$4.95
------------------	----	--------

Discharge opening is 1/4", 16.8 gpm. (NFES #0737)

■ Std. pack: 24

4210-00-177-6135	EA	\$5.23
------------------	----	--------

Discharge opening is 3/8", 37.9 gpm. (NFES #0638)

■ Std. pack: 24

4210-00-203-3845	EA	\$7.18
------------------	----	--------

Need additional copies of this catalog? Visit [www.gsa.gov/cmls](http://www.gsa.gov/cmls) or e-mail [cmls@gsa.gov](mailto:cmls@gsa.gov).

**GSA Global Supply offers tens of thousands of office products, tools, and maintenance/repair/operations supplies. See the complete offering at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov) or on the enclosed CD.**

### Shut-Off Valve



Aluminum valve has a female threaded inlet with gasket recess and male threaded outlet. Features an on-off or open-close lever with stops at both positions. Removable inlet or outlet allows for easy cleaning and repair. With a 600-psi rating. Forest Service Spec 5100-238.

Includes 1", 11-1/2" NPSH threads on both ends. (NFES #1201)

■ Std. pack: 20

4210-01-165-6599	EA	\$48.49
------------------	----	---------

Includes 1-1/2", 9 NH threads on both ends. (NFES #1207)

■ Std. pack: 20

4210-01-165-6600	EA	\$60.13
------------------	----	---------



### Fire Hose Wye Valve



Aluminum wye valve has a female inlet and two ball-valved male outlets. Ball-type release of water either or both outlets. Working pressure is 600 psi. Forest Service Spec 5100-380.

Threads are 1", 11-1/2" NPSH. (NFES #0259)

■ Std. pack: 10

4210-00-126-5108	EA	\$54.21
------------------	----	---------

Threads are 1-1/2", 9 NH. (NFES #0231)

■ Std. pack: 10

4210-00-984-3475	EA	\$93.54
------------------	----	---------

### Foot Valve



Foot valve is made of brass or aluminum alloy and has a strainer. Forest Service Spec 5100-383.

Female threaded connection is 1-1/2", 9 NH. (NFES #0212)

■ Std. pack: 10

4820-00-126-5114	EA	\$34.84
------------------	----	---------

### Spanner Wrench



Hose coupling-type wrench is designed for use on slotted or rocker-lug couplings on Forest Service fire hoses. Spanner wrench cannot be used on pin-lugs. Made of bronze, forged brass, cast aluminum or forged aluminum. Forest Service Spec 5100-101.

Single-ended wrench fits 1", 11-1/2" NPSH and 1-1/2", 9 NH coupling. (NFES #0234)

■ Std. pack: 20

5120-00-596-1426	Length: 6"	EA	\$3.99
------------------	------------	----	--------



Double-ended wrench fits 1", 11-1/2" NPSH, 1-1/2", 9 NH, and 2-1/2", 7-1/2" NH couplings. (NFES #0235)

■ Std. pack: 20

5120-00-596-1427	Length: 8-3/4"	EA	\$4.84
------------------	----------------	----	--------

## Mop-Up Kit



Designed for wildfire mop-up operations, this kit contains all the equipment necessary for three people to attach to a lateral line to put out spot fires. Includes hose, T-valves, reducers, applicator wands and nozzles, wrenches, and more. (NFES #0772)

■ Std. pack: 1

4210-01-321-4206	JWOD	KT	\$418.07
------------------	------	----	----------

## Fire Hose Clamp



Shut-off clamp is designed for use on single-jacket, rubber-lined fire hoses sized 1 and 1-1/2". Capable of shutting off water in a hose at 300-psi operating pressure. Lightweight and compact enough to carry in a hip pocket or on a belt loop. Forest Service Spec 5100-245. (NFES #0046)

■ Std. pack: 20

4210-00-767-7123	EA	\$30.46
------------------	----	---------

## Garden Hose Wye Valve



Small wye valve features 3/4" garden hose threaded (GHT) connections. Includes one inlet and two outlets with gated shut-off ball valves, 200 psi. (This is a component of Mop-Up Kit NSN 4210-01-321-4206.) Threads per Forest Service Spec 5100-190. (NFES #0272)

■ Std. pack: 100

4210-01-412-6335	EA	\$2.51
------------------	----	--------

## Fire Hose Nozzle Tip



Brass fog pattern spray tip, flows 3 gpm at 100 psi, 3/4" connection garden hose threads (GHT). (This is a component of Mop-Up Kit NSN 4210-01-321-4206.) Threads per Forest Service Spec 5100-190. (NFES #0735)

■ Std. pack: 24

4210-01-412-5683	EA	\$6.95
------------------	----	--------

## Garden Hose Shut-Off Valve



Shut-off valve for use on small hoses and nozzles. 200 psi and 3/4" garden hose threads. (This is a component of the Mop-Up Kit NSN 4210-01-321-4206.) Threads per Forest Service Spec 5100-190. (NFES #0738)

■ Std. pack: 100

4210-01-412-5684	EA	\$1.73
------------------	----	--------

## Fire Hose Water Applicator



Water application wand for use in watering down wildland fire hotspots. Applicator is 52" long and comes apart in the middle. One section of the applicator is bent near the tip. All connections are 3/4" garden hose threads (GHT). (This is a component of Mop-Up Kit NSN 4210-01-321-4206.) Threads per Forest Service Spec 5100-190. (NFES #0720)

■ Std. pack: 12

4210-01-412-5688	EA	\$24.55
------------------	----	---------

**Routine fire orders –  
See page 5 of this publication.**



# Pumps and Accessories

## Backpack Pump Outfit

**A.** Complete backpack pump outfit is a combination of five-gallon Backpack Pump Bag NSN 8465-01-321-1678, Firefighting Hand Pump NSN 4320-00-595-0762 and Backpack Pump Shoulder Straps NSN 8465-01-416-1951. (NFES #1149)

■ Std. pack: 6

4320-00-289-8912	JWOD	EA	\$92.58
------------------	------	----	---------

## Backpack Pump Shoulder Straps

**B.** Two padded replacement shoulder straps for five-gallon water bags are adjustable via slide and end snaps. Pad covers are yellow. (For use with Backpack Pump Bag NSN 8465-01-321-1678 and Water Bag NSN 8465-01-310-1259.) Forest Service Spec 5100-103. (NFES #0495)

■ Std. pack: 20

8465-01-416-1951	EA	\$17.76
------------------	----	---------

## Backpack Pump Bag

**C.** Nylon duck-covered backpack-pump comes complete with two replaceable inner bladders, one female quick-connect fitting, and shoulder straps. Includes a pocket for carrying an extra bladder. Holds water supply for fighting wildland fires. Note: Not safe for use with drinking water. Quick-connect hose fitting mates with Firefighting Hand Pump NSN 4320-00-595-0762 (not included). Forest Service Drawing 832. Forest Service Spec 5100-103. (NFES #1197)

■ Std. pack: 10

8465-01-321-1678	Yellow	Capacity: 5 gal.	EA	\$50.18
------------------	--------	------------------	----	---------

## Backpack Pump Liner

**D.** Replacement bladder for Backpack Pump Bag NSN 8465-01-320-1678 does not include a quick-connect fitting. (Not safe for use with drinking water bag; for drinking water-safe bag, see Water Bag NSN 8465-01-310-1259.) Packaged 10 per box. Forest Service Drawing 864. Forest Service Spec 5100-95. (NFES #0597)

■ Std. pack: 10 or 100

8465-01-321-1679	Clear	Capacity: 5 gal.	EA	\$6.98
------------------	-------	------------------	----	--------

## Firefighting Hand Pump

**E.** Trombone-style, plunger-type pump includes a quick-connect fitting. Positive displacement, single-action type includes screw-on combination solid straight-stream and fog nozzle. For use with Backpack Pump Outfit NSN 4320-00-289-8912. Forest Service Spec 5100-256. (NFES #0151)

■ Std. pack: 10

4320-00-595-0762	Length: 18"	EA	\$36.54
------------------	-------------	----	---------



Prices in this catalog  
are subject to change  
without notice.  
Current prices  
are available at  
[www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov).

Firefighting Water Pump

**A.** Backpack-style pump includes a rope rewind starter with a two-cycle, air-cooled engine that uses a gas-oil mixture. Inlet/outlet size adapted to 1-1/2", 9 NH. Includes a hand priming device. Includes: tool pouch (tools not included); a five-foot fuel line with primer bulb and quick disconnect; five-gallon fuel tank with quick disconnect. (No suction hose or other accessories are included with pump.) Weight: 55 lbs. Forest Service Spec 5100-274. (NFES #0601)

■ Std. pack: 1		
4320-00-890-5879	EA	\$3,334.66

**B.** Backpack-style pump has a rope rewind starter with a two-cycle, air-cooled engine that uses a gas-oil mixture. Inlet/outlet size adapted to 1-1/2", 9 NH. Supplied with backpack frame and fuel line (with primer bulb). Weight: 55 lbs. Forest Service Spec 5100-274. (NFES #0148)

For backpack pump with accessories, see Firefighting Water Pump NSN 4320-00-890-5879.		
4320-01-495-3633	EA	\$2,641.18

Quick-Connect Hose Fitting



Replacement hose connection for firefighter's backpack pump outfit. Made of brass, cadmium-plated steel or stainless steel. Attaches to inlet on Firefighting Hand Pump NSN 4320-00-595-0762. Forest Service Spec 5100-256.

Male quick-connect with male barbed hose connection. (NFES #0428)

■ Std. pack: 10 or 100		
4730-01-057-0136	EA	\$3.06



Replacement hose connection for firefighter's backpack pump outfit. Made of brass, cadmium-plated steel or stainless steel. Attaches to tank opening. Forest Service Spec 5100-257.

Female connection with male screw threads. (NFES #0429)

■ Std. pack: 10 or 100		
4730-01-057-4210	EA	\$6.45



## Gasoline Can

Self-sealing quick-coupler enables user to change from one can to another in mere seconds! Quick-coupler immediately self-seals and completely stops flow of gasoline. For use with Firefighting Water Pump NSNs 4230-00-890-5879 and 4320-01-495-3633. (NFES #0218)

Std. pack: 1

7240-01-044-5523	Wildfire P/N FA-352GSA	Capacity: 5 gal.	EA	\$111.02
------------------	------------------------	------------------	----	----------



## Fire Pump Gasoline Line

Neoprene gasoline line with self-priming bulb connects portable gasoline pumps to quick-disconnect gas tank (see Gasoline Can NSN 7240-01-044-5523). Hose ends are fitted with female 7/16" SAE threads to accept quick-connect fittings (not included). Has a 1/4" ID. Cover is oil- and ozone-resistant. Forest Service Spec 5100-274. (NFES #0113)

36-month maximum shelf life (extendable) Std. pack: 36.

4210-00-568-9904	LG(contains 5 FT)	\$20.09
------------------	-------------------	---------



## Funnel

General-purpose galvanized steel funnel has a rigid spout and removable brass strainer. For filling gasoline tanks or other general use. Fine mesh screens grit from gasoline. (NFES #0564)

Std. pack: 48

7240-00-527-9868	Capacity: 1 qt.	EA	\$2.84
------------------	-----------------	----	--------



# Chainsaw Accessories

## File (American Pattern)



American-pattern files mainly consist of machinist's files and mill or saw files. Machinist's files are used where metal must be removed rapidly and finish is of secondary importance. Mill or saw files are ideal for the following tasks: sharpening mill or circular saws and large crosscut saws; lathe work; draw filing; filing brass and bronze; smooth general filing. These files are characterized by hardened, uniform teeth and conventional tang for attaching a wooden handle. Forged from carbon alloy steel. The three standard tooth cuts available on American-pattern files are as follows: bastard-cut (coarse teeth for rapid stock removal); second-cut (medium teeth for moderate stock removal); smooth-cut (fine teeth for smooth finishes).

Mill (regular) file is for sharpening mill or circular saws and for general use. Width is tapered for one-third of length to point; thickness is uniform. Bastard-cut is single cut on both flat surfaces and both square edges.

*Width: 13/16"; Teeth per inch: 42 to 48.*  
(NFES #0351)

■ Std. pack: 1

5110-00-242-5384	Length: 8"	DZ	\$10.36
------------------	------------	----	---------

Round chainsaw file is used to sharpen all sizes of chainsaw teeth. Diameter is uniform.

*Diameter: 3/16"; Teeth per inch: 48 to 66.*  
(NFES #2105)

■ Std. pack: 1

5110-00-782-7491	Length: 8"	DZ	\$5.83
------------------	------------	----	--------

Swiss-made round chainsaw file (smooth) forged tang. Diameter: 7/32"; Teeth per inch: 48 to 66.

*Vallorbe P/N LC6678-8-7/32, or Oregon Cutting Systems P/N 70502, or Wood-Miller P/N WM6678-8-7/32, or Nicholson P/N 02230.*  
(NFES #0345)

■ Std. pack: 1

5110-00-965-0608	Length: 8"	DZ	\$6.28
------------------	------------	----	--------



American-pattern file is bastard-cut (coarse teeth for rapid stock removal). Files are used where metal must be removed rapidly and finish is of secondary importance. These files are characterized by hardened, uniform teeth and conventional-style tang for attaching a wooden handle. Files are made of carbon alloy steel. Width is tapered for one third of length to point; thickness is uniform.

Bastard-cut is single cut on both flat surfaces and both square edges.

*Width: 1"; Teeth per inch: 38 to 48.* (NFES #0060)

■ Std. pack: 1

5110-00-242-5385	Length: 10"	DZ	\$13.46
------------------	-------------	----	---------

*Width: 1-3/16"; Teeth per inch: 33 to 38.*  
(NFES #1059)

■ Std. pack: 1

5110-00-242-5386	Length: 12"	DZ	\$19.10
------------------	-------------	----	---------

## File Handle



Wooden handle with metal ferrule is designed for use with files and similar tools that have tang-type shanks. Features tang-holding metal jaws or chuck. The adjusting mechanism consists of an adjusting cap and a threaded metal sleeve or screw.

Pre-bored holes receive tang-type shank.

*Small handle fits 3"- to 6"- long files. Handle has a 1" diameter and a 4" overall length.*  
(NFES #0358)

■ Std. pack: 1

5110-00-263-0342	DZ	\$8.28
------------------	----	--------

*Large handle fits 10"- to 14"-files. Handle has a 1-1/2" diameter and a 5-1/2" overall length.*  
(NFES #0063)

■ Std. pack: 1

5110-00-263-0341	DZ	\$11.07
------------------	----	---------

## Chainsaw File Guide



Specially tooled for sharpening teeth and adjusting depth of cut on all types and sizes of chainsaws. Includes an 8"-long file, frame, clamps and joint device. Heavy-duty clamp attaches file guide to bench, preventing tipping.  
(NFES #0343)

■ Std. pack: 25

5110-01-046-5031	EA	\$22.66
------------------	----	---------

After-hours  
and weekend  
support –  
See page 4 of  
this publication.



# ICON KEY

The following is a list of icons used in this publication and the information each icon represents:



Key information to help make buying decisions

**MSDS**

Material Safety Data Sheet is available

**PRIME**

Items with biodegradable packing materials as required by U.S. Navy's Plastics Removal in Marine Environment program



Includes information on recycled content

**CPG**

Comprehensive Procurement Guideline Compliant; the EPA designates these items with required recycled content



This product is part of a specific standard pack



Contact us for more information

## Chainsaw Operator's Chaps



These heavy-duty chaps are designed specifically to protect against chainsaw cuts. The cut-resistant nylon duck shells are padded with five layers of aramid fillers. Chaps cover front and sides of legs from waist to mid-calf and are secured with adjustable waist belt and leg straps. For proper fit, length should be selected to cover from the user's waist to at least 3" below boot top. Features a tool pouch. Forest Service Spec 6170-4.

(NFES #0045)

Std. pack: 10

8415-00-286-7507	Green	Length: 32"	PR	\$66.96
------------------	-------	-------------	----	---------

(NFES #0078)

Std. pack: 10

8415-01-028-5575	Green	Length: 36"	PR	\$69.44
------------------	-------	-------------	----	---------

(NFES #0150)

Std. pack: 10

8415-01-294-7717	Green	Length: 40"	PR	\$79.36
------------------	-------	-------------	----	---------

## Plastic Forestry Wedge



Hard plastic wedge aids in forestry work, such as tree felling and bucking. Length: 12"; Thickness: 1-1/8"; Width: 3-1/4".  
(NFES #2725)

Std. pack: 24


5510-01-045-9198

EA

\$3.62

Emergency  
fire orders –  
See page 4 of  
this publication.

# Batteries



## Carbon-Zinc Battery

These carbon-zinc batteries are non-rechargeable.

**A.** Rectangular battery with rounded corners and stud and nut terminals. Consists of four 1.5V dry cells packaged in a series as a single unit. ANSI C 18.1.

(NFES #1233)

⌚ 24-month maximum shelf life (not extendable) 📦 Std. pack: 6


6135-00-643-1307	Size: 6V (2-3/16 x 10-5/8 x 7-1/2")	EA	\$14.99
------------------	-------------------------------------	----	---------

**B.** Square-shaped with rounded corners and coil-spring terminals. For use with Lantern NSN 6230-00-500-0523.

(NFES #0031)

⌚ 24-month maximum shelf life (not extendable) 📦 Std. pack: 6 (12/pg)

6135-00-643-1310	Size: 6V (2-11/16 x 2-11/16 x 4")	PG(contains 12 EA)	\$30.53
------------------	-----------------------------------	--------------------	---------



## Alkaline Battery

This alkaline, manganese dioxide battery is great for use with tape recorders, pocket calculators, smoke detectors, transistor radios, and other electronic equipment. Frequently lasts more than twice as long as the same size carbon-zinc battery, depending on type of use. Non-rechargeable. ANSI C 18.1.

Cylindrical battery has flat terminals. Nominal voltage: 1.5V.

Pallet contains a total of 1,440 packages (120 cases, each containing 12 packages).

(NFES #0030)

⌚ 36-month maximum shelf life (not extendable) 📦 Std. pack: 12

C. 6135-00-985-7845	Size: AA	PG(contains 24 EA)	\$6.38
---------------------	----------	--------------------	--------

Cylindrical battery has flat terminals; nominal voltage is 1.5V.

(NFES #0834)

⌚ 36-month maximum shelf life (not extendable) 📦 Std. pack: 6 (12/pg)

D. 6135-00-985-7846	Size: C	PG(contains 12 EA)	\$5.50
---------------------	---------	--------------------	--------

Cylindrical battery has flat terminals. Nominal voltage: 1.5 volts.

(NFES #0033)

⌚ 36-month maximum shelf life (not extendable) 📦 Std. pack: 12

E. 6135-00-835-7210	Size: D	PG(contains 12 EA)	\$10.85
---------------------	---------	--------------------	---------



DLA items can be found  
on pages 57 and 58.

# Lanterns

## Lantern



Easily portable, this battery-operated spotlight has an on-off switch, one installed lamp, and one spare lamp. Requires one ANSI/NEDA 908 6V battery Carbon-Zinc Battery NSN 6135-00-643-1310 not included. (NFES #0127)

■ Std. pack: 12

6230-00-500-0523

EA \$10.47

## Firefighter's Headlamp



Battery-operated, computer-controlled headlamp for mounting on helmet. Consists of an adjustable light head, a battery holder (with five required AA batteries housed in the holder), and a rubber headband. With headlamp at front, battery holder mounts to rear, connected by quick-disconnect cord. Push-button control with two levels of light output; electronic chip regulates light to provide continuous output (regardless of battery power) and will drain batteries completely within six to eight hours at high output or 12 to 16 hours at low output (depending on batteries). Chip will pulse light when batteries are near the end of their use. (NFES #0667)

■ Std. pack: 20

6230-01-493-7630

JWOD

Yellow/Black

EA

\$43.23

# First Aid

## Insect Bite Swab



Non-toxic swab or wipe provides quick relief from pain, irritation and itching caused by insect bites or stings. (NFES #1243)

■ Std. pack: 10 or 100

6510-01-045-3506

PG(contains 10 EA)

\$0.78

## Insect Repellent



This lotion-like repellent is effective against mosquitoes, gnats, ticks, biting flies and chiggers. Contains a minimum of 25% active ingredients (minimum 17% DEET). (NFES #0705)

Ⓢ 48-month maximum shelf life (extendable) ■ Std. pack: 144

6840-01-003-9589

MSDS

Bottle Size: 1 oz.

OZ

\$1.20

## First Aid Kit



First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: three povidone iodine swabs; two gauze pads; two non-stick pads; six bandages (woven adhesive); four butterfly closures; elastic bandage; one pair of latex gloves; mouth-to-mouth barrier; towelette; biohazard bag; a roll of adhesive tape; two sheets of moleskin; face mask; two aspirins; two acetaminophen tablets. Includes instructions for mouth-to-mouth barrier use and contents list. Type I. Forest Service Spec 6170-6.

Personal first aid kit comes in a translucent plastic telescoping case.

(NFES #0067)

Ⓢ 24-month maximum shelf life (extendable) ■ Std. pack: 100

6545-00-656-1092	JWOD	Case: 3-1/2 x 3-1/2 x 1-3/4"	EA	\$11.02
------------------	------	------------------------------	----	---------



First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: 25 bandages (woven adhesive); 12 knuckle bandages; 16 butterfly closures; two elastic bandages; two triangular bandages; bandage compress; elastic support; two combine dressings; two pairs of latex gloves; three rolls of adhesive tape; four sheets of moleskin; two chemical cold packs; one eye wash unit; one bottle of tincture green soap; one bottle calamine lotion; 30 aspirins; 30 acetaminophen tablets; two patient-information tags; forceps; medic shears; two antiseptic kits (including two bottles of iodine, eight povidone iodine swabs, 12 gauze pads, and 12 non-stick pads); and two bodily fluid barrier kits (including four pairs latex gloves, two face shields, two mouth-to-mouth barriers, four antiseptic towelettes, and two biohazards disposable bags). Kit also contains instructions for mouth-to-mouth barrier use, first aid manual, contents list, and lead pencil. Type III. Forest Service Spec 6170-6.

For use in vehicles or large crews (20 to 25 persons). Comes in a metal hanging case. Can be used with alic clips. (NFES #1604)

Ⓢ 24-month maximum shelf life (extendable) ■ Std. pack: 10

6545-00-656-1094	JWOD	Case: 10 x 14-1/2 x 2-3/4"	EA	\$79.34
------------------	------	----------------------------	----	---------



First aid kit is designed by the USDA Forest Spec Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: 25 bandages (woven adhesive); 12 knuckle bandages; 16 butterfly closures; four elastic bandages; two triangular bandages; two compress bandages; elastic support (roll); three combine dressings; four pairs latex gloves; three roles of adhesive tape; four sheets of moleskin; two chemical cold packs; two containers of eye wash solution; two bottles of tincture green soap; two bottles of calamine lotion; 30 aspirin tablets; 30 acetaminophen tablets; two patient-information tags; forceps; paramedic shears; antiseptic kit (which includes one bottle povidone, four povidone iodine swabs, six gauze pads, and six non-stick pads); and two body fluids barrier kits (including four pairs of latex gloves, two face shields, two mouth-to-mouth barriers, four antiseptic towelettes, and two biohazard disposal bags). Kit contains protective components for the user. Also includes instructions for mouth-to-mouth barrier use, first aid manual, contents list, and lead pencil. Type IV. Forest Service Spec 6170-6.

For use by crew (up to 25 persons) in the field. Comes in a red nylon duck case attached to a 2"-wide belt with buckle. (NFES #1143)

Ⓢ 24-month maximum shelf life (extendable) ■ Std. pack: 10

6545-01-010-7754	JWOD	Case: 10 x 10 x 2-3/4"	EA	\$108.08
------------------	------	------------------------	----	----------

## Bodily Fluids Barrier Kit



For use with other first aid kits or by itself, this kit contains components to protect first responders and first aid providers from bodily fluids such as blood. Each kit comes in a red nylon case with hanging snap and includes two one-person sets, each in a reclosable pouch. Each set contains one pair of latex gloves, one combination face-and-eye shield, one mouth-to-mouth shield, two towelettes, and one biohazard disposal bag with tie. Forest Service Spec 6170-15. (NFES #0640)

■ Std. pack: 10

6515-01-376-7247	JWOD		KT	\$20.87
------------------	------	--	----	---------



# Personal Protection

## Fire Shelter Case



This nylon duck case is specially designed for carrying and storing an emergency wildland fire shelter. Features vertical and horizontal belt hangers and closes via Velcro fasteners. User instructions included. For use with Fire Shelter NSN 4240-01-123-1616 and Fire Shelter Carrying Case Liner NSN 8465-01-300-1699. Marked with "FSS," "NFPA 1977," and "Fire Shelter" NFPA 1977, MEDC 662. Forest Service Spec 5100-322, Type 1. (NFES #0167)

Note: The old-style fire shelter (NSN 4240-01-121-8698, NFES #0169) has been discontinued and is no longer available from GSA. However, its two components, Fire Shelter Case (NSN 8465-01-121-8699, NFES #0167) and Fire Shelter Liner (NSN 8465-01-300-1699, NFES #0199), will continue to be stocked by GSA to support field units that are still using the old-style fire shelters. The current U.S. Forest Service policy is that the old-style fire shelters will remain in use for as long as they meet inspection and safety criteria. Any changes to that policy will come from the U.S. Forest Service, Missoula Technology and Development Center, which is located in Missoula, Montana. The old-style fire shelter has been replaced by a new-generation fire shelter (NSN 4240-01-498-3194, NFES #0925), which is listed in this catalog, along with its various components.

Std. pack: 10

8465-01-121-8699	Bright Yellow	EA	\$9.82
------------------	---------------	----	--------

## Fire Shelter Case Liner



Sturdy, open-topped, hard-plastic liner protects a fire shelter from being crushed. Fits inside fire shelter case, and the fire shelter fits inside the liner. (Fire shelter and case sold separately as Fire Shelter NSN 4240-01-123-1616 and Fire Shelter Carrying Case NSN 8465-01-121-8699.) Meets Forest Service Spec 5100-323, MTDC 829. (NFES #0199)

Note: The old-style fire shelter (NSN 4240-01-121-8698, NFES #0169) has been discontinued and is no longer available from GSA. However, its two components, Fire Shelter Case (NSN 8465-01-121-8699, NFES #0167) and Fire Shelter Liner (NSN 8465-01-300-1699, NFES #0199), will continue to be stocked by GSA to support field units that are still using the old-style fire shelters. The current U.S. Forest Service policy is that the old-style fire shelters will remain in use for as long as they meet inspection and safety criteria. Any changes to that policy will come from the U.S. Forest Service, Missoula Technology and Development Center, which is located in Missoula, Montana. The old-style fire shelter has been replaced by a new-generation fire shelter (NSN 4240-01-498-3194, NFES #0925), which is listed in this catalog, along with its various components.

Std. pack: 50

8465-01-300-1699	Opaque White	EA	\$3.40
------------------	--------------	----	--------

## Fire Shelter, Complete (M-2002)



New-generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. This set includes: fire shelter (NSN 4240-01-498-3184); nylon duck carrying case (NSN 8465-01-498-3190); carrying case plastic liner (NSN 8465-01-498-3191). Forest Service Spec 5100-606. (NFES #0925)

Deployed size: Length: 86"; Height: 15-1/2"; Width: 31".

Std. pack: 10

4240-01-498-3194	Size: Regular	EA	\$288.83
------------------	---------------	----	----------

## Fire Shelter, Complete (M-2002) (Large)



New-generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter's entrapment situations. Large size shelter designed for firefighters taller than 6'1" or whose girth exceeds 53" at any point. The larger fire shelter provides better protection for larger people by allowing less contact of the shelter material with the occupant's body, and provides more air space between the shelter and occupant. The large fire shelter is easily identified by the orange deploy strap. This set includes: fire shelter (NSN 4240-01-529-8804); nylon duck carrying case (NSN 8465-01-498-3190);

carry case plastic liner (NSN 8465-01-498-3191). Forest Service Spec 5100-606. (NFES #0975)

See page 28 for important information

Deployed size: Length: 96"; Height: 19-1/2"; Width: 33".

4240-01-527-5248	Size: Large	EA	\$324.23
------------------	-------------	----	----------

## Fire Shelter, Single (M-2002)



New generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. Each shelter comes folded in a quick-opening clear polyvinyl bag. (Fire shelter only; does not come with a case or case liner.) Forest Service Spec 5100-606. (NFES #0926)

Deployed size: Length: 86"; Height: 15-1/2"; Width: 31". For use with M-2002 Fire Shelter Case NSN 8465-01-498-3190 and M-2002 Fire Shelter Case Liner NSN 8465-01-498-3191. (Each sold separately.)

This item is a component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194.

Std. pack: 10

4240-01-498-3184	EA	\$260.78
------------------	----	----------

Fire Shelter, Single (M-2002) (Large)



Fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. Large size shelter designed for firefighters taller than 6'1" or whose girth exceeds 53" at any point. Each shelter comes folded in a quick-opening clear polyvinyl bag. (Fire shelter only; does not come with a case or case liner.) Forest Service Spec 5100-606. (NFES #0973)

Deployed size: Length: 96"; Height: 19-1/2"; Width: 33". For use with M-2002 Fire Shelter Case NSN 8465-01-498-3190 and M-2002 Fire Shelter Case Liner NSN 8465-01-498-3191. (Each sold separately.)

This item is a component of Fire Shelter, Complete (M-2002) Large NSN 4240-01-527-5248.

4240-01-529-8804	Large	EA	\$308.34
------------------	-------	----	----------

Fire Shelter Carrying Case Liner (M-2002)



Open-topped hard plastic liner fits inside M-2002 fire shelter carrying case. Liner protects the shelter from being crushed. Forest Service Spec 5100-610.

For use with M-2002 Fire Shelter (Regular NSN 4240-01-498-3184 or Large NSN 4240-01-529-8804) and Fire Shelter Carrying Case (M-2002) NSN 8465-01-498-3190. (NFES #0928)

This item is a component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194.

Std. pack: 50

8465-01-498-3191	EA	\$2.89
------------------	----	--------

Training/Practice Fire Shelter, Complete (M-2002)



Reusable practice fire shelter system for training in use of M-2002 fire shelter. Duplicates feel and actions of M-2002 fire shelter. Includes the carrying case, case liner, polyvinyl bag, and practice shelter. Forest Service Spec 5100-611.

Note: This item is not fire-resistant and should not be used as a fire shelter. (NFES #2678)

Std. pack: 10

6930-01-499-0605	EA	\$71.48
------------------	----	---------

Fire Shelter Carrying Case (M-2002)



Nylon duck case for carrying M-2002 fire shelter. Opening flap closes with Velcro. Includes vertical and horizontal hangers. Instructions provided in front pocket. Forest Service Spec 5100-609.

For use with M-2002 Fire Shelter (Regular NSN 4240-01-498-3184 or Large NSN 4240-01-529-8804) and Fire Shelter Carrying Case Liner (M-2002) NSN 8465-01-498-3191. (NFES #0927)

This item is a component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194.

Std. pack: 10

8465-01-498-3190	Blue	EA	\$13.78
------------------	------	----	---------

	Regular Fire Shelter (inches)	Large Fire Shelter (inches)
Length:	86"	96"
Height:	15-1/2"	19-1/2"
Width:	31"	33"
Packed Size:	8-1/2 x 5-1/2 x 4"	9 x 5-1/2 x 4"

Large New-Generation Fire Shelter Now Available

Tony Petrilli, Project Leader  
(Taken from TechTips 0551-2325-MTDC, June 2005)

Highlights

- The large version is recommended for firefighters who are taller than 6'1" inch or whose girth is larger than 53".
- The large version weighs just 0.6 lbs. more than the regular fire shelter and can be carried in the same hard-plastic liner and case.
- Firefighters who are shorter than 5'7" may have difficulty deploying and holding down the large fire shelter.

How Does the Large Shelter Differ from the Regular Shelter?

The large shelter is longer, wider and taller than the regular shelter and weighs about 0.6 lbs. more. The table to the left shows the dimensions of both shelters. The large shelter fits easily into the hard plastic liner and case used for the regular shelter. The large shelter is easily identified by the word "LARGE" stenciled on the quick-deployment strap that is stitched onto the plastic bag holding the shelter. The large shelter's deployment strap is orange, rather than yellow, the color of the strap on the regular shelter. This strap is visible whether the shelter is inside or outside its case.

## Training/Practice Fire Shelter, Complete (M-2002) (Large)



Reusable practice fire shelter system for training in use of (M-2002) large fire shelter. Large size shelter designed for firefighters taller than 6'1" or whose girth exceeds 53" at any point. Duplicates feel and actions of M-2002 fire shelter. Includes the carrying case, case liner, polyvinyl bag, and practice

shelter. Forest Service Spec 5100-611. (NFES #2799)

Note: This item is not fire-resistant and should not be used as a fire shelter.

6930-01-529-8807	Large	EA	\$93.12
------------------	-------	----	---------

## Training/Practice Fire Shelter (M-2002) (Large)



Reusable practice fire shelter system is designed for training in use of M-2002 (large) fire shelter. Large size shelter designed for firefighters taller than 6'1" or whose girth exceeds 53" at any point. Duplicates feel and

actions of M-2002 fire shelter. Forest Service Spec 5100-611.

(NFES #2798)

Reusable polyvinyl bag (NSN 6930-01-499-0618), carrying case (NSN 6930-01-499-0614) and carrying case liner (NSN 8465-01-498-3191) are sold separately. Note: This item is not fire-resistant and should not be used as a fire shelter.

6930-01-529-8805	Large	EA	\$82.13
------------------	-------	----	---------

## Training/Practice Fire Shelter (M-2002)



Reusable practice fire shelter system is designed for training in use of M-2002 fire shelter. Duplicates feel and actions of M-2002 fire shelter. Forest Service Spec 5100-611.

(NFES #2679)

Reusable polyvinyl bag (NSN 6930-01-499-0618), carrying case (NSN 6930-01-499-0614) and carrying case liner (NSN 8465-01-498-3191) are sold separately. Note: This item is not fire-resistant and should not be used as a fire shelter.

■ Std. pack: 10

6930-01-499-0608		EA	\$63.04
------------------	--	----	---------

## Training/Practice Fire Shelter Carrying Case (M-2002)



Nylon duck case for carrying M-2002 practice shelter. Opening flap closes with Velcro. Includes vertical and horizontal hangers. Instructions provided in front pocket. Forest Service Spec 5100-612. (NFES #2680)

Practice fire shelter (Regular NSN 6930-01-499-0608 or Large NSN 6930-01-529-8805), reusable polyvinyl bag (NSN 6930-01-499-0618), and carrying case liner (NSN 8465-01-498-3191) are sold separately.

■ Std. pack: 10 or 100

6930-01-499-0614	Red	EA	\$14.68
------------------	-----	----	---------

### Training Materials

- *The New Generation Fire Shelter*, pamphlet (NFES #2710)
- *The New Generation Fire Shelter*, VHS and DVD, (VHS – NFES #2711, DVD – NFES #2712)

Spanish-language versions also are available:

- *El Refugio de Protección Nueva Generación*, pamphlet (NFES #2736)
- *El Refugio de Protección Nueva Generación*, VHS (NFES #2735)

Training materials can be ordered through the Great Basin Cache located at the National Interagency Fire Center (NIFC). All fire shelter training materials are within PMS 411.

For more ordering information, go to the National Wildfire Coordinating Group publications Web site:

<http://www.nwccg.gov/pms/pubs/pubs.htm>.

Copies of the complete TechTips document may be ordered from:

USDA Forest Service, Missoula Technology and Development Center (MTDC)  
5785 Highway 10 West  
Missoula, MT 59808-9361

Phone: (406) 329-3978

Fax: (406) 329-3719

E-mail: [wo\\_mtdc\\_pubs@fs.fed.us](mailto:wo_mtdc_pubs@fs.fed.us)

For additional technical information, contact Tony Petrilli at MTDC.

Phone: (406) 329-3965

E-mail: [apetrilli@fs.fed.us](mailto:apetrilli@fs.fed.us)

Electronic copies of MTDC's documents are available on the Internet at:

Web site: <http://www.fs.fed.us/t-d/pubs/>  
(User name: t-d; Password: t-d)

Forest Service and Bureau of Land Management employees can search a more complete collection of MTDC's documents, videos, and CDs on their internal computer networks at:

Web site: <http://fsweb.mtdc.wo.fs.fed.us/search/>.



Training/Practice Fire Shelter Bag, Polyvinyl (M-2002)



Reusable polyvinyl bag for M-2002 practice fire shelter. Simulates the tear-open bag used with the real fire shelter. Forest Service Spec 5100-611. (NFES #2681)

Polyvinyl bag only. Practice fire shelter (Regular NSN 6930-01-499-0608 or Large NSN 6930-01-529-8805), carrying case (NSN 6930-01-499-0614), and carrying case liner (NSN 8465-01-498-3191) are sold separately.

Std. pack: 100

6930-01-499-0618	EA	\$10.64
------------------	----	---------

Training Fire Shelter System



Reusable practice fire shelter system is designed for training in the use of a fire shelter. Duplicates feel and actions of real fire shelters. Complete training fire shelter includes case, bag and shelter. Forest Service Spec 5100-318 and 5100-322. (NFES #2407)

Note: This item is not fire-resistant and cannot be used as a fire shelter.

Std. pack: 10

6930-01-387-8543	Orange	EA	\$41.47
------------------	--------	----	---------

Training Fire Shelter

Plastic fire shelter is a reusable system for training in the use of a fire shelter. Duplicates the feel and actions of a



real fire shelter. Reusable training fire shelter bag is sold separately as NSN 6930-01-387-8541. Forest Service Spec 5100-318. (NFES #2408)

Note: This item is not fire-resistant and cannot be used as a fire shelter.

Std. pack: 10

6930-01-387-8487	EA	\$35.30
------------------	----	---------

Training Fire Shelter Bag



Bag for training fire shelter only. Reusable polyvinyl bag simulates the tear-open bag used in real fire shelters. Forest Service Spec 5100-318. (NFES #2409)

Std. pack: 100

6930-01-387-8541	EA	\$13.15
------------------	----	---------



Training Fire Shelter Case



Carrying case for training fire shelter. Forest Service Spec 5100-322. (NFES #2410)

Std. pack: 10 or 100

6930-01-387-8533	Orange	EA	\$18.84
------------------	--------	----	---------

Chest Harness



Black nylon webbing harness is designed for carrying a fire shelter on the chest. Features straps over the shoulders and around the chest. The fire shelter fastens to a horizontal hanger. Forest Service Spec 5100-104. MEDC Drawing 948. (NFES #0294)

Std. pack: 20

8465-01-463-4648	EA	\$12.12
------------------	----	---------

Wildland Firefighter's Face-and-Neck Shroud



Flame-resistant face-and-neck shroud protects lower face and neck of a wildland firefighter from radiant heat. Attaches to Firefighter's Helmet NSN 8415-01-055-2265 via a hook-and-pile fastener tape. Shroud extends approximately 10" below helmet and encircles the head leaving 6"-wide, 4"-deep opening for the eyes. Closes in front with hook-and-loop fastener tape. One size fits all. Washable. Forest Service Spec 5100-601. (NFES #1274)

Std. pack: 20

8415-01-483-6075	Yellow	EA	\$17.43
------------------	--------	----	---------



## Wildland Firefighter's Helmet



Cap-style helmet with peak includes three non-metallic headlamp/goggle retainer clips and four retro-reflective strips. Four-point suspension headband with crown straps, sweatband, and nape devise with slide tab system at back for size adjustment. Three strips of hook fastening tape on inside of helmet for attaching a face-and-neck shroud. Adjustable chin strap. Fits head sizes 6-1/2 to 8. Approved for use on wildland fire lines by the USDA Forest Service. Conforms to NFPA 1977. (NFES #0109)

■ Std. pack: 20

8415-01-055-2265	Yellow	EA	\$19.67
------------------	--------	----	---------



Wildfire FH911 series helmets are specifically engineered to meet the requirements of wildland firefighters. Available in both cap and hat (full brim) styles, the FH911 series helmets include goggle retainer clips, Scotchlite reflective strips, a ratchet suspension system, and a postman's slide chinstrap. Includes three strips of hook-fastening tape for attaching a face-and-neck shroud (NSN 8415-01-483-6075). Bullard's Wildfire FH911 Series helmets meet and exceed the performance specifications of NFPA 1977, as certified by U.S. Testing and all major state fire codes for wildland firefighting. Fits head sizes 6-1/2 to 8.

Cap style.

(NFES #0723)

■ Std. pack: 25

8415-01-504-9044	Red	EA	\$26.75
------------------	-----	----	---------

(NFES #0724)

■ Std. pack: 25

8415-01-504-9045	White	EA	\$26.75
------------------	-------	----	---------

(NFES #0722)

■ Std. pack: 25

8415-01-504-9042	Yellow	EA	\$26.75
------------------	--------	----	---------



Hat style (full brim).

(NFES #0922)

■ Std. pack: 10

8415-01-504-9048	Red	EA	\$29.09
------------------	-----	----	---------

(NFES #0923)

■ Std. pack: 10

8415-01-504-9050	White	EA	\$29.09
------------------	-------	----	---------

(NFES #0921)

■ Std. pack: 10

8415-01-504-9047	Yellow	EA	\$29.09
------------------	--------	----	---------

Need help or have questions relating to the fire program or GSA support in general? Contact GSA Fire Program Coordinator Bill Hicks at (817) 574-2533 or [bill.hicks@gsa.gov](mailto:bill.hicks@gsa.gov).

## Safety Goggles



Low-profile design goggles protect against chemical splash and impact. Toric lens provides superior optics and peripheral vision. Soft elastomer seal on frame seals goggles to face while providing enhanced comfort. Impact-resistant, clear polycarbonate lens absorbs more than 99.9 percent of harmful UV light. Indirect venting increases air circulation. Quick-adjust headband. Meets ANSI Z87.1. Uvex model Stealth S3960C. (NFES #0318)

■ Std. pack: 50

4240-01-504-7863	Clear	PR	\$7.96
------------------	-------	----	--------

## Safety Glasses



Glasses provide eye protection while the wearer performs light work and can be worn over most prescription glasses. Wrap-around-style goggles are made of polycarbonate plastic and feature an anti-scratch, anti-fog coating and UV protection. In accordance with ANSI Z87.1.

(NFES #0475)

■ Std. pack: 100

4240-01-292-2816	UNICOR	Clear	PR	\$3.95
------------------	--------	-------	----	--------

(NFES #0476)

■ Std. pack: 100

4240-01-292-5055	UNICOR	Tinted Amber	PR	\$3.59
------------------	--------	--------------	----	--------

(NFES #0474)

■ Std. pack: 100

4240-01-292-2817	UNICOR	Tinted Gray	PR	\$4.14
------------------	--------	-------------	----	--------



## Ear Plugs



Plugs are designed to provide general hearing protection in noisy environments. Made of non-toxic, non-allergenic, closed-cell PVC foam that expands to fit most ear sizes. New two-color design allows for quick inspection of proper insertion by users. Dispenser box contains 200 individually wrapped pairs. A-A-54878. (NFES #1027)

■ Std. pack: 1 (200 pr)

6515-00-137-6345	JWOD	BX(contains 400 EA)	\$24.64
------------------	------	---------------------	---------

## Firefighter's Work Gloves



Heavy-duty, Gunn-cut, cowhide gloves are designed for use on fire lines and can be used for general forestry work. Feature an adjustable wrist strap. Meet the requirements for NFPA 1977. Forest Service Spec 6170-5.

(NFES #1293)

■ Std. pack: 10 or 100

8415-01-394-0208	UNICOR	Extra-Small	PR	\$11.68
------------------	--------	-------------	----	---------

(NFES #1294)

■ Std. pack: 10 or 100

8415-01-394-0209	UNICOR	Small	PR	\$11.68
------------------	--------	-------	----	---------

(NFES #1295)

■ Std. pack: 10 or 100

8415-01-394-0210	UNICOR	Medium	PR	\$11.68
------------------	--------	--------	----	---------

(NFES #1296)

■ Std. pack: 10 or 100

8415-01-394-0215	UNICOR	Large	PR	\$11.68
------------------	--------	-------	----	---------

(NFES #1297)

■ Std. pack: 10 or 100

8415-01-397-3937	UNICOR	Extra-Large	PR	\$11.68
------------------	--------	-------------	----	---------

Prices in this catalog  
are subject to change  
without notice.  
Current prices are  
available at  
[www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov).



## Wildland Firefighter's Shirt



Flame-resistant, 5-1/2-oz., aramid shirt is designed for use by wildland firefighters as a safety garment. The bright yellow shirt is single-breasted with a button front, a rolled collar and a straight-cut bottom. Shirt has two flap-closing breast pockets and hook-and-pile fasteners for pockets and cuffs. Forest Service Spec 5100-91.

(NFES #0522)

■ Std. pack: 50

8415-01-211-6316	Yellow	Extra-Small (13-1/2 x 31")	EA	\$61.38
------------------	--------	----------------------------	----	---------

(NFES #0577)

■ Std. pack: 50

8415-00-233-5818	Yellow	Small (14-1/2 x 32")	EA	\$61.38
------------------	--------	----------------------	----	---------

(NFES #0511)

■ Std. pack: 50

8415-01-434-0618	Yellow	Small/Long (14-1/2 x 33")	EA	\$61.38
------------------	--------	---------------------------	----	---------

(NFES #0578)

■ Std. pack: 50

8415-00-233-5819	Yellow	Medium (15-1/2 x 33")	EA	\$61.38
------------------	--------	-----------------------	----	---------

(NFES #0569)

■ Std. pack: 50

8415-01-421-3905	Yellow	Medium/Long (15-1/2 x 34")	EA	\$61.38
------------------	--------	----------------------------	----	---------

(NFES #0579)

■ Std. pack: 50

8415-00-259-8718	Yellow	Large (16-1/2 x 34")	EA	\$61.38
------------------	--------	----------------------	----	---------

(NFES #2078)

■ Std. pack: 50

8415-01-285-3530	Yellow	Large/Long (16-1/2 x 36")	EA	\$61.38
------------------	--------	---------------------------	----	---------

(NFES #0580)

■ Std. pack: 50

8415-00-259-8722	Yellow	XL (17-1/2 x 35")	EA	\$61.38
------------------	--------	-------------------	----	---------

(NFES #2079)

■ Std. pack: 50

8415-01-284-7500	Yellow	XL/Long (17-1/2 x 37")	EA	\$61.38
------------------	--------	------------------------	----	---------

(NFES #0570)

■ Std. pack: 50

8415-01-421-3907	Yellow	XXL (18-1/2 x 36")	EA	\$61.38
------------------	--------	--------------------	----	---------

(NFES #0512)

■ Std. pack: 50

8415-01-434-0626	Yellow	XXL/Long (18-1/2 x 37")	EA	\$61.38
------------------	--------	-------------------------	----	---------

**NEW** (NFES #2910)

■ Std. pack: 50

8415-01-533-1740	Yellow	XXXL (19-1/2 x 37")	EA	\$61.38
------------------	--------	---------------------	----	---------

**NEW** (NFES #2911)

■ Std. pack: 50

8415-01-533-2435	Yellow	XXXL/Long (19-1/2 x 38")	EA	\$61.38
------------------	--------	--------------------------	----	---------

## Wildland Firefighter's Pants



BDU-style pants includes waist take-up straps that fasten with metal buckles, thigh pockets. The hem drawstrings have no fasteners. Wildland firefighter safety garment. High temperature resistance; 7-1/2 oz./sq. yd. aramid cloth. Forest Service Spec 5100-92.

(NFES #2800)

■ Std. pack: 5 or 30

8415-01-464-2282	Spruce Green	Waist: 26 to 30"; Length: 30"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2700)

■ Std. pack: 5 or 30

8415-01-464-4242	Spruce Green	Waist: 26 to 30"; Length: 34"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2801)

■ Std. pack: 5 or 30

8415-01-464-3672	Spruce Green	Waist: 28 to 32"; Length: 30"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2701)

■ Std. pack: 5 or 30

8415-01-464-4247	Spruce Green	Waist: 28 to 32"; Length: 34"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2802)

■ Std. pack: 5 or 30

8415-01-464-3671	Spruce Green	Waist: 30 to 34"; Length: 30"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2702)

■ Std. pack: 5 or 30

8415-01-464-4244	Spruce Green	Waist: 30 to 34"; Length: 34"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2803)

■ Std. pack: 5 or 30

8415-01-464-3676	Spruce Green	Waist: 32 to 36"; Length: 30"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2703)

■ Std. pack: 5 or 30

8415-01-464-4248	Spruce Green	Waist: 32 to 36"; Length: 34"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2804)

■ Std. pack: 5 or 30

8415-01-464-3677	Spruce Green	Waist: 34 to 38"; Length: 30"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2704)

■ Std. pack: 5 or 30

8415-01-464-5742	Spruce Green	Waist: 34 to 38"; Length: 34"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2805)

■ Std. pack: 5 or 30

8415-01-464-3678	Spruce Green	Waist: 36 to 40"; Length: 30"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2705)

■ Std. pack: 5 or 30

8415-01-464-5621	Spruce Green	Waist: 36 to 40"; Length: 34"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2706)

■ Std. pack: 5 or 30

8415-01-464-5624	Spruce Green	Waist: 38 to 42"; Length: 34"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2707)

■ Std. pack: 5 or 30

8415-01-464-5645	Spruce Green	Waist: 40 to 44"; Length: 34"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2806)

■ Std. pack: 5 or 30

8415-01-464-3673	Spruce Green	Waist: 38 to 42"; Length: 30"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

(NFES #2807)

■ Std. pack: 5 or 30

8415-01-464-3675	Spruce Green	Waist: 40 to 44"; Length: 30"	PR	\$66.09
------------------	--------------	-------------------------------	----	---------

### The following changes are planned for the Wildland Firefighter's Pants items:

- Pants with a 34-inch inseam will be replaced with 33-inch-inseam pants (available near the end of the 2006 fire season).
- A new inseam size of 36 inches will be available in all standard waist sizes.
- A larger waist size of 44 to 48 inches will be added (in inseam lengths of 30, 33 and 36 inches) and should be available later in the season.

**For more information, contact  
GSA Fire Program Coordinator Bill Hicks at  
bill.hicks@gsa.gov.**



# Packs and Accessories

## Personal Gear Pack

**A.** Heavyweight, urethane-coated nylon duck pack carries up to 40 lbs. of gear. Styled with a main compartment, a sleeping bag compartment, and front and back pockets. Features adjustable shoulder straps that hide away in back pocket and buckles that allow pack to be attached to a firefighter's field pack. Includes carrying handle on side of bag. Forest Service Spec 5100-215.

(NFES #1855)

Std. pack: 10

8465-01-141-2321	JWOD	Red	EA	\$48.36
------------------	------	-----	----	---------



A

## Packsack

**B.** Intended for use in a wide variety of field-related activities, including wildland fire suppression. The top of the packsack closes with a drawstring and a zippered pocket flap. Includes shoulder straps and a chest strap. Dark green heavy-duty nylon duck cloth. Forest Service Spec 5100-214.

(NFES #0744)

Std. pack: 20

8465-00-205-3493	JWOD	Green	16-1/2 x 15 x 6"	EA	\$41.73
------------------	------	-------	------------------	----	---------



B

## Tent Bag

**C.** Personal gear pack tent bag contains and transports a one-person tent that compacts into a 28 x 5" size. For attachment to Personal Gear Pack NSN 8465-01-141-2321. Forest Service Spec 5100-215B. Drawing MTDC 949.

(NFES #0281)

Std. pack: 20

8465-01-463-4649	JWOD	Red	EA	\$33.48
------------------	------	-----	----	---------



C

It is GSA policy to offer products that fully comply with all applicable environmental regulations and Executive Order 13101.

Complete Field Pack

All the tools the wildland firefighter needs in one kit. Includes a main pack with a belt, two canteen cases, and a belt pack. All components are coated nylon duck. Also includes all necessary hardware and an adjustable, padded harness for men or women. (Canteen sold separately as NSN 8465-00-102-6381.) Forest Service Spec 5100-217. (NFES #1372)



Std. pack: 10

8465-01-169-3996	JWOD	Bright Yellow	EA	\$72.58
------------------	------	---------------	----	---------

Field Pack Main Pack

Replacement nylon duck pack is for the main pack included in the Complete Field Pack NSN 8465-01-169-3996. Forest Service Spec 5100-217. (NFES #1559)



Std. pack: 20

8465-01-193-9781		Bright Yellow	EA	\$31.71
------------------	--	---------------	----	---------

Field Pack Belt

Nylon web belt attaches to the firefighter's field pack for added support and comfort. Serves as a replacement belt for the Complete Firefighter's Field Pack NSN 8465-01-169-3996. Forest Service Spec 5100-217. (NFES #1530)



Std. pack: 50

8465-01-175-7169		Black	Width: 2-1/4"	EA	\$8.70
------------------	--	-------	---------------	----	--------

Field Pack Belt Pack

Nylon duck belt pack replaces the belt pack included in the Complete Field Pack NSN 8465-01-169-3996. With two straps to attach to belt. Forest Service Spec 5100-217. (NFES #0590)



Std. pack: 50

8465-01-274-9910		Bright Yellow	EA	\$11.28
------------------	--	---------------	----	---------

Field Pack Harness



Comfortable, padded harness is a replacement for the harness included in the Complete Field Pack NSN 8465-01-169-3996. Harness is adjustable so that it may be worn by men or women. Forest Service Spec 5100-217. (NFES #1557)

Std. pack: 50

8465-01-194-7019		Yellow/Black	EA	\$16.32
------------------	--	--------------	----	---------

Field Pack Canteen Case

Replacement canteen case for the Complete Field Pack NSN 8465-01-169-3996. Canteen is made of nylon duck and webbing. Forest Service Spec 5100-217. (NFES #1529)



Std. pack: 200

8465-01-175-7170		Bright Yellow	EA	\$5.04
------------------	--	---------------	----	--------

## Briefcase



All-purpose case is made of sturdy nylon Cordura. Features a single inner compartment, pockets on each side, and a shoulder strap. (NFES #1526)

■ Std. pack: 20

8460-01-193-9769	JWOD	Smoke Gray	16 x 12 x 3"	EA	\$33.35
------------------	------	------------	--------------	----	---------

## Fireline Pack (Complete)



Gear carrier is designed for use by wildland firefighters. Fireline pack includes a main compartment (measuring approximately 1,000 cu. in., with top rain skirt allowing expansion), two side pockets (which can hold two one-quart water bottles each), two lid pockets, two fusee pockets, and a belt pocket (all totaling 2,100 cu. in.). Bottom-mounted fire shelter sleeve can accommodate either a new-generation or old-design fire shelter. Lumbar-style pack hangs low on back for improved line-digging ergonomics. Includes two canteen cases and a stuff sack.

Forest Service Spec 5100-605. (NFES #0674)

■ Std. pack: 10

8465-01-503-4484		Blue		EA	\$100.18
------------------	--	------	--	----	----------

## Main Fireline Pack

Replacement nylon duck fireline pack for Fireline Pack (Complete) NSN 8465-01-503-4484. Main pack only. Does not include the canteen cases or stuff sack. Forest Service Spec 5100-605. (NFES #0678)

■ Std. pack: 10

8465-01-503-4488		Blue		EA	\$63.37
------------------	--	------	--	----	---------

## Fireline Pack Carrying Case (Stuff Sack)



Cylindrical nylon duck carrying case (stuff sack) for use with fireline pack NSN 8465-01-503-4488. Forest Service Spec 5100-605. (NFES #0677)

■ Std. pack: 200

8465-01-503-4482		Blue		EA	\$7.09
------------------	--	------	--	----	--------

## Fireline Pack Canteen Case



Replacement canteen case for fireline pack NSN 8465-01-503-4488. Made from nylon duck and webbing. Forest Service Spec 5100-605. (NFES #0675)

■ Std. pack: 200

8465-01-503-4479		Blue		EA	\$7.47
------------------	--	------	--	----	--------

Need additional copies of this catalog?  
Visit [www.gsa.gov/cmls](http://www.gsa.gov/cmls) or e-mail [cmls@gsa.gov](mailto:cmls@gsa.gov).

# Canteens, Water Bags and Accessories

## Canteen

For carrying water, this canteen features a chained screw cap and an over-the-shoulder carrying strap. It is made of polyethylene plastic and the sides are covered by polycarbonate disks for protection against punctures and abrasion. (NFES #1063)



■ Std. pack: 10

8465-00-082-3054	Capacity: 4 qt.	EA	\$8.67
------------------	-----------------	----	--------

Rigid plastic water bottle with cap is rectangular and disposable. Measures 2-1/2 x 3-3/4 x 8-1/4" overall. Comes with a protective cover that encloses the entire canteen. (NFES #0038)



■ Std. pack: 100

8465-01-062-5854	JWOD	Opaque White	Capacity: 1 qt.	EA	\$4.03
------------------	------	--------------	-----------------	----	--------

Rigid plastic water bottle with cap is rectangular and disposable. Measures 2-1/2 x 3-3/4 x 8-1/4". Forest Service Spec 5100-84. (For cover, see Canteen Case NSN 8465-00-118-4956.) (NFES #0037)



■ Std. pack: 100

8465-00-102-6381	Opaque White	Capacity: 1 qt.	EA	\$0.32
------------------	--------------	-----------------	----	--------

## Canteen Case

Designed to cover Canteen NSN 8465-00-102-6381, this medium-weight cotton duck case features snap fasteners to hold the canteen in place. Web loops attach to belt. Silkscreen reads: "FSS." Forest Service Spec 5100-85. (NFES #0054)



■ Std. pack: 50 or 300

8465-00-118-4956	JWOD	White	Capacity: 1 qt.	EA	\$2.76
------------------	------	-------	-----------------	----	--------

## Water Bag



This backpack-style bag for drinking water comes complete with two replaceable inner bladders and removable straps. Nylon duck outer covering includes a pocket to store extra bladder. Can be used in conjunction with Field Pack Harness NSN 8456-01-194-7019. Includes an exterior spigot. MTDC Drawing 834. (Replacement liner may be purchased as NSN 8465-01-310-5130.) (NFES #0912)

■ Std. pack: 20

8465-01-310-1259	Blue	Capacity: 5 gal.	EA	\$67.85
------------------	------	------------------	----	---------

## Water Bag Liner



Replacement drinking water bladder has attached rubber spigot. (For use with Water Bag NSN 8465-01-310-1259.) (NFES #0911)

■ Std. pack: 10 or 100

8465-01-310-5130	Clear or Silver	Capacity: 5 gal.	EA	\$3.07
------------------	-----------------	------------------	----	--------

Having trouble  
locating an item?  
Check the  
Alphabetical Index  
on page 70.



## Drinking Water Bag

For use in transporting drinking water only. Includes integral sling straps with a 4" steel cargo ring. Intended for transport by truck or helicopter external load. Complete unit includes two replaceable PVC liners (NSN 8465-01-369-2147) and one fill opening and two drain openings, each with a four-foot dispenser hose with fittings for proper attachment and flow control. Has three fill-and-use openings. All accessories and extra liner packed in the water bag's external pocket. Forest Service Spec 5100-94. (NFES #0435)



■ Std. pack: 1

8465-01-369-3557	Royal Blue	Capacity: 55 gal.	EA	\$237.50
------------------	------------	-------------------	----	----------

## Suppression Water Bag



For wildland fire suppression use only. Has integral sling straps with a 4" steel cargo ring. Intended for transport by truck or helicopter external load. Complete unit includes one replaceable liner (NSN 8465-01-369-2149), one fill opening, and one drain opening; with a four-foot dispenser hose with fittings for proper attachment and flow control. Has two fill-and-use openings. All accessories packed in the water bag's external pocket. Forest Service Spec 5100-94. (NFES #0437)

■ Std. pack: 1

8465-01-369-2148	Yellow	Capacity: 55 gal.	EA	\$169.69
------------------	--------	-------------------	----	----------

## Drinking Water Bag Liner

Replacement plastic liner for 55-gallon Drinking Water Bag NSN 8465-01-369-3557. For potable water use only. Forest Service Spec 5100-95. (NFES #0436)



■ Std. pack: 5

8465-01-369-2147			EA	\$63.30
------------------	--	--	----	---------

## Suppression Water Bag Liner



Replacement liner for 55-gallon Suppression Water Bag NSN 8465-01-369-2148. Forest Service Spec 5100-95. (NFES #0438)

■ Std. pack: 5

8465-01-369-2149			EA	\$33.12
------------------	--	--	----	---------

## Water Jug

**A.** Unassembled reservoir consists of a five-gallon plastic liquid container with a 38-mm opening, a white 38-mm polyethylene cap, and a knock-down water container box. Box is made of plain brown cardboard (weather-resistant) with openings for a water spout and handles. (NFES #0048)

■ Std. pack: 1 (20 EA/BX)

7310-00-128-6837			BX(contains 20 EA)	\$100.13
------------------	--	--	--------------------	----------



## Plastic Storage Container

**B.** This molded, plastic container stores foods and beverages and features a contoured handle and spout.

Made of high-density plastic. Without fiberboard carton. (NFES #2058)

■ Std. pack: 6

8115-00-145-0038	White	Capacity: 5 gal.	EA	\$8.77
------------------	-------	------------------	----	--------



## Food Container (Disposable)

**C.** Plastic food and beverage pail features a spout in the lid. Kit consists of: one box; one plastic pail; two 13 x 13" insulation; one 15 x 48" insulation; and two labels for marking packed date. Supplied over-packed in a box and insulated by foam. Useful for providing hot food and drink to wildland firefighters in the field. MEDC Drawing 831. (NFES #0073)

■ Std. pack: 1

7360-01-310-5131	JWOD	Capacity: 5 gal.	KT	\$12.85
------------------	------	------------------	----	---------



# Food-Handling Equipment



A

## Plastic Flatware

A. For use with field rations, odorless and tasteless flatware is heat tolerant and meets FDA requirements.

High-impact flatware is durable. A-A-3109. (NFES #0497)

Spoon.

Std. pack: 30

7340-00-170-8374	JWOD	Tan/Sand	Length: 5-3/4"	HD	\$4.14
------------------	------	----------	----------------	----	--------

## Individual Flatware Set

B. High-impact set is excellent for use during picnics or with military rations. Smooth-finished flatware is made of high-impact, modified polystyrene and can be discarded after use. Set contains a 5" knife, 5" fork and 5" spoon in an easy-to-open cellophane bag. Heat-tolerant utensils are free of objectionable taste and odor. Ten sets per box. A-A-3109. (NFES #0129)

Std. pack: 25

7360-00-634-4800	JWOD	White	BX(contains 10 EA)	\$2.01
------------------	------	-------	--------------------	--------



B



C

## Paper Tableware

C. Round, disposable paper cup is tapered to stack easily. It is odorless and leakproof. Meets FDA requirements.

Features a plastic coating on the inner surface. Tall-style cup with handle is for holding hot liquids. (Does not have a lid.) (NFES #0465)

Std. pack: 1 (1,000/BX)

7350-00-988-6498	JWOD	White	Capacity: 8 oz.	BX(contains 1,000 EA)	\$48.69
------------------	------	-------	-----------------	-----------------------	---------

D. Disposable plate is waterproof, tasteless, odorless, and grease resistant. Flat-bottom, nesting design meets FDA requirements.

Triple-compartment plate has one main compartment that covers 50% of plate and two smaller compartments, each covering 25% of plate. Compartment dividers are one-half as high as plate rim.

Round plate of molded pulp paper provides extra resistance to water and grease. Each plate is 7/8" deep with a 10-1/4" diameter. (NFES #0464)

Std. pack: 1 (500/BX)

7350-01-263-6700	JWOD	White	BX(contains 500 EA)	\$46.17
------------------	------	-------	---------------------	---------



D

## Disposable Dinnerware



Kit contains 60 each of the following disposable items: food cups; hot/cold cups; sets of flatware; paper table napkins; paper plates and inserts. Packaged in a fiberboard box that contains a 25-person, one-day, two-meal kit. (NFES #0135)

Std. pack: 1

7360-00-139-0480	JWOD	KT	\$30.12
------------------	------	----	---------

## Dining Packet



For use with in-flight lunch boxes. Each packet contains: a white plastic knife, fork and spoon; a 6" plastic drinking straw; a two-ply, 17" paper napkin; a wash-and-dry paper towel; salt and pepper packets; two round, wooden toothpicks. This practical assortment is sealed in a sanitary cellophane envelope. A-A-3012.

Also contains a can opener, chewing gum and sugar. (NFES #0935)

Std. pack: 1 (200 PACKETS/BX)

7360-00-660-0526	JWOD	BX(contains 200 EA)	\$111.67
------------------	------	---------------------	----------

## Firefighter's Meal Bag

Especially suited for forest firefighters and other on-duty emergency personnel, this bag holds an individual meal. Made of cotton sheeting or non-woven fabric, bag is washable and reusable. Can be tied to belt for carrying. (NFES #0018)



Std. pack: 24

8105-00-664-3715	Size: 10 x 17-1/2"	BD(contains 100 EA)	\$77.14
------------------	--------------------	---------------------	---------

## Vacuum Jug

Intended for use during military operations, this jug can be used for hot or cold liquids (with the exception of milk and milk products). It is thermal-efficient and maintains content's original temperature for six hours. Made of stainless steel, with a captive metal cover with gasket, vent, chain and cam-type locking device. Faucet has two positions: self-closing and continuous flow. Also features a reinforced outer shell and is buoyant. May have bail handle or two rigid or drop handles and key-type spigot assembly with spigot guard. Conforms to NSF international standards.



Satin or butler finish.

Has a 10-gallon capacity and weighs 40 lbs. (NFES #0827)

Std. pack: 1

7330-00-819-7738	EA	\$516.92
------------------	----	----------

## Water Cooler



Heavy-duty, five-gallon water cooler features durable, no-pinch carrying handles, cup dispenser bracket, recessed fast-flow spigot, wide-mouth screw-on lid, foamed-in-place insulation, and "Drinking Water" imprint (meets OSHA requirements). Fits standard cooler racks. (NFES #0943)

Std. pack: 1

7330-01-449-2319	Rubbermaid	Orange	Diameter: 12-1/2"; Height: 19"	EA	\$34.90
------------------	------------	--------	--------------------------------	----	---------

Routine fire orders –  
See page 5 of this  
publication

Food Rations

Each assorted meal is complete (except for water) and designed for one person. Ready-to-eat food is ideal under conditions that preclude preparation. Each meal is different and consists of meat, fruit, dessert, bakery item, spoon, and a condiment/accessory packet (coffee, cream, sugar, salt, chewing gum, toilet tissue, matches, hand cleaner, etc.). Includes a flameless heater. (NFES #1842)



Ⓜ 24-month maximum shelf life (extendable) ■ Std. pack: 1 (12 EA/BX)

8970-00-149-1094 BX(contains 12 EA) \$94.53

Trash Bag



Medium-duty, plastic premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears, this bag can handle a mix of dry and wet loads. (Does not come with closure ties.)

Each 33-gallon bag has a 50-lb. load capacity. (NFES #0021)

♻ 25% Postconsumer Material ■ Std. pack: 1 (125/BX)

8105-01-183-9768 JWOD Clear Size: 33 x 39" BX(contains 125 EA) \$26.36

Sleeping Bags and Accessories

Firefighter's Sleeping Bag



Summer-weight sleeping bag features a shell that is composed of nylon taffeta and is royal blue outside and gray inside. Features 2.3 lbs. of hollow polyester fiber batting and is suitable for use in temperatures down to 45° F. Weight: 3 lbs. Forest Service Spec 5100-38. (NFES #1062)

■ Std. pack: 10

8465-00-081-0798 JWOD Size: 80 x 34" EA \$38.74

Please use the form at the back of this catalog for all mail and fax orders. Be sure to copy the blank order form for future use.

Sleeping Bag



Mummy-type sleeping bag is for use by wildland firefighters in cold weather. Includes synthetic fill and is comfortable to 30° F (rated to 20° F). Features a 3/4" zipper and full hood with draw-cord closure. Dark green inside and out. Fits individual up to 6'3" tall. (NFES #0022)

■ Std. pack: 5

8465-01-119-5562 Dark Green EA \$52.40

Sleeping Bag Pad

When used in conjunction with a sleeping bag, EVA pad insulates the sleeper well from the cold, hard ground. Forest Service Spec 5100-522. (NFES #1566)



■ Std. pack: 1 (50 EA/BX)

8465-01-223-8421 Gray 75 x 23 x 3/8" BX(contains 50 EA) \$301.15



## Blanket

This heavyweight, twill blanket is made of 80 percent wool and 20 percent cotton/nylon, nylon or similar synthetic fibers. Edges are finished with over-edge stitching. Blanket will not shrink more than 10 percent. (NFES #0441)



Std. pack: 10

7210-00-205-2804	PRIME	Heather	Size: 66 x 84"	EA	\$17.23
------------------	-------	---------	----------------	----	---------

## Tent Fly



This general-purpose, heavy-duty tent fly is designed for use in wildland and fire-fighting camps. Water-repellent and flame-retardant tent fly features brass grommets for tie-down ropes.

Type I. Yellow oxford nylon cloth with polyurethane coating. Includes red polyurethane coated nylon duck cloth and carrying case. Forest Service Spec 5100-31. (NFES #0070)

Std. pack: 1

8340-00-102-6370	Yellow	Size: 16 x 24 feet	EA	\$230.16
------------------	--------	--------------------	----	----------



Type II. Blue rip stop nylon cloth with polyurethane coating. Can be used as ground cloth. Forest Service Spec 5100-31. (NFES #1521)

Std. pack: 20

8340-01-185-5512	Blue	Size: 9 x 10 feet	EA	\$37.67
------------------	------	-------------------	----	---------

## Ridge Pole



Aluminum ridge pole for use with Forest Service wall tent and tent flies. Components: two end sections; three mid-sections; one connector. Each end and mid-section is 42" long; the connector section is 22". Forest Service MEDC Drawing 694. (NFES #0089)

Std. pack: 1

8340-01-107-5694	Length: 16 feet	EA	\$114.23
------------------	-----------------	----	----------

## Tent Pole



Telescoping upright aluminum tent pole is for use with tent fly and wall tent. Length: 10'6" when fully extended, or 39-7/8" when fully retracted. MIL-P-40148. (NFES #0083)

Std. pack: 10

8340-00-753-6574	EA	\$48.26
------------------	----	---------

# Personal Grooming Aids



A

## Paper Towels

**A.** Absorbent paper towels for kitchen use. Perforated sheets in roll form on a paperboard core. (NFES #0240)

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material ■ Std. pack: 1 (30 RO/BX)

8540-01-169-9010	CPG	White	Towel Size: 11 x 9"	BX(contains 30 EA)	\$20.25
------------------	-----	-------	---------------------	--------------------	---------



B

## Bath Towel (Disposable)

**B.** This heavy-duty, two-ply bath towel is made of disposable paper and features mesh reinforcement between the plies. (NFES #1038)

■ Std. pack: 1 (300 EA/BX)

7210-01-029-0370	CLC	JWOD	White	Size: 22 x 39"	BX(contains 300 EA)	\$75.88
------------------	-----	------	-------	----------------	---------------------	---------



C

## Toilet Paper

**C.** Single-ply restroom tissue comes in uncompressed rolls. Each roll consists of perforated sheets wound around a core. Individually wrapped. (NFES #0142)

Basis weight: 11 lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material ■ Std. pack: 1 (96 RO/BX)

8540-00-530-3770	CPG	JWOD	White	Length: 4,500" per roll	BX(contains 96 EA)	\$51.64
------------------	-----	------	-------	-------------------------	--------------------	---------



D

## Bar Soap

**D.** High-quality, mildly scented soap is non-medicated and provides extra softness with skin conditioners. Regular-sized cakes. (NFES #0208)

Bars are individually wrapped.

Ⓢ 24-month maximum shelf life (extendable) ■ Std. pack: 1 (72CK/BX)

8520-01-411-0628			Bar Size: 3 to 3-1/2 oz.	BX(contains 72 EA)	\$19.24
------------------	--	--	--------------------------	--------------------	---------



E

## Personal Wash Kit

**E.** This convenient kit contains the following: one bar of soap; one plastic soap holder; two bath towels; one face towel; one wash cloth; one plastic wash basin with a six-quart capacity; one small poly bag; one large poly bag; and a tie. MEDC Drawing 503. (NFES #0126)

■ Std. pack: 10 or 100

7360-00-139-1063		JWOD		KT	\$4.72
------------------	--	------	--	----	--------



F

## NEW Disposable Wash Cloth

**F.** Disposable wash cloth for the cleansing of hands, face and body without water. Individually packaged towelette. Towelettes can be used in hospitals, clinics and nursing care facilities. Ideal for use in camping, sports, travel and fitness activities. (NFES #0206)

Ⓢ 36-month maximum shelf life (extendable) ■ Std. pack: 1

8520-01-415-2929	MSDS		Cloth Size: 11-1/2 x 11-3/4"	BX(contains 255 EA)	\$72.60
------------------	------	--	------------------------------	---------------------	---------



G

## NEW Skin-Cleansing Towelette

**G.** Disposable wash cloth for waterless cleansing of the body. Alcohol-free, antibacterial, hypoallergenic towelette goes on moist and dries instantly. Made from non-woven, biodegradable fabric. Individually packaged towelettes measures 12 x 30". (NFES #0712)

Biodegradable per EPA/OECD test methods Ⓢ 36-month maximum shelf life (extendable) ■ Std. pack: 1

8520-01-536-5507		PT Distributors P/N Shower Express, A257, or equal		BX(contains 100 EA)	\$255.50
------------------	--	--	--	---------------------	----------

# Liquid Storage



A

## Fuel Bottle

**A.** Aluminum fuel bottle is used for carrying fuel on the fire line. Measures 8.5 cm in diameter and 26 cm long and will fit in a firefighter's canteen case. For use in carrying chainsaw mix and other petroleum- or alcohol-based fuels. Note: Not safe for carrying drinking fluids. (NFES #1535)

Std. pack: 10 / 40

7240-01-351-2133	Red	Capacity: 1 liter	EA	\$9.04
------------------	-----	-------------------	----	--------

## Fuel Bottle Bag

**B.** Blue nylon bag with DOT flammable emblem on sides will hold six one-liter aluminum fuel bottles (see Fuel Bottle NSN 7240-01-351-2133), with side cinches to prevent rattling. Intended for use in aircraft transport. Forest Service Spec 5100-613. (NFES #0536)

Std. pack: 20

8465-01-503-4476			EA	\$12.91
------------------	--	--	----	---------



B



C

# Pails

## Collapsible Pail

**C.** Round, collapsible pail is made of vinyl-coated nylon scrim. With a stiffened and reinforced top rim. Approximate size is 9" in diameter and 11" high. High tensile strength. Leakproof seams. Withstands up to 100 psi hydrostatic pressure. (NFES #0141)

Std. pack: 10 or 100

8465-00-128-6928	Yellow	Capacity: 3 gal.	EA	\$8.15
------------------	--------	------------------	----	--------

## Utility Pail

**D.** Utility pail is made of molded polyethylene plastic and features one-quart graduations conveniently marked on the inside. Leakproof with tapered sides for easy stacking. Rim curls outward to improve rigidity.

Includes a plastic- or rubber-coated abrasion-resistant steel bail. Bleach-resistant pail has a pouring lip and heavy-duty wall thickness. Not intended for carrying or storing concentrated acids or strong oxidizing agents. (NFES #0487)

Includes bail and pouring lip.

Std. pack: 12

7240-00-246-1097	JWOD	Blue	Capacity: 3 gal.	EA	\$3.83
------------------	------	------	------------------	----	--------



D

# Rope and Cord

## Rope



Twisted, three-strand rope is suitable for various uses, such as cattle ties, lines, halters and tent ropes.

Made of cotton or cotton-blend fibers.

Has a 890-lb. breaking strength. Diameter: 3/8". (NFES #1801)

■ Std. pack: 1

4020-00-068-7906	Natural	Circumference: 1-1/8"	SL(contains 600 FT)	\$52.09
------------------	---------	-----------------------	---------------------	---------

## Cord



Braided polyamide nylon cord is light- and heat-resistant. Has a 550-lb. breaking strength and 30 percent minimum elongation. Used by the Forest Service for shroud lines on cargo parachutes. MIL-C-5040H, Type III. (NFES #0533)

■ Std. pack: 1

4020-00-240-2146	JWOD	White	SL(contains 2,100 FT)	\$114.49
------------------	------	-------	-----------------------	----------

# Wiping Cloth

## Wiping Cloth NEW



Soft and absorbent, this sanitized rag wipes machinery and equipment surfaces clean of water, grease and oil. Cloth contains cotton fiber mixed with synthetic fabrics. Measures at least 9" wide and 200 sq. in. (The 50-lb. bale is compressed to less than 3-1/2 cu. ft.)

For heavy-duty wiping, rag (3 to 10 oz./sq. yd.) is made from mixed color remnants, mill ends, and reclaimed fabrics. Mixed colors. (NFES #0565)

♻️ 100% Recovered Material ■ Std. pack: 1

7920-00-205-1711	PRIME	Assorted Colors	BE(contains 50 LB)	\$22.50
------------------	-------	-----------------	--------------------	---------

# Packaging Material

## Fire Equipment Repack Box



Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 275 psi and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.

Useful for repacking firefighter's sleeping bags. (NFES #0513)

♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

■ Std. pack: 1 (10 EA/BD)

8115-01-290-9543	CPG	36-1/2 x 24-1/2 x 17"	BD(contains 10 EA)	\$50.81
------------------	-----	-----------------------	--------------------	---------

Weather-resistant, single-wall corrugated fiberboard box has a bursting strength of 350 psi. Full telescoping box, style FTC, grade V3c, ASTM D5118.

Useful for repacking backfiring fuses. (NFES #1580)

♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

■ Std. pack: 1 (10 EA/BD)

8115-01-219-5749	CPG	14-1/2 x 12 x 5-3/4"	BD(contains 10 EA)	\$179.05
------------------	-----	----------------------	--------------------	----------

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 350 psi and falls into the domestic class. Grade: 350. Regular-slotted box. Style RSC.

Use for repacking canteens. Type CF. (NFES #2006)

♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

■ Std. pack: 1 (10 EA/BD)

8115-00-139-0722	CPG	23 x 19 x 10"	BD(contains 10 EA)	\$28.37
------------------	-----	---------------	--------------------	---------



Weather-resistant, single-walled box has a bursting strength of 350 psi. Regular-slotted box. Style RSC.

Use for repacking firefighter's jeans. (NFES #2030)

♻️ Contains 25% Recovered Material, Contains 25% Recovered Material Plastic

■ Std. pack: 1 (15 EA/BD)

8115-00-183-9481	JWOD	24 x 16 x 12"	BD(contains 15 EA)	\$50.98
------------------	------	---------------	--------------------	---------

Use for repacking firefighter's shirts. (NFES #2007)

♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

■ Std. pack: 1 (5 EA/BD)

8115-00-292-0123	JWOD	24 x 16 x 16"	BD(contains 5 EA)	\$25.16
------------------	------	---------------	-------------------	---------





Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.

<b>Use for repacking firefighting water pumps. (NFES #0643)</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-00-139-0749		41 x 15 x 19"	BD(contains 10 EA) \$52.35
<b>Use as a general-purpose repack carton. (NFES #0353)</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-00-139-0706		39 x 13 x 13"	BD(contains 10 EA) \$48.00
<b>Use for repacking general-purpose sleeping bags. (NFES #0644)</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-00-139-0691		33 x 16 x 22"	BD(contains 10 EA) \$46.01
<b>Use for repacking chainsaw kits. (NFES #0645)</b> <i>Provided with handhold cut-outs.</i> 25% Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-01-504-1463		42 x 13-1/2 x 14"	BD(contains 10 EA) \$34.96

**GSA Global Supply offers tens of thousands of office products, tools, and maintenance/repair/operations supplies. See the complete offering at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov) or on the enclosed CD.**

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Cover: Grade 350. Type CF. Half-slotted box with cover. Style HSCC.

<b>Use for repacking coffee pots. (NFES #0500)</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-00-139-0652		22 x 22 x 36"	BD(contains 10 EA) \$91.14
<b>Use for repacking 50 sleeping pads (75 x 23"). (NFES #0134)</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-01-381-6529		76 x 22-1/2 x 20-1/2"	BD(contains 10 EA) \$137.08
<b>Use for repacking Pulaski tools. (NFES #0338)*</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-00-139-0673		37-1/2 x 18-1/2 x 8"	BD(contains 10 EA) \$55.28
<b>Use for repacking firefighting shovels. (NFES #0337)*</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-00-139-0689		55 x 12-1/2 x 11-3/4"	BD(contains 10 EA) \$63.68
<b>Use for repacking McLeod tools. (NFES #0305)*</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-00-139-0690		56 x 20 x 11"	BD(contains 10 EA) \$88.90
<b>Use for repacking fireline combination tool. (NFES #0384)*</b> Contains 25% Recovered Material, Which Includes 25% Postconsumer Material Std. pack: 1 (10 EA/BD)			
8115-01-307-2951		46 x 11 x 8"	BD(contains 10 EA) \$58.58

**\*Notice** – The four tool repack boxes indicated above (NFES #0338, #0337, #0305 and #0384) will be changed to an improved design during the 2006 season. They will become full-telescoping boxes (full-depth lid) and be manufactured from weather-resistant double-wall fiberboard (grade V11c, 600 psi burst strength). They may become available during the 2006 fire season, in which case a price adjustment will be required. This specification change was reviewed and approved by the NFES committee.



## Packaging Tape Dispenser

**A.** Handheld tape dispenser is great for cutting filament-reinforced tape. Accommodates a 60-yard roll up to 1" wide with a 3" core. (NFES #2139)

Std. pack: 24

7520-00-579-9053	EA	\$3.07
------------------	----	--------

## Strapping Tape

**B.** Fiberglass filament-reinforced tape is for closing full overlap or full telescope boxes, as well as general bundling and packaging. Also for carton reinforcing, unitizing and holding applications. Has a 3" core.

Medium-tensile-strength tape (300 lbs.-to-in. width) is transparent and is available in several widths.

For dispenser, see *Packaging Tape Dispenser NSN 7520-00-579-9053*. (NFES #0222)

12-month maximum shelf life (extendable) Std. pack: 9 or 36

7510-00-582-4772	JWOD	Transparent	Width: 1"	RO(contains 60 YD)	\$2.92
------------------	------	-------------	-----------	--------------------	--------

## Packaging Tape

**C.** This tape is excellent for sealing containers in situations that require high strength and resistance to water, sunlight and other adverse elements. Includes a plastic film backing and can be used in temperatures ranging from -65 to 160° F. Has a 3" core.

(NFES #0395)

12-month maximum shelf life (extendable) Std. pack: 6 or 24

7510-00-079-7906	Tan	Width: 2"	RO(contains 60 YD)	\$1.99
------------------	-----	-----------	--------------------	--------

(NFES #0396)

12-month maximum shelf life (extendable) Std. pack: 3 or 12

7510-00-079-7905	Tan	Width: 3"	RO(contains 60 YD)	\$2.08
------------------	-----	-----------	--------------------	--------

## Plastic Wrap

**D.** Normal impact-strength, polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly resistant to water and moderately resistant to vapor. Low-slip type. (Note: Thickness is listed for identification purposes as nominal. Actual thickness may be less than listed.)

Not for use in contact with food.

(NFES #0144)

Std. pack: 3 or 12

8135-00-579-6487	JWOD	Black	Width: 20 feet; Thickness: 0.006"	RO(contains 100 FT)	\$83.86
------------------	------	-------	-----------------------------------	---------------------	---------

(NFES #0143)

Std. pack: 3 or 12

8135-00-618-1783	JWOD	Clear	Width: 16 feet; Thickness: 0.006"	RO(contains 100 FT)	\$62.40
------------------	------	-------	-----------------------------------	---------------------	---------

## Boxcar Seal

**E.** This self-locking, boxcar-style seal discourages pilfering. Metal strap is passed through a hasp fastener and ends of strap are locked together inside metal box when closed, providing a sturdy seal. For sealing fire caches, toolboxes, mess kits, and more. Reads: "U.S. Forest Service" and numbered in a series. Federal Spec FF-S-2738. (NFES #1938)

Std. pack: 50

5340-00-901-8105	Length: 8-1/2"; Width: 0.3"; Thickness 0.03"	HD	\$5.97
------------------	--	----	--------

# Weather Gear

## Weather Observation Kit



A complete observing kit with everything needed to measure temperature, relative humidity and wind velocity. Consists of Weather Kit Case NSN 8465-00-521-3057, Smoke Chaser's Compass NSN 6605-00-553-8795, Wind Speed Indicator NSN 6680-00-833-7010, and Psychrometer NSN 6685-00-826-1662. Also contains writing board, 1-oz. plastic Screw-Cap-Bottle NSN 8125-00-824-9058, Wood Pencil NSN 7510-00-281-5234, notebooks, and humidity and dew-point tables. Forest Service Spec 5100-150, MEDC-531. (NFES #1050)

■ Std. pack: 10

6660-01-024-2638	JWOD	KT	\$74.35
------------------	------	----	---------

## Weather Kit Case

This kit contains the right tools for rating forest-fire danger. Cloth case's pockets accommodate a wind meter, a compass, a psychrometer, a writing board, a notebook, pencils and a water bottle.

Includes a snap-close cover flap and belt loops. Forest Service Spec 5100-450. (NFES #1154)

■ Std. pack: 25

8465-00-521-3057		EA	\$15.54
------------------	--	----	---------



## Psychrometer



As a component of the weather observer kit, this pocket-size psychrometer measures relative humidity of atmospheric air. Two mercury thermometers on a metal mounting plate allow for dry- and wet-bulb readings. Thermometer range is 30 to 110° F. Features a sling handle for whirling and comes in a case. Includes plastic calculator for determining relative humidity. (NFES #1156)

■ Std. pack: 50

6685-00-826-1662		EA	\$21.46
------------------	--	----	---------

## Wind Speed Indicator



Floating ball-type anemometer is for determining wind velocity in miles per hour with low- and high-range scales. This component of the weather observation kit has plastic and metal construction. Includes carrying case, instructions and three cleaning rods. Forest Service Spec 5100-454. (NFES #1155)

■ Std. pack: 12 or 72

6680-00-833-7010	8 x 3 x 3/4"	EA	\$18.12
------------------	--------------	----	---------

## Screw-Cap Bottle



This unbreakable, heat-resistant plastic bottle is a component of the Forest Service carrying case and is used in the belt weather case. Closes via the screw cap. (NFES #1157)

■ Std. pack: 144

8125-00-824-9058	Capacity: 1-1/4 oz.	EA	\$1.07
------------------	---------------------	----	--------

## Smoke Chaser's Compass



Smoke chaser's compass has a clear, flat, plastic base (4 x 2-5/16"), a liquid-filled compass, and a neck cord. Base has a magnifying glass built in. (NFES #1814)

■ Std. pack: 20

6605-00-553-8795	4 x 2 x 1/2"	EA	\$10.80
------------------	--------------	----	---------

## Magnetic Compass



Ideal for hiking and general forestry, this compass features a clear plastic base plate with black plastic hinged cover and neck cord. Measures 4 x 2-1/2 x 1/2" with the cover closed, cover contains a mirror on the inside. (NFES #0047)

■ Std. pack: 20

6605-00-171-5121	Black	EA	\$23.02
------------------	-------	----	---------

# Backfiring Fusee

## Backfiring Fusee



For starting backfires, this device is simple to use and features positive-ignition action similar to highway flares. Ferrule in base accommodates stick or handle extension. Burns for 10 minutes. Forest Service Spec 5100-360. (NFES #0105)

■ Std. pack: 1 (72 EA/BX)

1370-00-294-1279 **MSDS** BX(contains \$82.03  
72 EA)

Please use the form at the back of this catalog for all mail and fax orders. Be sure to copy the blank order form for future use.

# Marking Material

## Flagging Ribbon



"Hazards" flagging ribbon is black with yellow diagonal stripes every 1/2". (NFES #0267)

Box contains 12 rolls.

Ⓜ 12-month maximum shelf life (extendable)

■ Std. pack: 12

9905-01-523-2324	Width: 1-3/16"; Length: 300 feet	BX (contains 12 EA)	\$14.40
------------------	---	---------------------------	---------



Fluorescent pink ribbon features the words "Escape Route Flagging" in bold, black, 1"-high capital letters (repeated every 20"). (NFES #0566)

Box contains nine rolls.

Ⓜ 12-month maximum shelf life (extendable)

■ Std. pack: 12

9905-01-523-2578	Width: 1-1/2"; Length: 150 feet	BX (contains 9 EA)	\$13.36
------------------	--	--------------------------	---------

# Aviation Equipment

## Cargo Lead Line



While the user is transporting cargo via helicopter, this lead line can be used to keep load at a fixed distance below. Has a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-503. (NFES #0528)

■ Std. pack: 5

1670-01-029-8554 Length: 12 feet EA \$69.47

## Cargo Swivel



Cargo swivel is for use when freight is transported by helicopter with external cargo hook attachments, swivel permits sling lines to rotate freely. Prevents lines from twisting and breaking. Has a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-501. (NFES #0526)

■ Std. pack: 6

1670-01-029-8555 EA \$310.31

## Cargo Net



For the transport and delivery of freight suspended from beneath helicopters. Net is round or square, with a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-502. (NFES #0531)

■ Std. pack: 1

1670-01-029-8556 Diameter:  
12-1/2 feet EA \$302.39

## Message Dropper Pouch



This plastic pouch is designed to hold messages dropped from aircraft. Small, clear vinyl bag also holds ballast (sand). Comes with plastic streamer (international orange or yellow), message blanks and instructions. Forest Service Spec 5100-110. (NFES #0284)

■ Std. pack: 25 or 100.

1670-00-797-4495 JWOD EA \$4.83

**GSA –  
Exclusively  
serving the  
federal  
marketplace  
for more than  
50 years!**



# Fire Forms

## Optional Form



OF 286: Emergency Equipment Use Invoice.

Consists of a four-part chemical transfer snap-out set.

(NFES #0863)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 10

7540-01-120-4062			UNICOR	8-1/2 x 11"	HD	\$12.70
------------------	--	--	--------	-------------	----	---------

OF 288: Emergency Fire Fighter Time Report.

Consists of a four-part carbon interleaved snapout set. Serially numbered.

(NFES #0866)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 10

7540-01-124-7633			UNICOR	8-1/2 x 11"	HD	\$8.17
------------------	--	--	--------	-------------	----	--------

OF 294: Emergency Equipment Rental Agreement.

Consists of a four-part chemical transfer.

(NFES #0862)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 10

7540-01-121-8825			UNICOR	8-1/2 x 11"	HD	\$14.28
------------------	--	--	--------	-------------	----	---------

OF 296: Vehicle/Heavy Equipment Safety Inspection Checklist.

Consists of a four-part chemical transfer form in a matchbook style book. 50 (four-part) sets per book.

(NFES #1173)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 50

7540-01-120-0607			UNICOR	8-1/2 x 11"	BK(contains 50 SH)	\$10.26
------------------	--	--	--------	-------------	--------------------	---------

OF 297: Emergency Equipment Shift Ticket.

Consists of a four-part carbonless transfer.

(NFES #0872)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7540-01-119-5628			UNICOR	4-1/4 x 6-1/2"	BK(contains 25 EA)	\$2.37
------------------	--	--	--------	----------------	--------------------	--------

OF 304: Emergency Equipment Fuel and Oil Issue.

Consists of a six-part carbonless transfer.

(NFES #0420)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 100

7540-01-317-7366			UNICOR	4-1/4 x 6-1/2"	BK(contains 25 EA)	\$3.63
------------------	--	--	--------	----------------	--------------------	--------

OF 305: Emergency Equipment Rental-Use Envelope.

(NFES #0422)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 5

7540-01-317-7367			UNICOR	Light Brown	9-1/2 x 12"	HD	\$24.04
------------------	--	--	--------	-------------	-------------	----	---------

## Standard Form



SF 91: Motor Vehicle Accident Report.

(NFES #0399)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 20

7540-00-634-4041			UNICOR	5-1/2 x 8-1/2" (folded)	HD	\$4.44
------------------	--	--	--------	-------------------------	----	--------

SF 94: Statement of Witness.

(NFES #0400)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 40

7540-00-634-4045			UNICOR	8-1/2 x 11"	HD	\$2.06
------------------	--	--	--------	-------------	----	--------

SF 95: Claim for Damage, Injury or Death.

(NFES #0936)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 40

7540-00-634-4046			UNICOR	8-1/2 x 11"	HD	\$3.03
------------------	--	--	--------	-------------	----	--------

SF 261: Crew Time Report.

Consists of a two-part set. Carbonless transfer.

(NFES #0891)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Std. pack: 40

7540-01-058-0222			UNICOR	4-1/4 x 7-1/2"	BK(contains 50 EA)	\$1.63
------------------	--	--	--------	----------------	--------------------	--------

# CUSTOMER SERVICE DIRECTOR PROGRAM

*The Customer Service Director (CSD) program is performed by a worldwide network of supply and service specialists. Quality customer assistance is as near as a telephone.*

## GSA Help Line

GSA provides assistance for customers who have a problem or question concerning any of the supplies or services provided by FSS. Call (800) 525-8027, option 2 (DSN 465-1416) for more information.

This help line is handled by the National Customer Service Center (NCSC). The NCSC helps by answering your concerns, providing assistance, and, if necessary, referring you to the appropriate FSS "center of expertise" for specific knowledge in unique or special situations. Technicians are available from 7 a.m. to 6:30 p.m. (CST). After-hours messages will be answered the next business day. You may also contact the NCSC via e-mail at [NCSCcustomer.service@gsa.gov](mailto:NCSCcustomer.service@gsa.gov).

## Field Level – Customer Assistance


CSDs visit customers to provide information about GSA services, help in resolving problems, and answer any questions or concerns about GSA support. They provide seminars for either specific or general discussions about any phase of support offered by FSS and make periodic liaison visits to customer installations. To contact your CSD, determine the Regional Manager for your location (see the following page) and contact that office for more specific information, or visit [www.gsa.gov/csd](http://www.gsa.gov/csd).

For specific Wildland Fire Equipment assistance, customers should contact the GSA/FSS Southwest Supply Center Customer Assistance Branch (see page 5 of this catalog or visit [www.gsa.gov/fireprogram](http://www.gsa.gov/fireprogram)).



To get more information about the CSD for your area, please find the regional manager nearest your organization:

Region	Name	Phone	Email
1 – 2	Judy Poskanzer	(212) 264-0305	judy.poskanzer@gsa.gov
3	Mike Ruggeri	(215) 446-5055	michael.ruggeri@gsa.gov
4	Kelley Holcombe	(404) 331-0652	kelley.holcombe@gsa.gov
5	Kurt Regep (Acting)	(866) 333-4472	kurt.regep@gsa.gov
6	Timothy Benoit	(816) 926-5548	timothy.benoit@gsa.gov
7 – 8	Bill Heffner	(817) 574-2477	bill.heffner@gsa.gov
9	Bill Villarroel	(415) 522-2803	william.villarroel@gsa.gov
10	James Hamilton	(253) 931-7496	james.hamilton@gsa.gov



# NATIONAL FIRE CACHE SYSTEM

The Fire Cache System is a series of designated strategic points where supply tools and equipment are assembled in quantities, or standard units, for exclusive use in fire suppression. The fire caches are operated by the U.S. Forest Service and the Bureau of Land Management.

## Great Basin Interagency Support Cache (GBK)

Personnel	Phone/Fax Numbers	E-mail	Location
Rick Blanton, Mgr.	(208) 387-5547 (phone)	rickblanton@nifc.blm.gov	National Interagency Fire Center  3833 S. Development Ave. Boise, ID 83705-5354
Jeri Billiard, Ordering	(208) 387-5109 (phone)	jeri_billiard@nifc.blm.gov	
Stan Legg, Ship/Rec. Supv.	(208) 387-5118 (phone)	stan_legg@nifc.blm.gov	
24-hour number	(208) 387-5573 (fax) (208) 387-5104 (phone)		

## Northern Rockies Interagency Support Cache (NRK)

Personnel	Phone/Fax Numbers	E-mail	Location
Patrick Nooney, Mgr.	(406) 329-4932 (phone)	pnooney@fs.fed.us	5765 W. Broadway Missoula, MT 59808
Bonny Resner, Admin. Mgr.	(406) 329-4949 (phone)	bresner@fs.fed.us	
Dave Levesque, Ops. Mgr.	(406) 329-4904 (phone)	dlevesque@fs.fed.us	
	(406) 329-4962 (fax)		

## Rocky Mountain Interagency Support Cache (RMK)

Personnel	Phone/Fax Numbers	E-mail	Location
John R. Robertson, Mgr.	(303) 202-4943 (phone)	jrobertson@fs.fed.us	Rocky Mountain Fire Cache DFC – Bldg. 810, Door N27 Lakewood, CO 80225
Matt Dean, Asst. Mgr.	(303) 202-4941 (phone)	mjdean@fs.fed.us	
Betty Lystad, Supply Tech.	(303) 202-4944 (phone)	blystad@fs.fed.us	
	(303) 202-4965 (fax)		

## Southwest Area – Prescott Interagency Support Cache (PFK)

Personnel	Phone/Fax Numbers	E-mail	Location
Ed Plapp, Mgr.	(928) 777-5630 (phone)	eplapp@fs.fed.us	2400 Melville Drive Prescott, AZ 86301
Debbie Maxam, Asst. Mgr.	(928) 777-5631 (phone)	dmaxam@fs.fed.us	
Carla Sartwell, Supply Tech.	(928) 777-5632 (phone)	csartwell@fs.fed.us	
Ray Ferguson, Procurement	(928) 777-5633 (phone)	rferguson@fs.fed.us	
	(928) 777-5608 (fax)		

## Southwest Area – Silver City Interagency Support Cache (SFK)

Personnel	Phone/Fax Numbers	E-mail	Location
Tom Olson, Mgr.	(505) 534-1067 (phone)	tolson02@fs.fed.us	158 Airport Road P.O. Box 931 Hurley, NM 88043
Dottie Clark, Asst. Mgr.	(505) 534-0453 (phone)	dclark03@fs.fed.us	
	(505) 388-5672 (fax)		

## California (Southern) Interagency Support Cache (LSK)

Personnel	Phone/Fax Numbers	E-mail	Location
Dave Estes, Mgr.	(909) 930-3206 (phone)	destes01@fs.fed.us	Logistics Support Center 1310 S. Cucamonga Ave. Ontario, CA 91761-4507
Tom McMahon, Asst. Mgr.	(909) 930-3208 (phone)	tmcMahon@fs.fed.us	
Vicki Jordan, Purchase Agent	(909) 930-3209 (phone)	vjordan@fs.fed.us	
Lisa Harris, Supply Tech.	(909) 930-3207 (phone)	lharris01@fs.fed.us	
	(909) 947-6391 (fax)		



# NATIONAL FIRE CACHE SYSTEM

## California (Northern) Interagency Support Cache (NCK)

Personnel	Phone/Fax Numbers	E-mail	Location
Dave Milbrat, Mgr.	(530) 226-2852 (phone)	dmilbrat@fs.fed.us	6101 Airport Road Redding, CA 96002
Vacant, Asst. Mgr.			
Jim Mitchell (Cache Info)	(530) 226-2850 (phone)	jbmitchell@fs.fed.us	
(Vacant), Procurement Officer	(530) 226-2706 (phone) (530) 226-2854 (fax)		

## Northwest Area Interagency Support Cache (NWK)

Personnel	Phone/Fax Numbers	E-mail	Location
Doug Benton, Mgr.	(541) 504-7230 (phone)	dbenton@fs.fed.us	1740 S.E. Ochoco Way Redmond, OR 97756
Eve Ponder, Asst. Mgr.	(541) 504-7235 (phone)	eponder@fs.fed.us	
Karen Mason (Cache Info.)	(541) 504-7234 (phone)	karenmason@fs.fed.us	
	(541) 504-7240 (fax)		
Wenatchee Cache – East Washington			
Jim Trowbridge, Mgr.	(509) 884-6593 (phone) (509) 884-2710 (fax)	jhtrowbridge@fs.fed.us	
LaGrande Cache – East Oregon			
Howard Sievers, Mgr.	(541) 962-8664 (phone) (541) 962-8671 (fax)	hsievers@fs.fed.us	

## Alaska Interagency Support Cache (AKK)

Personnel	Phone/Fax Numbers	E-mail	Location
(Vacant), Mgr.	(907) 356-5735 (phone)		P.O. Box 35005 Bldg. 1544 Fort Wainwright, AK 99703
Lyell Chittenden, Asst. Mgr.	(907) 356-5742 (phone)	lyell_chittenden@ak.blm.gov	
Joanne Waller (Cache Info)	(907) 356-5739 (phone)	joanne_waller@ak.blm.gov	
	(907) 356-5754 (fax)		

## Southern Area Interagency Support Cache (SAK)

Personnel	Phone/Fax Numbers	E-mail	Location
Ken Huff, Mgr.	(606) 878-7430 (phone)	khuff@fs.fed.us	788 Sublimity School Road London, KY 40741
Sheila Dykes, Asst. Mgr.	(606) 878-7430 (phone)	sdynes01@fs.fed.us	
	(606) 864-9559 (fax)		

## Eastern Area Interagency Support Cache (NEK)

Personnel	Phone/Fax Numbers	E-mail	Location
Robert Behrner, Mgr.	(218) 327-4578 (phone)	rbehrner@fs.fed.us	402 11th St. S.E. Grand Rapids, MN 55744
Tom Staydohar, Asst. Mgr.	(218) 327-4579 (phone)	tom.staydohar@dnr.state.mn.us	
	(218) 327-4581 (fax)		

# REQUISITIONING FROM DLA

Throughout the federal government, there are two principal wholesale supply support activities providing intergovernmental support: the Defense Logistics Agency (DLA) and the General Services Administration (GSA). These two agencies have been working closely to eliminate avoidable overlap and duplication in their supply systems and have agreed to support military and civilian customers.

Requisitions for items managed by DLA should be placed with the DLA Call Center toll-free at (877) DLA-CALL(352-2255). Inquiries can be made by calling the DLA number or by e-mailing [dscc.callcenter@dla.mil](mailto:dscc.callcenter@dla.mil). The DLA Call Center is available 24 hours a day, 365 days a year and is your centralized point for any matters concerning DLA support.

## Customer Assistance Representatives

DLA customer-assistance representatives are available to assist you with resolving problems by answering any questions about DLA support. Their mission is to provide top-quality customer assistance on a continuing basis. Please call the location nearest you or call (877) DLA-CALL(352-2255).

Location	Phone Number
<i>Camp Pendleton, CA</i>	(760) 725-4250/3998
<i>Fort Irwin, CA</i>	(760) 380-6046
<i>San Diego, CA</i>	(619) 545-4181
<i>Fort Carson, CO</i>	(719) 526-5483
<i>Ogden, UT</i>	(801) 777-6654
<i>Fort Lewis, WA</i>	(253) 967-7458

For the names, addresses and telephone numbers of other DLA customer-assistance representatives, access the DLA Web site at [www.supply.dla.mil](http://www.supply.dla.mil) and click on "Points of Contact."

# DEFENSE LOGISTICS AGENCY (DLA) ITEMS

**Note:** DLA-managed items are not available from GSA. They are listed in this publication as a courtesy to the customer and must be ordered from the DLA center (RIC) listed for each item. See page 56 of this catalog for ordering information and a list of applicable locations/telephone numbers. If you need assistance, contact one of the Customer Assistance Representatives listed on page 56. The following DLA items have been admitted to the NFES.

## Miscellaneous Items

NFES	U/I	Name	NSN	RIC	Unit Price
0053	EA	Cot, Folding, 3.5" x 6.5"	7105-00-935-0422	S9I	\$ 61.34
0125	EA	Lantern, Gasoline, Dbl Mantle	6260-01-032-2485	S9I	\$ 56.82
0149	EA	Pump, Barrel, Hand. w/8" Long Hose	4930-00-739-6733	S9I	\$ 131.30
0210	EA	Spout, Gas, Flexible, 16", Steel	7240-00-177-6154	S9I	\$ 11.24
0238	EA	Apron, Leather, Safety, 42"L X 26"W	8415-00-250-2531	S9T	\$ 31.00
0344	EA	Plug, Spark, CJ8, 147N	2920-00-946-9689	S9C	\$ 0.95
0559	EA	Guard, Light Bulb	6210-00-264-6444	S9I	\$ 7.26
0619	RO	Tape, Electrical, 3/4" x 36 yd.	5970-00-419-4291	S9G	\$ 2.09
0651	QT	Oil, SAE 30 WT.	9150-00-186-6681	S9G	\$ 1.87
0686	CL	Rope, Manila, 3/8", 600" Per Cl.	4020-00-834-0708	S9G	\$ 27.27
0811	EA	Glass, Magnifying	6650-00-252-6250	S9G	\$ 5.29
0814	EA	Stereoscope, Pocket	6675-00-641-3561	S9I	\$ 136.92
1071	EA	Bag, Duffle, Olive Green, 37"H, 12.5" Dia.	8465-01-117-8699	SMS	\$ 16.68
1117	CO	Foot Powder, 45.0 Grams	6505-01-008-3054	S9M	\$ 1.16
1138	EA	Mirror, Emergency Signaling	6350-01-455-6695	S9I	\$ 10.38
1175	EA	Can, Gasoline, Plastic, 5 GL, w/o Spout	7240-01-337-5269	S9I	\$ 22.27
1258	EA	Battery, Lantern, 6V	6135-00-825-6692	S9G	\$ 2.55
1269	EA	Bag, Flight Helmet, Olive Green	8415-00-782-2989	S9T	\$ 14.20
1759	EA	Stakes, Tent, Wood, 24"	8340-00-261-9751	SMS	\$ 1.42

# DEFENSE LOGISTICS AGENCY (DLA) ITEMS

## Gloves, Flight, NOMEX

NFES	U/I	Name	NSN	RIC	Unit Price
1219	PR	Size 7	8415-01-029-0109	S9T	\$ 18.60
1223	PR	Size 8	8415-01-029-0111	S9T	\$ 18.60
1224	PR	Size 9	8415-01-029-0112	S9T	\$ 18.60
1225	PR	Size 10	8415-01-029-0113	S9T	\$ 18.60
1226	PR	Size 11	8415-01-029-0116	S9T	\$ 18.60

## Coveralls – Flight Suit, NOMEX, Sage Green

NFES	U/I	Name	NSN	RIC	Unit Price
0501	EA	Size 36 Short	8415-01-043-8380	S9T	\$ 103.30
0507	EA	Size 36 Regular	8415-01-043-8381	S9T	\$ 103.30
0508	EA	Size 36 Long	8415-01-043-8382	S9T	\$ 103.30
0509	EA	Size 38 Short	8415-01-043-8383	S9T	\$ 103.30
0572	EA	Size 38 Regular	8415-01-043-8384	S9T	\$ 103.30
0514	EA	Size 38 Long	8415-01-043-8385	S9T	\$ 103.30
0517	EA	Size 40 Short	8415-01-043-8386	S9T	\$ 103.30
0518	EA	Size 40 Regular	8415-01-043-8387	S9T	\$ 103.30
0519	EA	Size 40 Long	8415-01-043-8388	S9T	\$ 103.30
0521	EA	Size 42 Short	8415-01-043-8389	S9T	\$ 103.30
0574	EA	Size 42 Regular	8415-01-043-9529	S9T	\$ 103.30
0525	EA	Size 42 Long	8415-01-043-8390	S9T	\$ 103.30
0527	EA	Size 44 Short	8415-01-043-8391	S9T	\$ 103.30
0539	EA	Size 44 Regular	8415-01-043-8392	S9T	\$ 103.30
0545	EA	Size 44 Long	8415-01-043-8393	S9T	\$ 103.30
0546	EA	Size 46 Short	8415-01-043-8394	S9T	\$ 103.30
0576	EA	Size 46 Regular	8415-01-043-8395	S9T	\$ 103.30
0547	EA	Size 46 Long	8415-01-043-8396	S9T	\$ 103.30
0567	EA	Size 48 Regular	8415-01-043-8397	S9T	\$ 103.30
0548	EA	Size 48 Long	8415-01-043-8398	S9T	\$ 103.30



# GREATER Supply. On Demand.

## Reliability.

GSA Global Supply is Your Reliable Government Source. We deliver the products you need, where you need them – around the world or right here at home.

## Choice.

GSA Global Supply gives you options – lots of them. That means you'll have choices when it comes to ordering, paying – and even in payment documentation. From office supplies to firefighting equipment to aircraft coatings, GSA Global Supply offers requisition-based ordering for thousands of products. GSA recently expanded its product offering by more than 110,000 tools and office products.

## Results.

Whatever your mission, GSA Global Supply helps you accomplish it – whether it is homeland security, emergency response, war-fighting or peacekeeping.

## Service.

We're committed to providing outstanding customer service in the areas of ordering, delivery and billing – and everything in between. Whether you have questions about a particular item or need help finding and procuring necessary equipment, you can turn to us for the products and assistance you need.

## Purchasing ease.

No matter how many items you order from GSA Global Supply, you will receive a single, consolidated bill and know that your purchase satisfies federal procurement guidelines – every time. We want to show you just how easy federal purchasing can be. To get started or to learn more, contact GSA Global Supply today.

## Call us, or visit us online.

(800) 525-8027 ■ [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov) (24-hour ordering)

NFES #	NSN	Name	Unit of Issue	Price	Page
0006	4210-01-079-9284	Fire Hose Thread Adapter	EA	\$ 5.95	14
0007	4210-01-079-9283	Fire Hose Thread Adapter	EA	5.43	14
0010	4210-00-975-2969	Fire Hose Reducer	EA	7.14	15
0018	8105-00-664-3715	Firefighter's Meal Bag	BD	77.14	41
0021	8105-01-183-9768	Trash Bag	BX	26.36	42
0022	8465-01-119-5562	Sleeping Bag	EA	52.40	42
0024	4210-00-640-1892	Fire Hose Nozzle	EA	126.94	16
0030	6135-00-985-7845	Alkaline Battery	PG	6.38	24
0031	6135-00-643-1310	Carbon-Zinc Battery	PG	30.53	24
0033	6135-00-835-7210	Alkaline Battery	PG	10.85	24
0037	8465-00-102-6381	Canteen	EA	0.32	38
0038	8465-01-062-5854	Canteen	EA	4.03	38
0045	8415-00-286-7507	Chainsaw Operator's Chaps	PR	66.96	23
0046	4210-00-767-7123	Fire Hose Clamp	EA	30.46	18
0047	6605-00-171-5121	Magnetic Compass	EA	23.02	49
0048	7310-00-128-6837	Water Jug	BX	100.13	39
0054	8465-00-118-4956	Canteen Case	EA	2.76	38
0060	5110-00-242-5385	File (American Pattern)	DZ	13.46	22
0063	5110-00-263-0341	File Handle	DZ	11.07	22
0067	6545-00-656-1092	First Aid Kit	EA	11.02	26
0070	8340-00-102-6370	Tent Fly	EA	230.16	43
0073	7360-01-310-5131	Food Container (Disposable)	KT	12.85	39
0078	8415-01-028-5575	Chainsaw Operator's Chaps	PR	69.44	23
0083	8340-00-753-6574	Tent Pole	EA	48.26	43
0089	8340-01-107-5694	Ridge Pole	EA	114.23	43
0105	1370-00-294-1279	Backfiring Fusee	BX	82.03	50
0109	8415-01-055-2265	Wildland Firefighter's Helmet	EA	19.67	31
0113	4210-00-568-9904	Fire Pump Gasoline Line	LG	20.09	21

NFES #	NSN	Name	Unit of Issue	Price	Page
0115	4210-00-889-1775	Rubber Suction Fire Hose	LG	95.24	13
0126	7360-00-139-1063	Personal Wash Kit	KT	4.72	44
0127	6230-00-500-0523	Lantern	EA	10.47	25
0129	7360-00-634-4800	Individual Flatware Set	BX	2.01	40
0134	8115-01-381-6529	Fire Equipment Repack Box	BD	137.08	47
0135	7360-00-139-0480	Disposable Dinnerware	KT	30.12	41
0136	4730-00-595-1103	Fire Hose Nozzle	EA	16.43	16
0137	4210-00-181-8872	Fire Hose Nozzle	EA	6.20	16
0138	4210-00-085-2291	Fire Hose Nozzle	EA	6.50	16
0141	8465-00-128-6928	Collapsible Pail	EA	8.15	45
0142	8540-00-530-3770	Toilet Paper	BX	51.64	44
0143	8135-00-618-1783	Plastic Wrap	RO	62.40	48
0144	8135-00-579-6487	Plastic Wrap	RO	83.86	48
0146	5120-00-293-3467	Pulaski Tool	EA	52.84	9
0148	4320-01-495-3633	Firefighting Water Pump	EA	2,641.18	20
0150	8415-01-294-7717	Chainsaw Operator's Chaps	PR	79.36	23
0151	4320-00-595-0762	Firefighting Hand Pump	EA	36.54	19
0167	8465-01-121-8699	Fire Shelter Case	EA	9.82	27
0171	5120-00-965-0609	Forest Fire Shovel	EA	33.03	10
0199	8465-01-300-1699	Fire Shelter Case Liner	EA	3.40	27
0206	8520-01-415-2929	Disposable Wash Cloth	BX	72.60	44
0208	8520-01-411-0628	Bar Soap	BX	19.24	44
0212	4820-00-126-5114	Foot Valve	EA	34.84	17
0218	7240-01-044-5523	Gasoline Can	EA	111.02	21
0222	7510-00-582-4772	Strapping Tape	RO	2.92	48
0230	4210-01-081-0417	Hoseline Tee with Valved Male Branch	EA	17.99	15
0231	4210-00-984-3475	Fire Hose Wye Valve	EA	93.54	17
0234	5120-00-596-1426	Spanner Wrench	EA	3.99	17
0235	5120-00-596-1427	Spanner Wrench	EA	4.84	17

NFES #	NSN	Name	Unit of Issue	Price	Page
0240	8540-01-169-9010	Paper Towels	BX	20.25	44
0254	5330-00-239-1873	Fire Hose Gasket	PG	1.00	13
0257	8465-01-067-9999	Pulaski Tool Sheath	EA	3.72	10
0259	4210-00-126-5108	Fire Hose Wye Valve	EA	54.21	17
0267	9905-01-523-2324	Flagging Ribbon	BX	14.40	50
0272	4210-01-412-6335	Garden Hose Wye Valve	EA	2.51	18
0281	8465-01-463-4649	Tent Bag	EA	33.48	35
0284	1670-00-797-4495	Message Dropper Pouch	EA	4.83	50
0294	8465-01-463-4648	Chest Harness	EA	12.12	30
0296	4210-00-203-3512	McLeod Tool	EA	52.85	9
0305	8115-00-139-0690	Fire Equipment Repack Box	BD	88.90	47
0318	4240-01-504-7863	Safety Goggles	PR	7.96	32
0337	8115-00-139-0689	Fire Equipment Repack Box	BD	63.68	47
0338	8115-00-139-0673	Fire Equipment Repack Box	BD	55.28	47
0343	5110-01-046-5031	Chainsaw File Guide	EA	22.66	22
0345	5110-00-965-0608	File (American Pattern)	DZ	6.28	22
0351	5110-00-242-5384	File (American Pattern)	DZ	10.36	22
0352	5110-00-293-2339	Single-Bit Ax	EA	21.13	9
0353	8115-00-139-0706	Fire Equipment Repack Box	BD	48.00	47
0358	5110-00-263-0342	File Handle	DZ	8.28	22
0359	8465-00-293-3369	Leather Ax Sheath	EA	7.24	10
0384	8115-01-307-2951	Fire Equipment Repack Box	BD	58.58	47
0395	7510-00-079-7906	Packaging Tape	RO	1.99	48
0396	7510-00-079-7905	Packaging Tape	RO	2.08	48
0399	7540-00-634-4041	Standard Form	HD	4.44	51
0400	7540-00-634-4045	Standard Form	HD	2.06	51
0416	4210-01-080-6532	Fire Hose Increaser	EA	7.98	15
0417	4210-01-521-1691	Fire Hose Reducer	EA	7.89	15
0418	4210-00-294-2648	Fire Hose Reducer	EA	7.49	15



NFES #	NSN	Name	Unit of Issue	Price	Page
0420	7540-01-317-7366	Optional Form	BK	3.63	51
0422	7540-01-317-7367	Optional Form	HD	24.04	51
0428	4730-01-057-0136	Quick-Connect Hose Fitting	EA	3.06	20
0429	4730-01-057-4210	Quick-Connect Hose Fitting	EA	6.45	20
0432	5120-00-278-7590	Tool Handle Wedge	DZ	9.27	11
0433	5120-00-293-3451	Tool Handle Wedge	DZ	9.27	11
0435	8465-01-369-3557	Drinking Water Bag	EA	237.50	39
0436	8465-01-369-2147	Drinking Water Bag Liner	EA	63.30	39
0437	8465-01-369-2148	Suppression Water Bag	EA	169.69	39
0438	8465-01-369-2149	Suppression Water Bag Liner	EA	33.12	39
0441	7210-00-205-2804	Blanket	EA	17.23	43
0464	7350-01-263-6700	Paper Tableware	BX	46.17	40
0465	7350-00-988-6498	Paper Tableware	BX	48.69	40
0474	4240-01-292-2817	Safety Glasses	PR	4.14	32
0475	4240-01-292-2816	Safety Glasses	PR	3.95	32
0476	4240-01-292-5055	Safety Glasses	PR	3.59	32
0487	7240-00-246-1097	Utility Pail	EA	3.83	45
0495	8465-01-416-1951	Backpack Pump Shoulder Straps	EA	17.76	19
0497	7340-00-170-8374	Plastic Flatware	HD	4.14	40
0500	8115-00-139-0652	Fire Equipment Repack Box	BD	91.14	47
0510	5210-01-324-2776	Sharpening Gauge	EA	19.38	10
0511	8415-01-434-0618	Wildland Firefighter's Shirt	EA	61.38	33
0512	8415-01-434-0626	Wildland Firefighter's Shirt	EA	61.38	33
0513	8115-01-290-9543	Fire Equipment Repack Box	BD	50.81	46
0522	8415-01-211-6316	Wildland Firefighter's Shirt	EA	61.38	33
0526	1670-01-029-8555	Cargo Swivel	EA	310.31	50
0528	1670-01-029-8554	Cargo Lead Line	EA	69.47	50
0531	1670-01-029-8556	Cargo Net	EA	325.83	50
0533	4020-00-240-2146	Cord	SL	114.49	46

NFES #	NSN	Name	Unit of Issue	Price	Page
0536	8465-01-503-4476	Fuel Bottle Bag	EA	12.91	45
0564	7240-00-527-9868	Funnel	EA	2.84	21
0565	7920-00-205-1711	Wiping Cloth	BE	22.50	46
0566	9905-01-523-2578	Flagging Ribbon	BX	13.36	50
0569	8415-01-421-3905	Wildland Firefighter's Shirt	EA	61.38	33
0570	8415-01-421-3907	Wildland Firefighter's Shirt	EA	61.38	33
0577	8415-00-233-5818	Wildland Firefighter's Shirt	EA	61.38	33
0578	8415-00-233-5819	Wildland Firefighter's Shirt	EA	61.38	33
0579	8415-00-259-8718	Wildland Firefighter's Shirt	EA	61.38	33
0580	8415-00-259-8722	Wildland Firefighter's Shirt	EA	61.38	33
0590	8465-01-274-9910	Field Pack Belt Pack	EA	11.28	36
0597	8465-01-321-1679	Backpack Pump Liner	EA	6.98	19
0601	4320-00-890-5879	Firefighting Water Pump	EA	3,334.66	20
0635	4210-00-204-3358	Fire Hose Nozzle Tip	EA	11.06	16
0636	4210-00-204-3386	Fire Hose Nozzle Tip	EA	17.53	16
0637	4210-00-203-3855	Fire Hose Nozzle Tip	EA	4.95	16
0638	4210-00-203-3845	Fire Hose Nozzle Tip	EA	7.18	16
0640	6515-01-376-7247	Bodily Fluids Barrier Kit	KT	20.87	26
0643	8115-00-139-0749	Fire Equipment Repack Box	BD	52.35	47
0644	8115-00-139-0691	Fire Equipment Repack Box	BD	46.01	47
0645	8115-01-504-1463	Fire Equipment Repack Box	BD	34.96	47
0659	4210-01-387-1392	Collapsible Firefighting Rake	EA	43.68	9
0667	6230-01-493-7630	Firefighter's Headlamp	EA	43.23	25
0674	8465-01-503-4484	Fireline Pack (Complete)	EA	100.18	37
0675	8465-01-503-4479	Fireline Pack Canteen Case	EA	7.47	37
0677	8465-01-503-4482	Fireline Pack Carrying Case (Stuff Sack)	EA	7.09	37
0678	8465-01-503-4488	Main Fireline Pack	EA	63.37	37
0705	6840-01-003-9589	Insect Repellent	OZ	1.20	25
0710	4210-01-080-1457	Fire Hose Double Female Adapter	EA	11.07	14
0712	8520-01-536-5507	Skin-Cleansing Towelette	BX	255.50	44

NFES #	NSN	Name	Unit of Issue	Price	Page
0720	4210-01-412-5688	Fire Hose Water Applicator	EA	24.55	18
0722	8415-01-504-9042	Wildland Firefighter's Helmet	EA	26.75	31
0723	8415-01-504-9044	Wildland Firefighter's Helmet	EA	26.75	31
0724	8415-01-504-9045	Wildland Firefighter's Helmet	EA	26.75	31
0727	4210-01-529-8489	Fire Hose Retaining Band	BX	202.37	13
0731	4210-01-080-1460	Hoseline Tee with Capped Male Branch	EA	11.25	15
0732	4210-01-082-0575	Fire Hose Cap with Chain	EA	5.00	14
0733	4210-01-079-9286	Fire Hose Reducer	EA	5.08	15
0735	4210-01-412-5683	Fire Hose Nozzle Tip	EA	6.95	18
0737	4210-00-177-6135	Fire Hose Nozzle Tip	EA	5.23	16
0738	4210-01-412-5684	Garden Hose Shut-Off Valve	EA	1.73	18
0742	5330-00-239-1875	Fire Hose Gasket	PG	1.91	13
0743	5330-00-720-2621	Fire Hose Gasket	PG	1.21	13
0744	8465-00-205-3493	Packsack	EA	41.73	35
0772	4210-01-321-4206	Mop-Up Kit	KT	418.07	18
0827	7330-00-819-7738	Vacuum Jug	EA	516.92	41
0834	6135-00-985-7846	Alkaline Battery	PG	5.50	24
0856	4210-01-079-9285	Fire Hose Double Male Adapter	EA	6.50	14
0857	4210-01-081-8749	Fire Hose Double Female Adapter	EA	11.88	14
0862	7540-01-121-8825	Optional Form	HD	14.28	51
0863	7540-01-120-4062	Optional Form	HD	12.70	51
0866	7540-01-124-7633	Optional Form	HD	8.17	51
0872	7540-01-119-5628	Optional Form	BK	2.37	51
0891	7540-01-058-0222	Standard Form	BK	1.63	51
0911	8465-01-310-5130	Water Bag Liner	EA	3.07	38
0912	8465-01-310-1259	Water Bag	EA	67.85	38
0916	4210-01-080-1458	Fire Hose Double Male Adapter	EA	5.42	14
0921	8415-01-504-9047	Wildland Firefighter's Helmet	EA	29.09	31
0922	8415-01-504-9048	Wildland Firefighter's Helmet	EA	29.09	31
0923	8415-01-504-9050	Wildland Firefighter's Helmet	EA	29.09	31

NFES #	NSN	Name	Unit of Issue	Price	Page
0925	4240-01-498-3194	Fire Shelter, Complete (M-2002)	EA	288.83	27
0926	4240-01-498-3184	Fire Shelter, Single (M-2002)	EA	260.78	27
0927	8465-01-498-3190	Fire Shelter Carrying Case (M-2002)	EA	13.78	28
0928	8465-01-498-3191	Fire Shelter Carrying Case Liner (M-2002)	EA	2.89	28
0932	4210-01-526-3000	Synthetic-Lined Fire Hose	LG	107.68	12
0933	4210-01-526-2977	Synthetic-Lined Fire Hose	LG	139.57	12
0935	7360-00-660-0526	Dining Packet	BX	111.67	41
0936	7540-00-634-4046	Standard Form	HD	3.03	51
0943	7330-01-449-2319	Water Cooler	EA	34.90	41
0966	4210-00-777-1591	Synthetic-Cotton Fire Hose	LG	88.02	12
0967	4210-00-777-1592	Synthetic-Cotton Fire Hose	LG	92.58	12
0973	4240-01-529-8804	Fire Shelter, Single (M-2002) (Large)	EA	308.34	28
0975	4240-01-527-5248	Fire Shelter, Complete (M-2002) (Large)	EA	324.23	27
1016	4210-01-167-1061	Synthetic Garden Hose	LG	16.71	12
1027	6515-00-137-6345	Ear Plugs	BX	24.64	32
1038	7210-01-029-0370	Bath Towel (Disposable)	BX	75.88	44
1050	6660-01-024-2638	Weather Observation Kit	KT	74.35	49
1059	5110-00-242-5386	File (American Pattern)	DZ	19.10	22
1062	8465-00-081-0798	Firefighter's Sleeping Bag	EA	38.74	42
1063	8465-00-082-3054	Canteen	EA	8.67	38
1081	4210-01-165-6603	Fire Hose Nozzle	EA	21.78	16
1082	4210-01-167-1123	Fire Hose Nozzle	EA	43.46	16
1143	6545-01-010-7754	First Aid Kit	EA	108.08	26
1149	4320-00-289-8912	Backpack Pump Outfit	EA	92.58	19
1154	8465-00-521-3057	Weather Kit Case	EA	15.54	49
1155	6680-00-833-7010	Wind Speed Indicator	EA	18.12	49
1156	6685-00-826-1662	Psychrometer	EA	21.46	49
1157	8125-00-824-9058	Screw-Cap Bottle	EA	1.07	49
1168	5120-01-296-3592	Tool Handle	EA	8.67	11



NFES #	NSN	Name	Unit of Issue	Price	Page
1173	7540-01-120-0607	Optional Form	BK	10.26	51
1180	5120-01-240-2120	Fire Line Combination Tool	EA	43.92	9
1197	8465-01-321-1678	Backpack Pump Bag	EA	50.18	19
1201	4210-01-165-6599	Shut-Off Valve	EA	48.49	17
1207	4210-01-165-6600	Shut-Off Valve	EA	60.13	17
1220	4210-00-595-1838	High-Pressure Fire Hose	LG	148.81	13
1233	6135-00-643-1307	Carbon-Zinc Battery	EA	14.99	24
1238	4210-01-166-8122	Synthetic-Lined Fire Hose	LG	58.65	12
1239	4210-01-165-6597	Synthetic-Lined Fire Hose	LG	74.00	12
1243	6510-01-045-3506	Insect Bite Swab	PG	0.78	25
1274	8415-01-483-6075	Wildland Firefighter's Face-and-Neck Shroud	EA	17.43	30
1293	8415-01-394-0208	Firefighter's Work Gloves	PR	11.68	32
1294	8415-01-394-0209	Firefighter's Work Gloves	PR	11.68	32
1295	8415-01-394-0210	Firefighter's Work Gloves	PR	11.68	32
1296	8415-01-394-0215	Firefighter's Work Gloves	PR	11.68	32
1297	8415-01-397-3937	Firefighter's Work Gloves	PR	11.68	32
1372	8465-01-169-3996	Complete Field Pack	EA	72.58	36
1521	8340-01-185-5512	Tent Fly	EA	37.67	43
1526	8460-01-193-9769	Briefcase	EA	33.35	37
1529	8465-01-175-7170	Field Pack Canteen Case	EA	5.04	36
1530	8465-01-175-7169	Field Pack Belt	EA	8.70	36
1535	7240-01-351-2133	Fuel Bottle	EA	9.04	45
1557	8465-01-194-7019	Field Pack Harness	EA	16.32	36
1559	8465-01-193-9781	Field Pack Main Pack	EA	31.71	36
1566	8465-01-223-8421	Sleeping Bag Pad	BX	301.15	42
1580	8115-01-219-5749	Fire Equipment Repack Box	BD	179.05	46
1604	6545-00-656-1094	First Aid Kit	EA	79.34	26
1801	4020-00-068-7906	Rope	SL	52.09	46
1807	4210-00-540-4512	Forest Fire Rake and Cutting Tool	EA	13.38	10

NFES #	NSN	Name	Unit of Issue	Price	Page
1808	4210-00-889-1774	Rubber Suction Fire Hose	LG	87.87	13
1809	4210-01-081-0418	Hoseline Tee with Capped Male Branch	EA	19.87	15
1812	5110-00-293-3380	Ax Handle	EA	6.29	11
1814	6605-00-553-8795	Smoke Chaser's Compass	EA	10.80	49
1828	5345-00-558-5928	Abrasive Disk	BX	18.46	10
1842	8970-00-149-1094	Food Rations	BX	94.53	42
1853	8465-01-136-4719	Shovel Tool Sheath	EA	3.89	10
1854	8465-01-136-4718	McLeod Tool Sheath	EA	2.78	10
1855	8465-01-141-2321	Personal Gear Pack	EA	48.36	35
1857	5110-01-137-7507	Tool Handle	EA	11.22	11
1938	5340-00-901-8105	Boxcar Seal	HD	5.97	48
2006	8115-00-139-0722	Fire Equipment Repack Box	BD	28.37	46
2007	8115-00-292-0123	Fire Equipment Repack Box	BD	25.16	46
2030	8115-00-183-9481	Fire Equipment Repack Box	BD	50.98	46
2058	8115-00-145-0038	Plastic Storage Container	EA	8.77	39
2078	8415-01-285-3530	Wildland Firefighter's Shirt	EA	61.38	33
2079	8415-01-284-7500	Wildland Firefighter's Shirt	EA	61.38	33
2105	5110-00-782-7491	File (American Pattern)	DZ	5.83	22
2139	7520-00-579-9053	Packaging Tape Dispenser	EA	3.07	48
2210	4210-01-081-8751	Fire Hose Cap with Chain	EA	6.47	14
2229	4210-01-081-0419	Fire Hose Reducer	EA	10.50	15
2230	4210-01-508-8818	Fire Hose Reducer	EA	10.40	15
2235	4210-01-080-6531	Fire Hose Increaser	EA	5.42	15
2240	4210-01-080-1459	Hoseline Tee with Capped Male Branch	EA	15.90	15
2326	5330-00-239-1877	Fire Hose Gasket	PG	2.50	13
2407	6930-01-387-8543	Training Fire Shelter System	EA	41.47	30
2408	6930-01-387-8487	Training Fire Shelter	EA	35.30	30
2409	6930-01-387-8541	Training Fire Shelter Bag	EA	13.15	30

NFES #	NSN	Name	Unit of Issue	Price	Page
2410	6930-01-387-8533	Training Fire Shelter Case	EA	18.84	30
2678	6930-01-499-0605	Training/Practice Fire Shelter, Complete (M-2002)	EA	71.48	28
2679	6930-01-499-0608	Training/Practice Fire Shelter (M-2002)	EA	63.04	29
2680	6930-01-499-0614	Training/Practice Fire Shelter Carrying Case (M-2002)	EA	14.68	29
2681	6930-01-499-0618	Training/Practice Fire Shelter Bag, Polyvinyl (M-2002)	EA	10.64	30
2700	8415-01-464-4242	Wildland Firefighter's Pants	PR	66.09	34
2701	8415-01-464-4247	Wildland Firefighter's Pants	PR	66.09	34
2702	8415-01-464-4244	Wildland Firefighter's Pants	PR	66.09	34
2703	8415-01-464-4248	Wildland Firefighter's Pants	PR	66.09	34
2704	8415-01-464-5742	Wildland Firefighter's Pants	PR	66.09	34
2705	8415-01-464-5621	Wildland Firefighter's Pants	PR	66.09	34
2706	8415-01-464-5624	Wildland Firefighter's Pants	PR	66.09	34
2707	8415-01-464-5645	Wildland Firefighter's Pants	PR	66.09	34
2725	5510-01-045-9198	Plastic Forestry Wedge	EA	3.62	23
2798	6930-01-529-8805	Training/Practice Fire Shelter (M-2002) (Large)	EA	82.13	29
2799	6930-01-529-8807	Training/Practice Fire Shelter, Complete (M-2002) Large	EA	93.12	29
2800	8415-01-464-2282	Wildland Firefighter's Pants	PR	66.09	34
2801	8415-01-464-3672	Wildland Firefighter's Pants	PR	66.09	34
2802	8415-01-464-3671	Wildland Firefighter's Pants	PR	66.09	34
2803	8415-01-464-3676	Wildland Firefighter's Pants	PR	66.09	34
2804	8415-01-464-3677	Wildland Firefighter's Pants	PR	66.09	34
2805	8415-01-464-3678	Wildland Firefighter's Pants	PR	66.09	34
2806	8415-01-464-3673	Wildland Firefighter's Pants	PR	66.09	34
2807	8415-01-464-3675	Wildland Firefighter's Pants	PR	66.09	34
2910	8415-01-533-1740	Wildland Firefighter's Shirt	EA	61.38	33
2911	8415-01-533-2435	Wildland Firefighter's Shirt	EA	61.38	33

## Alphabetical Index

### A

Abrasive Disk .....	10
Adapter, Double Female (Fire Hose) .....	14
Adapter, Double Male (Fire Hose) .....	14
Adapter, Thread (Fire Hose) .....	14
Alkaline Battery .....	24
American Pattern File .....	22
Applicator, Water (Fire Hose) .....	18
Ax Handle .....	11
Ax Sheath, Leather .....	10
Ax, Single-Bit .....	9

### B

Backfiring Fusee .....	50
Backpack Pump Bag .....	19
Backpack Pump Liner .....	19
Backpack Pump Outfit .....	19
Backpack Pump Shoulder Straps .....	19
Bag, Backpack Pump .....	19
Bag, Fire Shelter (Training) .....	30
Bag, Fire Shelter, Polyvinyl (Training/Practice, M-2002) .....	30
Bag, Fuel Bottle .....	45
Bag Liner, Water .....	38
Bag Liner, Water (Drinking) .....	39
Bag Liner, Water (Suppression) .....	39
Bag, Meal (Firefighter's) .....	41
Bag, Sleeping .....	42
Bag, Sleeping (Firefighter's) .....	42
Bag, Tent .....	35
Bag, Trash .....	42
Bag, Water .....	38
Bag, Water (Drinking) .....	39
Bag, Water (Suppression) .....	39
Band, Retaining (Fire Hose) .....	13
Bar Soap .....	44
Barrier Kit, Bodily Fluids .....	26
Bath Towel (Disposable) .....	44
Battery, Alkaline .....	24
Battery, Carbon-Zinc .....	24
Belt, Field Pack .....	36
Belt Pack, Field Pack .....	36
Blanket .....	43
Bodily Fluids Barrier Kit .....	26
Bottle, Fuel .....	45
Bottle, Screw-Cap .....	49
Box, Repack (Fire Equipment) .....	46, 47
Boxcar Seal .....	48
Briefcase .....	37

### C

Can, Gasoline .....	21
Canteen .....	38
Canteen Case .....	38
Canteen Case, Field Pack .....	36
Canteen Case, Fireline Pack .....	37
Cap, Fire Hose (with Chain) .....	14
Carbon-Zinc Battery .....	24
Cargo Lead Line .....	50
Cargo Net .....	50
Cargo Swivel .....	50

Carrying Case, Fire Shelter (M-2002) .....	28
Carrying Case, Fire Shelter (Training/Practice, M-2002) .....	29
Carrying Case, Fireline Pack (Stuff Sack) .....	37
Carrying Case Liner, Fire Shelter (M-2002) .....	28
Case, Canteen .....	38
Case, Canteen (Field Pack) .....	36
Case, Canteen (Fireline Pack) .....	37
Case, Carrying (Fire Shelter, M-2002) .....	28
Case, Carrying (Fireline Pack/Stuff Sack) .....	37
Case, Carrying (Training/Practice Fire Shelter, M-2002) .....	29
Case, Fire Shelter .....	27
Case, Fire Shelter (Training) .....	30
Case Liner (Fire Shelter) .....	27
Case, Weather Kit .....	49
Chainsaw File Guide .....	22
Chainsaw Operator's Chaps .....	23
Chaps, Chainsaw Operator's .....	23
Chest Harness .....	30
Clamp, Fire Hose .....	18
Cloth, Wash (Disposable) .....	44
Cloth, Wiping .....	46
Collapsible Firefighting Rake .....	9
Collapsible Pail .....	45
Combination Tool, Fire Line .....	9
Compass, Magnetic .....	49
Compass, Smoke Chaser's .....	49
Complete Field Pack .....	36
Complete Fire Shelter (M-2002) .....	27
Complete Fire Shelter (M-2002, Large) .....	27
Complete Fireline Pack .....	37
Complete Training/Practice Fire Shelter (M-2002) .....	28
Complete Training/Practice Fire Shelter (M-2002, Large) .....	29
Container, Food (Disposable) .....	39
Container, Storage (Plastic) .....	39
Cooler, Water .....	41
Cord .....	46
Cutting Tool and Rake, Forest Fire .....	10

### D

Dining Packet .....	41
Dinnerware, Disposable .....	41
Disk, Abrasive .....	10
Dispenser, Packaging Tape .....	48
Disposable Bath Towel .....	44
Disposable Dinnerware .....	41
Disposable Food Container .....	39
Disposable Wash Cloth .....	44
Double Female Adapter, Fire Hose .....	14
Double Male Adapter, Fire Hose .....	14
Drinking Water Bag .....	39
Drinking Water Bag Liner .....	39

### E

Ear Plugs .....	32
-----------------	----

### F

Face-and-Neck Shroud, Wildland Firefighter's .....	30
Field Pack Belt .....	36
Field Pack Belt Pack .....	36
Field Pack Canteen Case .....	36



Field Pack, Complete .....	36	Fitting, Hose (Quick-Connect).....	20
Field Pack Harness .....	36	Flagging Ribbon .....	50
Field Pack Main Pack .....	36	Flatware, Plastic .....	40
File (American Pattern) .....	22	Flatware Set, Individual.....	40
File Guide, Chainsaw .....	22	Fly, Tent.....	43
File Handle .....	22	Food Container (Disposable) .....	39
Fire Equipment Repack Box .....	46, 47	Food Rations .....	42
Fire Hose Cap with Chain .....	14	Foot Valve .....	17
Fire Hose Clamp .....	18	Forest Fire Rake and Cutting Tool .....	10
Fire Hose Double Female Adapter.....	14	Forest Fire Shovel.....	10
Fire Hose Double Male Adapter .....	14	Forestry Wedge, Plastic.....	23
Fire Hose Gasket.....	13	Form, Optional .....	51
Fire Hose, High-Pressure.....	13	Form, Standard .....	51
Fire Hose Increaser.....	15	Fuel Bottle.....	45
Fire Hose Nozzle.....	16	Fuel Bottle Bag.....	45
Fire Hose Nozzle Tip .....	16, 18	Funnel .....	21
Fire Hose Reducer .....	15	Fusee, Backfiring.....	50
Fire Hose, Rubber Suction .....	13		
Fire Hose, Synthetic-Cotton .....	12	<b>G</b>	
Fire Hose, Synthetic-Lined .....	12	Garden Hose Shut-Off Valve .....	18
Fire Hose Retaining Band .....	13	Garden Hose, Synthetic .....	12
Fire Hose Thread Adapter .....	14	Garden Hose Wye Valve.....	18
Fire Hose Water Applicator .....	18	Gasket, Fire Hose.....	13
Fire Hose Wye Valve.....	17	Gasoline Can.....	21
Fire Line Combination Tool.....	9	Gasoline Line, Fire Pump .....	21
Fire Pump Gasoline Line .....	21	Gauge, Sharpening.....	10
Fire Shelter Bag, Polyvinyl (Training/Practice, M-2002) .....	30	Gear Pack, Personal .....	35
Fire Shelter Bag, Training .....	30	Glasses, Safety .....	32
Fire Shelter Carrying Case Liner (M-2002).....	28	Gloves, Work (Firefighter's) .....	32
Fire Shelter Carrying Case (M-2002) .....	28	Goggles, Safety.....	32
Fire Shelter Carrying Case, Training/Practice (M-2002) .....	29	Guide, File (Chainsaw) .....	22
Fire Shelter Case .....	27		
Fire Shelter Case Liner.....	27	<b>H</b>	
Fire Shelter Case, Training .....	30	Hand Pump, Firefighting.....	19
Fire Shelter, Complete (M-2002).....	27	Handle, Ax .....	11
Fire Shelter, Complete (M-2002, Large) .....	27	Handle, File.....	22
Fire Shelter, Single (M-2002) .....	27	Handle, Tool .....	11
Fire Shelter, Single (M-2002, Large) .....	28	Harness, Chest .....	30
Fire Shelter System, Training.....	30	Harness, Field Pack.....	36
Fire Shelter, Training .....	30	Headlamp, Firefighter's.....	25
Fire Shelter, Training/Practice (M-2002) .....	29	Helmet, Firefighter's (Wildland).....	31
Fire Shelter (Training/Practice, M-2002, Complete).....	28	High-Pressure Fire Hose .....	13
Fire Shelter (Training/Practice, M-2002, Complete, Large) .....	29	Hose Clamp, Fire .....	18
Fire Shelter, Training/Practice (M-2002, Large) .....	29	Hose, Fire (High-Pressure).....	13
Firefighter's Face-and-Neck Shroud, Wildland .....	30	Hose, Fire (Rubber Suction) .....	13
Firefighter's Headlamp .....	25	Hose, Fire (Synthetic-Cotton) .....	12
Firefighter's Helmet, Wildland .....	31	Hose, Fire (Synthetic-Lined) .....	12
Firefighter's Meal Bag .....	41	Hose Fitting, Quick-Connect .....	20
Firefighter's Pants, Wildland.....	34	Hose, Garden (Synthetic).....	12
Firefighter's Shirt, Wildland.....	33	Hose Gasket, Fire.....	13
Firefighter's Sleeping Bag.....	42	Hose Increaser, Fire .....	15
Firefighter's Work Gloves .....	32	Hose Nozzle, Fire.....	16
Firefighting Hand Pump .....	19	Hose Nozzle Tip, Fire.....	16, 18
Firefighting Rake, Collapsible .....	9	Hose Reducer, Fire.....	15
Firefighting Water Pump .....	20	Hose Wye Valve, Fire .....	17
Fireline Pack Canteen Case.....	37	Hose Wye Valve, Garden.....	18
Fireline Pack Carrying Case (Stuff Sack) .....	37	Hoseline Tee with Capped Male Branch .....	15
Fireline Pack (Complete).....	37	Hoseline Tee with Valved Male Branch.....	15
Fireline Pack, Main .....	37		
First Aid Kit .....	26		

## Alphabetical Index

### I

Increaser, Fire Hose.....	15
Indicator, Wind Speed .....	49
Individual Flatware Set.....	40
Insect Bite Swab .....	25
Insect Repellent .....	25

### J

Jug, Vacuum .....	41
Jug, Water .....	39

### K

Kit, Bodily Fluids Barrier .....	26
Kit, First Aid .....	26
Kit, Mop-Up .....	18
Kit, Wash (Personal) .....	44
Kit, Weather Observation .....	49

### L

Lantern .....	25
Large Fire Shelter (Complete, M-2002) .....	27
Large Training/Practice Fire Shelter, Complete (M-2002) .....	29
Lead Line, Cargo .....	50
Leather Ax Sheath.....	10
Line, Gasoline (Fire Pump).....	21
Line, Lead (Cargo).....	50
Liner, Backpack Pump .....	19
Liner, Bag (Drinking Water) .....	39
Liner, Bag (Water) .....	38
Liner, Bag (Water, Suppression) .....	39
Liner, Carrying Case (Fire Shelter, M-2002).....	28
Liner, Case (Fire Shelter).....	27
Liner, Water Bag.....	38
Liner, Water Bag (Suppression) .....	39

### M

Magnetic Compass .....	49
Main Fireline Pack .....	37
Main Pack, Field Pack.....	36
McLeod Tool .....	9
McLeod Tool Sheath .....	10
Meal Bag, Firefighter's .....	41
Message Dropper Pouch .....	50
Mop-Up Kit .....	18

### N

Net, Cargo.....	50
Nozzle, Fire Hose.....	16
Nozzle Tip, Fire Hose.....	16, 18

### O

Observation Kit, Weather .....	49
Optional Form.....	51

### P

Pack, Belt (Field Pack) .....	36
Pack, Field (Complete).....	36
Pack, Fireline (Complete).....	37
Pack, Fireline (Main).....	37
Pack, Gear (Personal) .....	35

Pack, Main (Field Pack).....	36
Packaging Tape .....	48
Packaging Tape Dispenser .....	48
Packet, Dining .....	41
Packsack .....	35
Pad, Sleeping Bag.....	42
Pail, Collapsible.....	45
Pail, Utility .....	45
Pants, Wildland Firefighter's .....	34
Paper Tableware .....	40
Paper, Toilet.....	44
Paper Towels.....	44
Personal Gear Pack .....	35
Personal Wash Kit .....	44
Plastic Flatware .....	40
Plastic Forestry Wedge.....	23
Plastic Storage Container.....	39
Plastic Wrap .....	48
Plugs, Ear .....	32
Pole, Ridge .....	43
Pole, Tent.....	43
Polyvinyl Fire Shelter Bag (Training/Practice, M-2002) .....	30
Pouch, Message Dropper .....	50
Psychrometer.....	49
Pulaski Tool .....	9
Pulaski Tool Sheath .....	10
Pump Bag, Backpack.....	19
Pump, Hand (Firefighting) .....	19
Pump Liner, Backpack.....	19
Pump Outfit, Backpack.....	19
Pump, Water (Firefighting) .....	20

### Q

Quick-Connect Hose Fitting .....	20
----------------------------------	----

### R

Rake and Cutting Tool, Forest Fire.....	10
Rake, Firefighting (Collapsible) .....	9
Rations, Food.....	42
Reducer, Fire Hose.....	15
Repack Box, Fire Equipment .....	46, 47
Repellent, Insect.....	25
Retaining Band, Fire Hose.....	13
Ribbon, Flagging.....	50
Ridge Pole .....	43
Rope .....	46
Rubber Suction Fire Hose.....	13

### S

Safety Glasses.....	32
Safety Goggles.....	32
Screw-Cap Bottle .....	49
Seal, Boxcar .....	48
Sharpening Gauge.....	10
Sheath, Ax (Leather).....	10
Sheath, McLeod Tool.....	10
Sheath, Pulaski Tool .....	10
Sheath, Shovel Tool .....	10
Shelter Case (Fire) .....	27
Shelter, Fire (Complete, M-2002) .....	27

Shelter, Fire (Complete, M-2002, Large) .....	27
Shelter, Fire (Single, M-2002) .....	27
Shelter, Fire (Single, M-2002, Large) .....	28
Shelter, Fire (Training) .....	30
Shelter, Fire (Training/Practice, M-2002) .....	29
Shelter, Fire (Training/Practice, M-2002, Complete) .....	29
Shelter, Fire (Training/Practice, M-2002, Large) .....	29
Shelter System, Fire (Training) .....	30
Shirt, Wildland Firefighter's .....	33
Shoulder Straps, Backpack Pump .....	19
Shovel, Forest Fire .....	10
Shovel Tool Sheath .....	10
Shroud, Face-and-Neck (Wildland Firefighter's) .....	30
Shut-Off Valve .....	17
Shut-Off Valve, Garden Hose .....	18
Single Fire Shelter (M-2002) .....	27
Single Fire Shelter (M-2002, Large) .....	28
Single-Bit Ax .....	9
Skin-Cleansing Towelette .....	44
Sleeping Bag .....	42
Sleeping Bag, Firefighter's .....	42
Sleeping Bag Pad .....	42
Smoke Chaser's Compass .....	49
Soap, Bar .....	44
Spanner Wrench .....	17
Standard Form .....	51
Storage Container, Plastic .....	39
Strapping Tape .....	48
Straps, Shoulder (Backpack Pump) .....	19
Stuff Sack (Fireline Pack Carrying Case) .....	37
Suppression Water Bag .....	39
Suppression Water Bag Liner .....	39
Swab, Insect Bite .....	25
Swivel, Cargo .....	50
Synthetic Garden Hose .....	12
Synthetic-Cotton Fire Hose .....	12
Synthetic-Lined Fire Hose .....	12

## T

Tableware, Paper .....	40
Tape Dispenser, Packaging .....	48
Tape, Packaging .....	48
Tape, Strapping .....	48
Tee, Hoseline (with Capped Male Branch) .....	15
Tee, Hoseline (with Valved Male Branch) .....	15
Tent Bag .....	35
Tent Fly .....	43
Tent Pole .....	43
Thread Adapter, Fire Hose .....	14
Tip, Nozzle (Fire Hose) .....	16, 18
Toilet Paper .....	44
Tool, Fire Line Combination .....	9
Tool Handle .....	11
Tool Handle Wedge .....	11
Tool, McLeod .....	9

Tool, Pulaski .....	9
Towel, Bath (Disposable) .....	44
Towelette, Skin-Cleansing .....	44
Towels, Paper .....	44
Training Fire Shelter .....	30
Training Fire Shelter Bag .....	30
Training Fire Shelter Case .....	30
Training Fire Shelter System .....	30
Training/Practice Fire Shelter (M-2002) .....	29
Training/Practice Fire Shelter (M-2002, Large) .....	29
Training/Practice Fire Shelter Bag (M-2002, Polyvinyl) .....	30
Training/Practice Fire Shelter Carrying Case (M-2002) .....	29
Training/Practice Fire Shelter, Complete (M-2002) .....	28
Training/Practice Fire Shelter, Complete (M-2002, Large) .....	29
Trash Bag .....	42

## U

Utility Pail .....	45
--------------------	----

## V

Vacuum Jug .....	41
Valve, Foot .....	17
Valve, Shut-Off .....	17
Valve, Shut-Off (Garden Hose) .....	18
Valve, Wye (Fire Hose) .....	17
Valve, Wye (Garden Hose) .....	18

## W

Wash Cloth, Disposable .....	44
Wash Kit, Personal .....	44
Water Applicator, Fire Hose .....	18
Water Bag .....	38
Water Bag, Drinking .....	39
Water Bag Liner .....	38
Water Bag Liner, Drinking .....	39
Water Bag Liner, Suppression .....	39
Water Bag, Supression .....	39
Water Cooler .....	41
Water Jug .....	39
Water Pump, Firefighting .....	20
Weather Kit Case .....	49
Weather Observation Kit .....	49
Wedge, Forestry (Plastic) .....	23
Wedge, Tool Handle .....	11
Wildland Firefighter's Face-and-Neck Shroud .....	30
Wildland Firefighter's Helmet .....	31
Wildland Firefighter's Pants .....	34
Wildland Firefighter's Shirt .....	33
Wind Speed Indicator .....	49
Wiping Cloth .....	46
Work Gloves, Firefighter's .....	32
Wrap, Plastic .....	48
Wrench, Spanner .....	17
Wye Valve, Fire Hose .....	17
Wye Valve, Garden Hose .....	18

## Class 1370

1370-00-294-1279 ..... (0105) ..... 50

## Class 1670

1670-00-797-4495 ..... (0284) ..... 50

1670-01-029-8554 ..... (0528) ..... 50

1670-01-029-8555 ..... (0526) ..... 50

1670-01-029-8556 ..... (0531) ..... 50

## Class 4020

4020-00-068-7906 ..... (1801) ..... 46

4020-00-240-2146 ..... (0533) ..... 46

## Class 4210

4210-00-085-2291 ..... (0138) ..... 16

4210-00-126-5108 ..... (0259) ..... 17

4210-00-177-6135 ..... (0737) ..... 16

4210-00-181-8872 ..... (0137) ..... 16

4210-00-203-3512 ..... (0296) ..... 9

4210-00-203-3845 ..... (0638) ..... 16

4210-00-203-3855 ..... (0637) ..... 16

4210-00-204-3358 ..... (0635) ..... 16

4210-00-204-3386 ..... (0636) ..... 16

4210-00-294-2648 ..... (0418) ..... 15

4210-00-540-4512 ..... (1807) ..... 10

4210-00-568-9904 ..... (0113) ..... 21

4210-00-595-1838 ..... (1220) ..... 13

4210-00-640-1892 ..... (0024) ..... 16

4210-00-767-7123 ..... (0046) ..... 18

4210-00-777-1591 ..... (0966) ..... 12

4210-00-777-1592 ..... (0967) ..... 12

4210-00-889-1774 ..... (1808) ..... 13

4210-00-889-1775 ..... (0115) ..... 13

4210-00-975-2969 ..... (0010) ..... 15

4210-00-984-3475 ..... (0231) ..... 17

4210-01-079-9283 ..... (0007) ..... 14

4210-01-079-9284 ..... (0006) ..... 14

4210-01-079-9285 ..... (0856) ..... 14

4210-01-079-9286 ..... (0733) ..... 15

4210-01-080-1457 ..... (0710) ..... 14

4210-01-080-1458 ..... (0916) ..... 14

4210-01-080-1459 ..... (2240) ..... 15

4210-01-080-1460 ..... (0731) ..... 15

4210-01-080-6531 ..... (2235) ..... 15

4210-01-080-6532 ..... (0416) ..... 15

4210-01-081-0417 ..... (0230) ..... 15

4210-01-081-0418 ..... (1809) ..... 15

4210-01-081-0419 ..... (2229) ..... 15

4210-01-081-8749 ..... (0857) ..... 14

4210-01-081-8751 ..... (2210) ..... 14

4210-01-082-0575 ..... (0732) ..... 14

4210-01-165-6597 ..... (1239) ..... 12

4210-01-165-6599 ..... (1201) ..... 17

4210-01-165-6600 ..... (1207) ..... 17

4210-01-165-6603 ..... (1081) ..... 16

4210-01-166-8122 ..... (1238) ..... 12

4210-01-167-1061 ..... (1016) ..... 12

4210-01-167-1123 ..... (1082) ..... 16

4210-01-321-4206 ..... (0772) ..... 18

4210-01-387-1392 ..... (0659) ..... 9

4210-01-412-5683 ..... (0735) ..... 18

4210-01-412-5684 ..... (0738) ..... 18

4210-01-412-5688 ..... (0720) ..... 18

4210-01-412-6335 ..... (0272) ..... 18

4210-01-508-8818 ..... (2230) ..... 15

4210-01-521-1691 ..... (0417) ..... 15

4210-01-526-2977 ..... (0933) ..... 12

4210-01-526-3000 ..... (0932) ..... 12

4210-01-529-8489 ..... (0727) ..... 13

## Class 4240

4240-01-292-2816 ..... (0475) ..... 32

4240-01-292-2817 ..... (0474) ..... 32

4240-01-292-5055 ..... (0476) ..... 32

4240-01-498-3184 ..... (0926) ..... 27

4240-01-498-3194 ..... (0925) ..... 27

4240-01-504-7863 ..... (0318) ..... 32

4240-01-527-5248 ..... (0975) ..... 27

4240-01-529-8804 ..... (0973) ..... 28

## Class 4320

4320-00-289-8912 ..... (1149) ..... 19

4320-00-595-0762 ..... (0151) ..... 19

4320-00-890-5879 ..... (0601) ..... 20

4320-01-495-3633 ..... (0148) ..... 20

## Class 4730

4730-00-595-1103 ..... (0136) ..... 16

4730-01-057-0136 ..... (0428) ..... 20

4730-01-057-4210 ..... (0429) ..... 20

## Class 4820

4820-00-126-5114 ..... (0212) ..... 17



**Class 5110**

5110-00-242-5384 .....	(0351) .....	22
5110-00-242-5385 .....	(0060) .....	22
5110-00-242-5386 .....	(1059) .....	22
5110-00-263-0341 .....	(0063) .....	22
5110-00-263-0342 .....	(0358) .....	22
5110-00-293-2339 .....	(0352) .....	9
5110-00-293-3380 .....	(1812) .....	11
5110-00-782-7491 .....	(2105) .....	22
5110-00-965-0608 .....	(0345) .....	22
5110-01-046-5031 .....	(0343) .....	22
5110-01-137-7507 .....	(1857) .....	11

**Class 5120**

5120-00-278-7590 .....	(0432) .....	11
5120-00-293-3451 .....	(0433) .....	11
5120-00-293-3467 .....	(0146) .....	9
5120-00-596-1426 .....	(0234) .....	17
5120-00-596-1427 .....	(0235) .....	17
5120-00-965-0609 .....	(0171) .....	10
5120-01-240-2120 .....	(1180) .....	9
5120-01-296-3592 .....	(1168) .....	11
5210-01-324-2776 .....	(0510) .....	10

**Class 5330**

5330-00-239-1873 .....	(0254) .....	13
5330-00-239-1875 .....	(0742) .....	13
5330-00-239-1877 .....	(2326) .....	13
5330-00-720-2621 .....	(0743) .....	13

**Class 5340**

5340-00-901-8105 .....	(1938) .....	48
------------------------	--------------	----

**Class 5345**

5345-00-558-5928 .....	(1828) .....	10
------------------------	--------------	----

**Class 5510**

5510-01-045-9198 .....	(2725) .....	23
------------------------	--------------	----

**Class 6135**

6135-00-643-1307 .....	(1233) .....	24
6135-00-643-1310 .....	(0031) .....	24
6135-00-835-7210 .....	(0033) .....	24
6135-00-985-7845 .....	(0030) .....	24
6135-00-985-7846 .....	(0834) .....	24

**Class 6230**

6230-00-500-0523 .....	(0127) .....	25
6230-01-493-7630 .....	(0667) .....	25

**Class 6510**

6510-01-045-3506 .....	(1243) .....	25
------------------------	--------------	----

**Class 6515**

6515-00-137-6345 .....	(1027) .....	32
6515-01-376-7247 .....	(0640) .....	26

**Class 6545**

6545-00-656-1092 .....	(0067) .....	26
6545-00-656-1094 .....	(1604) .....	26
6545-01-010-7754 .....	(1143) .....	26

**Class 6605**

6605-00-171-5121 .....	(0047) .....	49
6605-00-553-8795 .....	(1814) .....	49

**Class 6660**

6660-01-024-2638 .....	(1050) .....	49
------------------------	--------------	----

**Class 6680**

6680-00-833-7010 .....	(1155) .....	49
------------------------	--------------	----

**Class 6685**

6685-00-826-1662 .....	(1156) .....	49
------------------------	--------------	----

**Class 6840**

6840-01-003-9589 .....	(0705) .....	25
------------------------	--------------	----

**Class 6930**

6930-01-387-8487 .....	(2408) .....	30
6930-01-387-8533 .....	(2410) .....	30
6930-01-387-8541 .....	(2409) .....	30
6930-01-387-8543 .....	(2407) .....	30
6930-01-499-0605 .....	(2678) .....	28
6930-01-499-0608 .....	(2679) .....	29
6930-01-499-0614 .....	(2680) .....	29
6930-01-499-0618 .....	(2681) .....	30
6930-01-529-8805 .....	(2798) .....	29
6930-01-529-8807 .....	(2799) .....	29

**Class 7210**

7210-00-205-2804 .....	(0441) .....	43
7210-01-029-0370 .....	(1038) .....	44

**Class 7240**

7240-00-246-1097 .....	(0487) .....	45
7240-00-527-9868 .....	(0564) .....	21
7240-01-044-5523 .....	(0218) .....	21
7240-01-351-2133 .....	(1535) .....	45

**Class 7310**

7310-00-128-6837 .....	(0048) .....	39
------------------------	--------------	----

**Class 7330**

7330-00-819-7738 .....	(0827) .....	41
7330-01-449-2319 .....	(0943) .....	41

## Class 7340

7340-00-170-8374 ..... (0497) ..... 40

## Class 7350

7350-00-988-6498 ..... (0465) ..... 40

7350-01-263-6700 ..... (0464) ..... 40

## Class 7360

7360-00-139-0480 ..... (0135) ..... 41

7360-00-139-1063 ..... (0126) ..... 44

7360-00-634-4800 ..... (0129) ..... 40

7360-00-660-0526 ..... (0935) ..... 41

7360-01-310-5131 ..... (0073) ..... 39

## Class 7510

7510-00-079-7905 ..... (0396) ..... 48

7510-00-079-7906 ..... (0395) ..... 48

7510-00-582-4772 ..... (0222) ..... 48

## Class 7520

7520-00-579-9053 ..... (2139) ..... 48

## Class 7540

7540-00-634-4041 ..... (0399) ..... 51

7540-00-634-4045 ..... (0400) ..... 51

7540-00-634-4046 ..... (0936) ..... 51

7540-01-058-0222 ..... (0891) ..... 51

7540-01-119-5628 ..... (0872) ..... 51

7540-01-120-0607 ..... (1173) ..... 51

7540-01-120-4062 ..... (0863) ..... 51

7540-01-121-8825 ..... (0862) ..... 51

7540-01-124-7633 ..... (0866) ..... 51

7540-01-317-7366 ..... (0420) ..... 51

7540-01-317-7367 ..... (0422) ..... 51

## Class 7920

7920-00-205-1711 ..... (0565) ..... 46

## Class 8105

8105-00-664-3715 ..... (0018) ..... 41

8105-01-183-9768 ..... (0021) ..... 42

## Class 8115

8115-00-139-0652 ..... (0500) ..... 47

8115-00-139-0673 ..... (0338) ..... 47

8115-00-139-0689 ..... (0337) ..... 47

8115-00-139-0690 ..... (0305) ..... 47

8115-00-139-0691 ..... (0644) ..... 47

8115-00-139-0706 ..... (0353) ..... 47

8115-00-139-0722 ..... (2006) ..... 46

8115-00-139-0749 ..... (0643) ..... 47

8115-00-145-0038 ..... (2058) ..... 39

8115-00-183-9481 ..... (2030) ..... 46

8115-00-292-0123 ..... (2007) ..... 46

8115-01-219-5749 ..... (1580) ..... 46

8115-01-290-9543 ..... (0513) ..... 46

8115-01-307-2951 ..... (0384) ..... 47

8115-01-381-6529 ..... (0134) ..... 47

8115-01-504-1463 ..... (0645) ..... 47

## Class 8125

8125-00-824-9058 ..... (1157) ..... 49

## Class 8135

8135-00-579-6487 ..... (0144) ..... 48

8135-00-618-1783 ..... (0143) ..... 48

## Class 8340

8340-00-102-6370 ..... (0070) ..... 43

8340-00-753-6574 ..... (0083) ..... 43

8340-01-107-5694 ..... (0089) ..... 43

8340-01-185-5512 ..... (1521) ..... 43

## Class 8415

8415-00-233-5818 ..... (0577) ..... 33

8415-00-233-5819 ..... (0578) ..... 33

8415-00-259-8718 ..... (0579) ..... 33

8415-00-259-8722 ..... (0580) ..... 33

8415-00-286-7507 ..... (0045) ..... 23

8415-01-028-5575 ..... (0078) ..... 23

8415-01-055-2265 ..... (0109) ..... 31

8415-01-211-6316 ..... (0522) ..... 33

8415-01-284-7500 ..... (2079) ..... 33

8415-01-285-3530 ..... (2078) ..... 33

8415-01-294-7717 ..... (0150) ..... 23

8415-01-394-0208 ..... (1293) ..... 32

8415-01-394-0209 ..... (1294) ..... 32

8415-01-394-0210 ..... (1295) ..... 32

8415-01-394-0215 ..... (1296) ..... 32

8415-01-397-3937 ..... (1297) ..... 32

8415-01-421-3905 ..... (0569) ..... 33

8415-01-421-3907 ..... (0570) ..... 33

8415-01-434-0618 ..... (0511) ..... 33

8415-01-434-0626 ..... (0512) ..... 33

8415-01-464-2282 ..... (2800) ..... 34

8415-01-464-3671 ..... (2802) ..... 34

8415-01-464-3672 ..... (2801) ..... 34

8415-01-464-3673 ..... (2806) ..... 34

8415-01-464-3675 ..... (2807) ..... 34

8415-01-464-3676 ..... (2803) ..... 34

8415-01-464-3677 ..... (2804) ..... 34

8415-01-464-3678 ..... (2805) ..... 34


8415-01-464-4242 ..... (2700) ..... 34

8415-01-464-4244 ..... (2702) ..... 34

8415-01-464-4247 ..... (2701) ..... 34

8415-01-464-4248 .....	(2703) .....	34	8465-01-194-7019 .....	(1557) .....	36
8415-01-464-5621 .....	(2705) .....	34	8465-01-223-8421 .....	(1566) .....	42
8415-01-464-5624 .....	(2706) .....	34	8465-01-274-9910 .....	(0590) .....	6
8415-01-464-5645 .....	(2707) .....	34	8465-01-300-1699 .....	(0199) .....	27
8415-01-464-5742 .....	(2704) .....	34	8465-01-310-1259 .....	(0912) .....	38
8415-01-483-6075 .....	(1274) .....	30	8465-01-310-5130 .....	(0911) .....	38
8415-01-504-9042 .....	(0722) .....	31	8465-01-321-1678 .....	(1197) .....	19
8415-01-504-9044 .....	(0723) .....	31	8465-01-321-1679 .....	(0597) .....	19
8415-01-504-9045 .....	(0724) .....	31	8465-01-369-2147 .....	(0436) .....	39
8415-01-504-9047 .....	(0921) .....	31	8465-01-369-2148 .....	(0437) .....	39
8415-01-504-9048 .....	(0922) .....	31	8465-01-369-2149 .....	(0438) .....	39
8415-01-504-9050 .....	(0923) .....	31	8465-01-369-3557 .....	(0435) .....	39
8415-01-533-1740 .....	(2910) .....	33	8465-01-416-1951 .....	(0495) .....	19
8415-01-533-2435 .....	(2911) .....	33	8465-01-463-4648 .....	(0294) .....	30
<b>Class 8460</b>			8465-01-463-4649 .....	(0281) .....	35
8460-01-193-9769 .....	(1526) .....	37	8465-01-498-3190 .....	(0927) .....	28
<b>Class 8465</b>			8465-01-498-3191 .....	(0928) .....	28
8465-00-081-0798 .....	(1062) .....	42	8465-01-503-4476 .....	(0536) .....	45
8465-00-082-3054 .....	(1063) .....	38	8465-01-503-4479 .....	(0675) .....	37
8465-00-102-6381 .....	(0037) .....	38	8465-01-503-4482 .....	(0677) .....	37
8465-00-118-4956 .....	(0054) .....	38	8465-01-503-4484 .....	(0674) .....	37
8465-00-128-6928 .....	(0141) .....	45	8465-01-503-4488 .....	(0678) .....	37
8465-00-205-3493 .....	(0744) .....	35	<b>Class 8520</b>		
8465-00-293-3369 .....	(0359) .....	10	8520-01-411-0628 .....	(0208) .....	44
8465-00-521-3057 .....	(1154) .....	49	8520-01-415-2929 .....	(0206) .....	44
8465-01-062-5854 .....	(0038) .....	38	8520-01-536-5507 .....	(0712) .....	44
8465-01-067-9999 .....	(0257) .....	10	<b>Class 8540</b>		
8465-01-119-5562 .....	(0022) .....	42	8540-00-530-3770 .....	(0142) .....	44
8465-01-121-8699 .....	(0167) .....	27	8540-01-169-9010 .....	(0240) .....	44
8465-01-136-4718 .....	(1854) .....	10	<b>Class 8970</b>		
8465-01-136-4719 .....	(1853) .....	10	8970-00-149-1094 .....	(1842) .....	42
8465-01-141-2321 .....	(1855) .....	35	<b>Class 9905</b>		
8465-01-169-3996 .....	(1372) .....	36	9905-01-523-2324 .....	(0267) .....	50
8465-01-175-7169 .....	(1530) .....	36	9905-01-523-2578 .....	(0566) .....	50
8465-01-175-7170 .....	(1529) .....	36			
8465-01-193-9781 .....	(1559) .....	36			

Notes:



Detach Here

1. DOC. IDEN.	2. ROUTING IDEN.	3. 0	DOCUMENT NUMBER	10-11 REQUISITIONER	11. DATE	12 DEM	14-15F SUPPLEMENTARY ADDRESS	16 SR	17. FUND	18F. DISTRI- BUTION	19. PROJECT	20. PRI. DELIVERY OR DATE	21. REQ'D DELIVERY DATE	SIGNATURE ( <i>If required</i> )
1-3	4-6	7	30-35	36-39	44		45-50	51	52-53	54-56	57-59	60-61	62-64	
														TELEPHONE NUMBER

[illegible]



Detach Here

1	CHECK IF FOR FIRE FIGHTING	2	DOCL MENT IDENTI- FIER	3	SHIPOR DER R.I. TO SALER	4	SALES ADJ ORIG DOC ID	5	M & S
		1	3	4	6	7			

COLS. 8-29  
SEE ITEM 33  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64	65	66	67	68	69	71	72	73	74	75	77	E

COLS. 40-44  
SEE ITEMS 36-37  
BELOW

6	DOCUMENT NUMBER	7	SUPPLEMENTARY ADDRESS	8	50	51	L	52	53	54	56	57	59	60	61	62	64
---	-----------------	---	-----------------------	---	----	----	---	----	----	----	----	----	----	----	----	----	----

		21. SHIP VIA		22. PREPARED BY		23. BL NO.		
	24. CONSIGNEE CODE		25 PPI	26. MODE	27. EXPORT FACILITY	28. P.O.E.	29. P.O.D.	30. TCN (Transportation Control Number)
NOTE: Entries in shaded blocks may be in either the upper (if fixed) or lower (if variable) portion of the form-(never in both)								
32. REMARKS								
31. MARK FOR								

☐ Replenishment      ☐ Surface      ☐ Exclusive Use      ☐ Air      ☐ Ongoing Fire

**APPROPRIATION:**

STOCK NUMBER										34. UNIT OF ISSUE		35. QUANTITY		36. SERIAL NUMBER		37. 15V. S U P E R F I X		38. UNIT PRICE		39. BULK LOCATION		40. NUMBER OF CON-TAINERS		41. UNITS PER PACK		42. WEIGHT		43. TYPE PACK		44. 45 BIN											
8										22	23	24	25	29	40	43	44	67	72	73	74	80		39		40		41		42		43		44							
46. NO. OF PIECES OR CONTAINERS										47. DESCRIPTION										48. CONTAINER		49. GROSS WEIGHT		50. CIBE		51. NUMBER OF CONTAINERS		52. WEIGHT		53. DATE SHIPPED											
																				a. TYPE		b. NO.																			
																								</																	



**Go to [www.gsa.gov/cmls](http://www.gsa.gov/cmls) for additional information and to request copies of other GSA publications.**

Meeting your needs for product information is important to us. Please take a moment to help us provide you with the publications you need. It's simple!

The database for Alaska mailings is entirely new. To receive future GSA Global Supply catalogs, please visit us online at [www.gsa.gov/cmls](http://www.gsa.gov/cmls). You can request copies of specific catalogs and indicate your buying interests for future specialty publications.

If online access is not feasible, please fill out and return this postage-paid card. Please complete all fields, including your e-mail address; we want to distinguish you from others with a similar name or address. We will respect the "Privacy Preference" you indicate.

We appreciate your interest in GSA Global Supply and your general concerns about this catalog or GSA Global Supply operations. As always, thank you for your time, and for making GSA Global Supply "Your Reliable Government Source."

GSA Global Supply Catalogs – Order yours now!

To update your mailing address, please return this card or visit us online at [gsa.gov/cmls](http://gsa.gov/cmls).

### Section 1. Buying Interests

#### 1. Please indicate which of the following you work for:

- ☐ Federal Government    ☐ Military  
☐ State or Local Government    ☐ Vendor  
☐ Other \_\_\_\_\_

#### 2. If government, please indicate grade/rank:

##### Active Military

- ☐ General/Admiral    ☐ Colonel/Captain (Navy)  
☐ Lt. Colonel/Commander    ☐ Major/Lt. Commander  
☐ Captain/Lieutenant    ☐ Lieutenant/Ensign  
☐ Warrant Officer    ☐ Sergeant/Staff Sergeant  
☐ Private/Specialist/Sergeant/Airman

##### Civilian

- ☐ SES    ☐ GS/GM-15/GS/GM-14  
☐ GS/GM-13/GS/GM-12    ☐ GS/GM-11/GS/GM-10  
☐ GS/GM-9/GS/GM-8    ☐ GS/GM-7/GS/GM-6  
☐ Other \_\_\_\_\_

#### 3. If military or government, please indicate organization:

- ☐ Executive Office of the President/Vice President  
☐ Legislature    ☐ Judiciary

##### Departments

- ☐ Agriculture    ☐ Commerce    ☐ Education  
☐ Energy    ☐ HHS    ☐ Homeland Security  
☐ Labor    ☐ HUD    ☐ Interior  
☐ Justice    ☐ Labor    ☐ State  
☐ Transportation    ☐ Treasury    ☐ VA

##### Independent Agencies

- ☐ EPA    ☐ GSA    ☐ NASA  
☐ USPS    ☐ OPM    ☐ TVA  
☐ Other \_\_\_\_\_

##### Department of Defense

- ☐ Office of Secretary of Defense    ☐ Air Force  
☐ Army    ☐ Navy    ☐ Marines  
☐ Other Military    ☐ Other \_\_\_\_\_

#### 4. Please indicate the job category of your position:

- ☐ Accounting/Budget/Financial  
☐ Accounting/Budget/Financial Managerial  
☐ Acquisition/Computing/Purchasing  
☐ Acquisition/Computing/Purchasing Managerial  
☐ Administrative Support  
☐ Administrative Support Managerial  
☐ Business Development/Customer Service/Marketing  
☐ Business Development/Customer Service/Marketing Managerial  
☐ Food, Sports and Recreation

- ☐ Food, Sports, and Recreation Managerial  
☐ Engineering  
☐ Engineering Management  
☐ Facilities Management  
☐ Facilities Management Managerial  
☐ Fire Protection/Safety  
☐ Fire Protection/Safety Managerial/Fire Chief  
☐ Agricultural/Community Development/Forestry/Rural Development  
☐ Agricultural/Community Development/Forestry/Rural Development Managerial  
☐ Human Resources  
☐ Human Resources Managerial  
☐ Information Technology  
☐ Information Technology Managerial  
☐ Law Enforcement  
☐ Law Enforcement Managerial  
☐ Legal  
☐ Legal Managerial  
☐ Maintenance/Manufacturing  
☐ Maintenance/Manufacturing Managerial  
☐ Medical  
☐ Medical Manager/All Health and Medical Services  
☐ Postal/United States Postal Service employees  
☐ Postal Managerial



NO POSTAGE  
NECESSARY IF  
MAILED IN THE  
UNITED STATES

# BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 12710 WASHINGTON, DC

POSTAGE WILL BE PAID BY US GENERAL SERVICES ADMINISTRATION

GSA Centralized Mailing List Service  
GPO 47  
Fort Worth TX 76115-9904

**Go to [www.gsa.gov/cmls](http://www.gsa.gov/cmls) for  
additional information and to request  
copies of other GSA publications.**



FOLD ALONG DOTTED LINE AND SECURE WITH TAPE

*(Continued from item 1)*

- ☐ Scientific
- ☐ Scientific Managerial
- ☐ Senior Agency Management Officials
- ☐ Supply/Logistics
- ☐ Supply/Logistics Managerial
- ☐ Technical Support
- ☐ Technical Support Managerial
- ☐ Transportation
- ☐ Transportation Managerial
- ☐ Vendor Representation/Contractor and Vendor Personnel

**5. To which of the following publications would you like to subscribe?**

- ☐ All GSA Global Supply (GGS) Catalogs
- ☐ Furniture and Furnishings
- ☐ Housewares and Clothing
- ☐ Industrial Supplies
- ☐ Kitchen and Dishroom Supplies

- ☐ Office Supplies
- ☐ Patient and Accession
- ☐ Safety
- ☐ Tools and Hardware
- ☐ Wildlife and Fire Equipment
- ☐ Marking Tools
- 6. Which of the following areas are you interested in or involved in evaluating, specifying, recommending or approving the purchase of products and services? (check all that apply)**
- ☐ Engineering and Logistics
- ☐ Energy Management and Environmental Services
- ☐ Professional and Financial Management Services
- ☐ Human Resources
- ☐ Office Equipment and Services
- ☐ Furniture and Furnishings
- ☐ GSA PSS General Topics
- ☐ Travel, Transportation and Property Management
- ☐ Facility Maintenance and Management

- ☐ Information Technology Products and Services
- ☐ Recreation and Hospitality
- ☐ Homeland Security
- ☐ Vehicles, Aviation and Marine
- ☐ PSS Center for Acquisition Excellence
- ☐ Scientific Equipment/Services and Medical Supplies
- ☐ GSA SmartBuy®
- ☐ Vendor Incentives
- ☐ Lunch
- ☐ GSA Host

## Section 2: Privacy Preferences

Please contact us with valuable product and service information from GSA via:

☐ Mail ☐ Phone ☐ E-mail

GSA may release my contact information to:  
GSA vendor partners ☐ Yes

## Section 3: Contact Information

Title \_\_\_\_\_ \*First Name \_\_\_\_\_ Middle Initial \_\_\_\_\_ \*Last Name \_\_\_\_\_  
(If Mr, Ms, or Other)

Job Title \_\_\_\_\_ \*Agency/Company \_\_\_\_\_ Department \_\_\_\_\_

\*Address \_\_\_\_\_ \*City \_\_\_\_\_ \*State \_\_\_\_\_ \*ZIP code \_\_\_\_\_

\*Phone (\_\_\_\_\_) \_\_\_\_\_ \*E-mail \_\_\_\_\_

\*Indicates mandatory fields

The attached GSA Global Supply CD is designed for users of the Wildland Fire Equipment Program. After installing the CD on your computer (see instructions to the right), click on the “United States” portion of the world map to highlight the inventory of wildland fire-protection items. These items comprise the same inventory found on the pages of this catalog. Searches can be performed by item name, description, NSN, or NFES number.

This CD also provides access to the entire GSA Global Supply product line of more than 120,000 items. Each item has a corresponding description and GSA part number or NSN. Most have an accompanying photo as well.

For technical assistance, please access the CD’s “Help” function. If you need additional technical assistance, please e-mail [gsa.supplycd@gsa.gov](mailto:gsa.supplycd@gsa.gov).

A note on prices: Prices shown on this CD reflect those in effect at the time of printing. As with any catalog, prices are subject to change. Current prices can be confirmed online at [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov) or by calling (800) 525-8027.

**System Requirements**

- Pentium (or compatible) processor-based PC.
- Microsoft Windows (98, 98SE, ME, XP, NT 4.0, 2000).
- Administrative Rights are required to install on Windows XP, 2000, NT, and certain network configurations.
- ISO 9660 CD-ROM drive.
- 64 MB RAM.
- 300 MB of disk space.

**Installing your GSA Global Supply CD**

- Close all currently running programs.
- Uninstall previous version(s) of the GSA Global Supply CD.
- Place the CD in an available CD-ROM drive.  
Note: This GSA Global Supply CD will not auto-run.
- Click the Windows “Start” button. Then click on “Run” menu option.
- Type in “D:\Setup.exe” in the “Run” window, where “D” is the letter assigned to the CD-ROM drive. Click the “OK” button.
- Follow the on-screen installation instructions. Upon completion, a GSA Global Supply CD icon will appear on the Windows desktop.
- Double-click on the GSA Global Supply CD icon on the Windows desktop to open the application.

**Using Your GSA Global Supply CD**

- Double-click on the GSA Global Supply CD icon.
- Select your geographic location.
- Search for products by name, description, NSN, or NFES number.
- View complete item information for selected product(s).
- Select item(s) to order.
- Print order form.



Smarter Solutions

# Ordering Information



Emergency fire orders should be submitted by telephone or fax (Standard Form 344 or GSA Form 3222) to the following offices:

Monday through Friday: 7:30 a.m. – 4:15 p.m. (CST)  
**GSA Customer Assistance Branch, Fort Worth, TX**  
Telephone: (800) 525-8027, option 3  
Fax: (817) 978-2605

All other times (after-hours, weekends, and holidays)  
**GSA Western Distribution Center, French Camp, CA**  
Telephone: (209) 547-8693  
Fax: (209) 547-8746

(When faxing an order to French Camp, please notify personnel that the order is on the way.)

Visit us at [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov).

U.S. General Services Administration  
Centralized Mailing List Service  
Warehouse 9, South End  
501 W. Felix St.  
Fort Worth, TX 76115

Official Business  
Penalty for Private Use \$300

[www.gsa.gov](http://www.gsa.gov)  
March 2006  
Catalog Code 5-06-00096

Return Service Requested

PRESORTED  
STANDARD U.S.  
POSTAGE PAID  
GSA PERMIT NO. G-30

Federal Recycling Program



Printed on Recycled Paper